



POF 1262-A
(INDIGENOUS
SUPPLIES)

Government of Pakistan
PAKISTAN ORDNANCE FACTORIES
TENDER ENQUIRY

To M/s

Dear Sirs,

Reference : TENDER ENQUIRY NO. 0006/LP/CLO/54

DATED 02-AUG-24

You are requested to submit quotations for the item(s) noted in the Schedule to the Tender. Please note the following instructions for filling the tender:-

1. SUBMISSION OF TENDER

- 1.1 Tenders will be opened at **13:00 hours** on **03-OCT-24** at Bid Centre adjacent to Rabita Hall, POF Wah Cantt. Quotation must be submitted electronically on **www.ebidding.pof.gov.pk** as well as in hard form (duly sealed in envelope) before 30 minutes of opening time. The tender received late will not be entertained. You may witness the opening of the tender if you so desire. If a representative is deputed, he should bring a letter of authority from you.

Tender Enquiry No: 0006/LP/CLO/54

Tender to be opened on: 03-OCT-24

Address as follows:-

(www.ebidding.pof.gov.pk) BID CENTER

ADJACENT TO RABITA HALL

POFs, WAH CANTT.

2. GENERAL INSTRUCTIONS REGARDING PREPARATION OF QUOTATIONS

- 2.1 **For Materials**, the prices should be filled in column 5 and delivery date in column 7 of the schedule to this Tender Enquiry. As per **PPRA Rule 36(b)**, **Single Stage two envelope method** will be utilized for "Open competitive bidding." Moreover, technical & commercial evaluation of Bids will be carried out strictly as per PPRA rules and contract(s) will be awarded to the most advantageous bidder(s).
- 2.2 **For Plant and Machinery**, you are required to quote in two parts:-
Part I "Technical Offer": It should exclusively give technical details and literatures/brochures of the offered plant, machinery and equipment; validity date; delivery schedule; and signed undertaking given on the schedule to this Tender Enquiry. It must not indicate price, costs etc.

Cont....P-2

Part II "Commercial Offer": It should indicate the commercial terms e.g. price, terms of payment, mode of payment, mode of supply.

- 2.3 The quotation must remain valid for, at least 90 days from the date of opening of commercial tenders, extendable if so desired.
- 2.4 The quotation should hold good for any reduced or enhanced quantities without notice.
- 2.5 In the event of non-acceptance of offer, intimation may be given to the Tenderers on their request.
- 2.6 Conditional offers or alternative offers are likely to be ignored.
- 2.7 Quotations should be based on:-

F.O.R. station of dispatch basis, i.e. delivered free on rail, inclusive of packing and forwarding charges. The stores will be booked under Military Credit Note, to be provided by the purchaser.
and/or

Free delivery at POF's stores at **WAH CANTT**
In this case Octroi duty, will be payable by the supplier.

- 2.8 Taxes and Duties etc. where applicable, must be shown separately, quoting references to Registration No. in cases of Sales Tax and relevant authority in the case of others. Offers without these clarifications and inclusive of Taxes and Duties may be ignored.
- 2.9 Taxes and duties levied on or after Tender opening date or on or after the date offer was signed and dispatched will be allowed to include in the offered rates.
- 2.10 "Suppliers will furnish a certificate, issued by Excise & Taxation deptt., that he has cleared all Professional Tax payable by him" offers received without this certificate will be rejected.
- 2.11 Suppliers will render necessary information regarding hazardous effects on environment, of the material/products supplied by them, in their quotations and shipping/dispatch documents.
- 2.12 If the requisite information is not furnished on the T.E forms or offer received is not conformity with the requirement of the T.E such offer shall be ignored.

3. INSPECTION

- 3.1 Supplies shall be subject to the inspection and acceptance by the competent inspection authority nominated by the Purchaser, who will arrange it at his own cost. Inspection facilities such as tools, test equipment, instruments etc will, however, be provided by the Suppliers in accordance with the relevant specifications.
- 3.2 Where considered necessary by the Purchaser, stores may be obtained on Warranty/Guarantee subject to inspection on receipt. Rejected stores will be removed and replaced with the acceptable stores by the Supplier at his own expense, within a specified time.

4. TENDER FEE

The tender must be accompanied by a copy of non-refundable fee by means of a crossed postal order/pay order for Rs. 500/- in favour of: **Director-Admin-POFs, Wah Cantt.** The tender fee instrument in original must be provided on day/date of tender opening in the Bid Center.

4.1 TENDER SAMPLE

Where required, offer must accompany tender sample., strictly according to the description and specification given in Tender Enquiry. Offer not accompanied by tender sample will NOT be entertained excepting the established and reputable firms who have either previously satisfactorily supplied the same or similar stores or have submitted an acceptable sample thereof against previous T.E.

5. BID Security

5.1 A copy of Bid Security should accompany the tender in shape of deposit at call receipt/Pay Order/Banker Cheque from scheduled bank drawn in favour of :-

GENERAL MANAGER CLOTHING FY

5.2 Bid security instrument in original must be provided on the day/date of tender opening in the Bid Center as under:

- a. Registered/indexed firms including foreign firms - 2% of quoted value subject to the maximum ceiling of Rs. 0.5 Mn.
- b. Registered/un-indexed firms including foreign firms - 3% of quoted value subject to the maximum ceiling of Rs. 0.75 Mn.
- c. Unregistered Firms including foreign firms - 5% of quoted value subject to the maximum ceiling of Rs. 1.00 Mn.
- d. Govt organization/production units/state owned enterprises/welfare projects of Svcs HQ - Rs 0.50 M. can be waived off on request by DG(C)
- e. Bid money will be returned to unsuccessful (less first three lowest quotee firms) bidders on opening of commercial offers
- f. Bid money will be returned to successful bidders on submission of performance bond/unconditional B.G.
- g. Quotation accompanied with less bid money will be accepted on provisional basis for 10 x days after opening of bids. However the firms are bound to provide/furnish the balance bid money within 10 x days after opening of bid otherwise such quotations will be ignored or rejected
- h. Offers received without Bid Security will not be entertained.
- i. Bid money will be forfeited in case the quotation is withdrawn before the expiry of its validity date.

6. ACCEPTANCE OF OFFERS

6.1 POF may reject all bids or proposals at any time prior to the acceptance of bid(s) or proposal, but is not required to justify grounds for its rejection. POF shall incur no liability towards supplier or contractor who have submitted bids or proposals.

6.2 PERFORMANCE BOND

- (a) The successful bidders shall provide performance bond which shall not exceed 10% of contract value, in the form of Deposit At Call Receipt from a scheduled Bank; or, an un-conditional Bank Guarantee on a prescribed format. The performance Bond will be in favour of C.M.A.(POF) Wah Cantt. It will be returned on satisfactory completion of contract.
- (b) If the Supplier fails to furnish the Performance Bond within the specified time, such failure will constitute a breach of the contract and the Purchaser shall be entitled to make other arrangements for purchase of the stores at the risk and expense of the Supplier.

6.3 Performance Bond from State owned organizations may be waived off at the discretion of the Purchaser.

6.4 FAILURE TO SUPPLY THE STORES

All deliveries must be completed by the specified date. In case of failure to deliver the stores within the scheduled time should have arisen from "Force Majeure", which the purchaser may admit as reasonable ground for further time, he will allow such additional time as he may consider to have been required by the circumstances of the case. Otherwise, he will be entitled, at his discretion, to cancel the contract; and/or claim liquidated damages upto 2% but not less than 1% of the contract price of the items and their quantities for each and every month or part of a month, beyond the specified delivery date, during which these may not be delivered, subject to a maximum of 10% of the total contract value of the particular stores which remained unsupplied either in part or in full: or, to purchase from elsewhere, the unsupplied stores at the risk and cost of the supplier.

6.5 PAYMENT

Payment will be made by the CMA(POF) through crossed cheque on receipt/ acceptance of stores on our prescribed bill form supported by receipt voucher on part/full supply basis.

(a) Payment of duties/Taxes including professional tax (where applicable) must be supported by proof of having paid these to concerned Govt. Taxation Deptt.

7. SECURITY OF INFORMATION

The tenderer and his employees must not communicate any information relating to the sale/purchase of stores under this enquiry to any person other than the manufacturer or to any press or agent not authorised in writing by POFs to receive it.

Please return the Schedule to the Tender duly signed by the specified date, along with the specifications, drawings etc. if any, enclosed herewith - even if you are unable to quote.

WARNING In case the firm abstain from making offers or fail to return/acknowledge the tender form by the specified date on three consecutive occasions, no further tender enquiry may be issued to them and their names would liable to removed from the approved list.

Yours faithfully

**MUHAMMAD WASEEM KHAN
GENERAL MANAGER**

for PAKISTAN ORDNANCE FACTORIES

POFS WAH CANTT

Tele 051-9055-22259

Fax 0519271400.

PAKISTAN ORDNANCE FACTORIES

SCHEDULE TO TENDER NO. 0006/LP/CLO/5402-AUG-24**(1) FOR MATERIALS**

(1)	(2)	(3)	(4)	(5)	(6)		(7)
Item No.	Description with Specs. etc.	Unit	Qty	Quoted Value	Price Per Unit FOR or free delivery		Delivery Date
					In Figures	In Words	

1	BUCKRAM FUSING WHITE WIDTH 1 MTR TECH-23-006(a)-Clo	METER	936				
2	CLOTH CELLULAR COTTON & POLYESTER WIDTH I62 CM , COLOUR BLACK Tech-23-012-Clo	METER	8074				
3	CLOTH DRILL POLYESTER & COTTON MERCED WIDTH 142 CM , COLOUR KHAKI Tech-23-013-Clo	METER	5939				

Total Rs =	
+ GST =	
Total value Rs =	

(2) For Plant & Machinery:

Specification:-

(3) Special Conditions

- 01 Inspection Authority is DQA POF Wah Cantt or his Authorized Rep.
- 02 Place of inspection at Clothing Factory/ Firm's premises.
- 03 The payment of sales tax is mandatory. Rate shall be quoted showing elements of sales tax Separately.
- 04 copy of sales tax registration duly attested must be attached with quotation.
- 05 Packing:- i. Internal Diameter of carton card roll is 2 inch. ii. Maximum Cloth in a roll is 140 Mtr. iii. Packing, Shade wise marking and preservation will be done by supplier. iv. Cloth rolls must be covered by polythene sheet.
- 06 All terms and conditions of T.E formate will be a part of contract.
- 07 Only registered supplier (with sale tax and income tax deptt), who are on Active Taxpayers List (ATL) of FBR are eligible to supply goods/services to Government departments.
- 08 The payment to the registered persons will be linked with the active taxpayer status of the suppliers as per FBR database. If any registered supplier is not in ATL his payment will be stopped till he files his mandatory returns and appears on ATL of FBR.
- 09 The firms rep attending the tender opening must be authorized and empowered to give clarification / commitment on behalf of firm / supplier regarding rate reduction and waive off terms and condition.
- 10 Delivery period should be 03 months after placement of contract or earlier.
- 11 Un-registered firms will provide 1 year bank statement with Technical quotation.
- 12 The firms who registered with SECP (Security Exchange Commission of Pakistan) are eligible to participate in bid and also attach registration certificate with Technical offer.
- 13 Hard copies of Bid Money and Tender Fees must reached in Bid Center at the time of Technical opening date /time. Soft copies of Tenders fee with amount and Bid Money hiding the amount attach with Technical offer.

PAKISTAN ORDNANCE FACTORIES

SCHEDULE TO TENDER NO. 0006/LP/CLO/54

02-AUG-24

(1)	(2)	(3)	(4)	(5)	(6)		(7)
Item No.	Description with Specs. etc.	Unit	Qty	Quoted Value	Price Per Unit FOR or free delivery		Delivery Date
					In Figures	In Words	

- 14 Only OEM will participate in the tender against item # 02 & 03 and also provide manufacturer certificate with Quotation.
- 15 Procurement to the limit of 10 Million or above shall be subject to an Integrity Pact, as specified by regulation with approval of the federal government, between the procuring agency and the supplier or contractors.
- 16 Firms must be attach PTC of concerned province with quotation.

Undertaking

Should our offer be accepted, we hereby undertake to supply the stores/render the services contracted on the basis of General Conditions of Contract embodied in Form POF 1281, and to deposit the performance bond within the prescribed time, failing which it will constitute a breach of contract, and POF will have the right to purchase the stores/services elsewhere at our risk and cost.

Place _____ Date _____ _____ _____	Signature of the Tenderer _____ Name _____ Position _____ Address _____ Income Tax G.I.R. No _____ Official Stamp _____
---	--

SPECIFICATION OF FUSING BUCKRAM


Spec # Tech-23-006(a)-Clo

The finished Buckram shall conform to the following parameter:-

Ref'nce: Spec No. PS-C/737(B)

Spec No. PS-C/752

SR.NO.	PARAMETERS	SPECIFIED LIMITS
1.	Width	100 cm (min)
2.	Weight per Sq Mtr	170 grms (min)
3.	No of Thread per 1cm Warp Weft	26 ± 1 22 ± 1
4.	Shrinkage %age Warp Weft	1.5% (max) 1.5% (max)
5.	Breaking Strength (20x5 cm) Warp Weft	40 kg (min) 30 kg (min)
6.	Adhesion with cloth by ironing	Satisfactory


AM Technical Section
Clothing Factory
// -12-2019

CLOTH CELLULAR COTTON & POLYESTER BLACK**Spec No.Tech-23-012-Glo****Ref'nce: Spec No.P-SC/692 (b)**

1. **MANUFACTURE.** The Cloth Cellular Cotton and Polyester Black shall be uniformly woven with a Cellular weave (Peres formation) with firm, straight and uniform selvages of thickness such as not to cause any dye defect at or near selvages. The Cloth shall be free from weaving and manufacturing defects.

1.1 The finish cloth shall confirm to the following particulars:-

SR:NO.	TESTS	SPECIFIED LIMIT	
1.	Width (Excluding Selvages) (Min)	162 cm	
2.	Conditioned Weight per Square Mtr (minimum)	160 gms	
3.	Material	Polyester / Cotton	
4.	Composition	Cotton	50 ± 4%
		Polyester	50 ± 4%
5.	Count of Yarn	(a) Warp	2/15.2 to 18.59 tex
		(b) Weft	2/15.2 to 18.59 tex
6.	No of Thread per 25 mm (min)	(a) Warp	68 each 2 fold
		(b) Weft	46 each 2 fold
7.	Breaking Strength (15.2 x 16.8 cm) (minimum)	(a) Warp	225 kgs
		(b) Weft	145 kgs
8.	Shrinkage (Max)	(a) Warp	2%
		(b) Weft	2%
9.	Scouring Loss (Max)	2%	
10.	Dye Fastness To	Class-V	
	a. Light (min)		
	Washing No.4		
	b. Change in shade		
11.	Perspiration (Acidic & Alkaline)	Change in Shade	GS No. IV
		Staining on Cotton Piece	
Staining on Woolen Piece			
12.	Rubbing	Dry	GS No. IV
		Wet	
13.	Dye	Vat / Disperse	

- 1.2 The Cloth before dyeing shall be properly scoured, bleached and mercerized.
- 1.3 The dyeing of Cloth shall be uniform and shall be free from patchiness, (local colour variation), listing (colour variation across the width of the Fabric), ending (colour variation along the length of the Fabric) and face to face variation.
- 1.4 The cloth shall be properly finished and pre-shrunk by any standard method.

2. **MATERIALS.**

- 2.1 The Cloth, Cellular, Cotton, and Polyester Black shall be woven from good quality yarn, uniformly spun and free from naps, slubs, knots and seed particles and other spinning defects.
- 2.2 The dye used for Cotton shall be Vat Dye Sulphur free to give the required shade and fastness. The chemicals, dyes and processing shall be such that there should be no tendering effect on the fabric.
3. **MATERIALS TESTING.** The materials may also be subjected to such tests which are deemed necessary by the Inspection Authority in order to determine their suitability.

4. **WORKMANSHIP AND FINISH.** The texture, mercerization, feel, finish and shade of Cloth shall be equal to Sealed Pattern. It shall be best of its class and to the entire satisfaction of the Inspector.

5. **TESTS.**

- 5.1 The stores / materials during manufacture and after delivery shall be tested and examined as the Inspector may consider necessary in order to determine whether they conform to this specification.
- 5.2. **COUNT OF YARN.** The count of yarn shall be determined in accordance with the test method given in Pakistan Standard No.8.
- 5.3. **WEIGHT.** The weight of the Cloth shall be determined in accordance with the test method given in Pakistan Standard No.143.
- 5.4. **SHRINKAGE.** The Shrinkage of the Cloth shall be determined in accordance with the test method given in Pakistan Standard No.94.
- 5.5. **SCOURING LOSS.** The Scouring loss of the Cloth shall be determined in accordance with the test method given in Pakistan Standard No.92.
- 5.6 **DYE FASTNESS**
- 5.6.1 **TO LIGHT.** The fastness to light of dyed Cloth shall be tested in accordance to the test Method give in Pakistan Standard No. 1337/B.
- 5.6.2 **TO WASHING.** For fastness to washing the dyed Cloth shall be subjected to washing test No.4 in accordance to the test Method laid down in Pakistan Standard No. 1337/C.

61

5.6.3 **TO PERSPIRATION (ACIDIC & ALKALINE).** The fastness to perspiration of the dyed Cloth Shall be tested in accordance with the test Method laid down in Pakistan Standard No. 1337/E04.

5.6.4 **TO DRY & WET RUBBING.** The fastness to Dry and Wet rubbing of the dyed Cloth shall be tested in accordance with the test method laid down in Pakistan Standard No. 1337/X12.

5.7 **BREAKING STRENGTH.** The breaking strength of the dyed Cloth shall be determined in accordance with the test Method laid down in Pakistan Standard No. 1553. The test pieces shall be 10.2 cm wide and of such a length to allow 16.8 cm between the grips of the machine.

A.M / Production-4
Clothing Factory
POF, Yeshivatt

AM Technical Section
Clothing Factory
12-12-2019

CLOTH DRILL POLYESTER & COTTON KHAKI

Spec No.Tech-23-013-Clo

Ref'nce: Spec No.P-SC/693 (b)

1. **MANUFACTURE.** The Cloth Drill Polyester and Cotton Khaki shall be uniformly woven with a Twill weave of 3/1 with firm, straight and uniform selvedges of a thickness such as not to cause any dye defect at or near selvedges. The cloth shall be free from weaving and manufacturing defect.

1.1 The finish cloth shall confirm to the following particulars:-

SR.NO.	TESTS		SPECIFIED LIMIT
1.	Width (Excluding Selvedges) (Min)		142 cm
2.	Conditioned Weight per Square Mtr (minimum)		225 gms
3.	Material		Polyester / Cotton
4.	Composition	Cotton	35 ± 4%
		Polyester	65 ± 4%
5.	Count of Yarn	(a) Warp	2/15.4 to 19.4 tex
		(b) Weft	2/15.4 to 19.4 tex
6.	No of Thread per 25 mm (min)	(a) Warp	126 each 2 fold
		(b) Weft	56 each 2 fold
7.	Breaking Strength (15.2 x 16.8 cm) (minimum)	(a) Warp	300 kgs
		(b) Weft	150 kgs
8.	Shrinkage (Max)	(a) Warp	2%
		(b) Weft	2%
9.	Scouring Loss (Max)		2%
10.	Dye Fastness To		Class-V
	a. Light (min)		
	Washing No. 3		
	b. Change in shade		
11.	Perspiration (Acidic & Alkaline)	c. Staining on Cotton Piece	GS No. IV
		d. Staining on Woolen Piece	
11.	Perspiration (Acidic & Alkaline)	Change in Shade	GS No. IV
		Staining on Cotton Piece	
		Staining on Woolen Piece	
12.	Rubbing	Dry	GS No. IV
		Wet	
13.	Dye		Vat / Disperse

2. MATERIALS.

- 2.1 The Cloth, Drill Polyester and Cotton Khaki shall be woven from good quality yarn, uniformly spun and free from naps, slubs, knots and seed particles and other spinning defects.
- 2.2 The dye used for Cotton shall be Vat Dye Sulphur free to give the required shade and fastness. The chemicals, dyes and processing shall be such that there should be no tendering effect on the fabric.

3. **MATERIALS TESTING.** The materials may also be subjected to such tests which are deemed necessary by the Inspection Authority in order to determine their suitability.

- 3.1 The Cloth before dyeing shall be properly scoured, bleached and mercerized.
- 3.2 The dyeing of Cloth shall be uniform and shall be free from patchiness, (local colour variation), listing (colour variation across the width of the Fabric), ending (colour variation along the length of the Fabric) and face to face variation.
- 3.3 The cloth shall be properly finished and pre-shrunk by any standard method.

4. WORKMANSHIP AND FINISH.

- 4.1 The texture, mercerization, feel, finish and shade of Cloth shall be equal to sealed pattern. It shall be best of its class and to the entire satisfaction of the Inspector.
- 4.2 The Cloth shall conform to Sealed Pattern in respect of all indeterminable qualities and properties not defined in this specification.

5. **TESTS.** The stores / materials during manufacture and after delivery shall be tested and examined as the Inspector may consider necessary in order to determine whether they conform to this specification:

5.1. COUNT OF YARN.

The count of yarn shall be determined in accordance with the test method given in Pakistan Standard No.8.

5.2. WEIGHT.

The weight of the Cloth shall be determined in accordance with the test method given in Pakistan Standard No.143.

5.3. SHRINKAGE.

The Shrinkage of the Cloth shall be determined in accordance with the test method given in Pakistan Standard No.94.

5.4. SCOURING LOSS.

The Scouring loss of the Cloth shall be determined in accordance with the test method given in Pakistan Standard No.92.

5.5. **DYE FASTNESS**

5.5.1 **TO LIGHT.**

The fastness to light of dyed Cloth shall be tested in accordance to the test Method give in Pakistan Standard No. 1337/B.

5.5.2 **TO WASHING.**

For fastness to washing the dyed Cloth shall be subjected to washing test No.4 accordance to the test Method laid down in Pakistan Standard No. 1337/C.

5.5.3 **TO PERSPIRATION (ACIDIC & ALKALINE).**

The fastness to perspiration of the dyed Cloth Shall be tested in accordance with the test Method laid down in Pakistan Standard No. 1337/E04.

5.5.4 **TO DRY & WET RUBBING.**

The fastness to Dry and Wet rubbing of the dyed Cloth shall be tested in accordance with the test method laid down in Pakistan Standard No. 1337/X12.

5.6 **BREAKING STRENGTH.**

The breaking strength of the dyed Cloth shall be determined in accordance with the test Method laid down in Pakistan Standard No. 1553. The test pieces shall be 10.2 cm wide and of such a length to allow 16.8 cm between the grips of the machine.

A.M / Production-I
Clothing Factory
POF War Cantt.

AM Technical Section
Clothing Factory

12 -12-2019