



POF 1262
(FOREIGN SUPPLIES)

**Government of Pakistan
PAKISTAN ORDNANCE FACTORIES
TENDER ENQUIRY**

To

M/s

Dear Sirs,

Reference : TENDER ENQUIRY NO. 0006/FP/48/Pur-MGFy DATED 24-SEP-18

You are requested to submit quotations for the items noted in the schedule to the tender. Offers should be sent duly sealed in an envelope. Please note the following instructions for filling the tender:-

1. SUBMISSION OF TENDER

1.1 Tenders will be opened at 1130 hours on 30-OCT-18 and must reach in CR Section CO4 or Bid Centre adjacent to Rabata Hall POF Wah Cantt on or before 1100 hrs within the due date. The Tenders received late will not be entertained. You may witness the opening of the tender if you so desire. If a representative is deputed, he should bring a letter of authority from you.

1.2 Only one tender should be included in one envelope. The outside of the envelope should be inscribed with:-

Tender Enquiry No: 0006/FP/48/Pur-MGFy
Tender to be opened on: 30-OCT-18
Address as follows:-

MANAGING DIRECTOR

MACHINE GUN FACTORY

POF WAH CANTT

1.3 If envelope does not indicate reference of TEs or received late the same may be returned up-opened.

2. GENERAL INSTRUCTIONS REGARDING PREPARATION OF QUOTATIONS

2.1 For materials, the prices should be filled in column 5 and delivery date in column 6 of the schedule to this Tender Enquiry. The undertaking should be signed at the bottom of the Schedule which shall form the Quotation. You may use a separate sheet if necessary.

Contd.....P-2

2.2 **For Plant and Machinery**, you are required to quote in two parts:-

Part I "Technical Offer": It should exclusively give technical details and literatures/ brochures of the offered plant, machinery and equipment; validity date; delivery schedule; and signed undertaking given on the schedule to this Tender Enquiry. It must not indicate price, costs etc.

Part II "Commercial Offer": It should indicate the commercial terms e.g. price, terms of payment, mode of payment, mode of supply.

Each part should be placed in a separate sealed cover. The envelopes should be inscribed with: Part I "Technical Quotation without Price" and Part II "Commercial Quotation with Price".

2.3 The quotation must remain valid for, at least 90 days from the date of opening of tenders.

2.4 The quotation should hold good for any reduced or enhanced quantities without notice.

2.5 In the event of non-acceptance of offer, intimation may be given to the Tenderers on their request.

2.6 Conditional offers or alternative offers are likely to be ignored.

2.7 Quotations should be based on FOB. The consignment will be shipped through Pakistan National Shipping Corporation (PNSC). In case there is no PNSC service in the country of shipping, please quote on C & F basis. The freight should be indicated separately. Insurance premium should not be included in the quoted price. However, where insurance is considered necessary, advice to that effect should be given in the quotation.

2.8 Submission of the offer through an agent in Pakistan should be avoided. In case it is considered inevitable, the agent's quotation must invariably be accompanied by the original proforma invoice from the principals/manufacturers.

2.9 Country of origin and port of shipment to be stated

2.10 The offer of the principal must clearly indicate whether the rate quoted is inclusive of agent's commission, and if inclusive rate of commission included be specified.

2.11 Suppliers will render necessary information regarding hazardous effects on environment, of the materials/products supplied by them, in their quotations and shipping/despatch documents

2.12 If the requisite information is not furnished on the T.E form or offer received is not in conformity with the requirement of the T.E each offer shall be ignored.

3. INSPECTION

3.1 Supplies shall be subject to the inspection and acceptance by the competent inspection authority nominated by the Purchaser, who will arrange it at his own cost. Inspection facilities such as tools, test equipment, instruments etc will, however, be provided by the Suppliers in accordance with the relevant specifications.

3.2 Where considered necessary by the Purchaser, stores may be obtained on Warranty/Guarantee, subject to inspection on receipt. Rejected stores will be removed and replaced with the acceptable stores by the Supplier at his own expense, within a specified time.

3.3 TENDER SAMPLE

Where required offer must accompany tender sample strictly according to the description and specification given in Tender Enquiry. Offer not accompanied by tender sample will NOT be entertained excepting the established and reputable firms who have either previously satisfactorily supplied the same or similar stores or have submitted an acceptable sample thereof against previous T.E.

4. ACCEPTANCE OF OFFERS

4.1 POF may reject all bids or proposals at any time prior to the acceptance of a bid or proposals, but is not required to justify grounds for its rejection. POF shall incur no liability towards suppliers or contractors who have submitted bids or proposals.

4.2 PERFORMANCE BOND

(a) The successful bidder will provide Performance Bond at the rate of 10% of F.O.B value of the contract in favour of Controller Military Accounts (CMA) POF Wah Cantt. The Performance Bond will be furnished in the form of Deposit At Call Receipt (CDR) from any scheduled bank in Pakistan or an unconditional bank guarantee on prescribed proforma covered by any scheduled bank in Pakistan. The performance Bond shall be furnished within 45 days from the date of opening of Letter of Credit. It shall be valid for a period of 12 months after the date of expiry of letter of credit. If the Performance Bond is not furnished within the prescribed time of 45 days, the Purchaser reserves the right to:

- i. Impose penalty @ 1% per month of the value of CDR/BG.
(Clause-42 (a i) is not applicable in case of procurement of Plant/Equipment/Machinery items).

OR

- ii. Cancel the contract and make other arrangements for purchase of the stores at the risk and expense of the Supplier.

(b) No Performance Bond will be required if the total FOB value of the contract is less than US \$50,000 and contract is placed directly on the foreign Supplier.

4.3 FAILURE TO SUPPLY THE STORES

All deliveries must be completed by the specified date. In case of failure to deliver the stores within the scheduled time should have arisen from "Force Majeure", which the purchaser may admit as reasonable ground for further time, he will allow such additional time as he may consider to have been required by the circumstances of the case. Otherwise, he will be entitled, at his discretion, to cancel the contract; and/or claim liquidated damages upto 2% but not less than 1% of the contract price of the items and their quantities for each and every month or part of a month, beyond the specified delivery date, during which these may not be delivered, subject to a maximum of 10% of the total contract value of the particular stores which remained unsupplied either in part or in full: or, to purchase from elsewhere, the unsupplied stores at the risk and cost of the supplier.

4.4 PAYMENT

Payment will normally be made by means of irrevocable letter of credit. Unless otherwise stated 90% payment will be released on submission of despatch documents to Bank while balance 10% payment will be released on receipt and acceptance of store by the consignee.

All Bank charges incurred in Pakistan in connection with the establishment of L.C. will be borne by the Purchaser, whereas all Bank charges incurred in connection with drawing of payment including charges for confirmation of L.C. by the advising Bank/Foreign Bank will be borne by the Supplier.

5. SECURITY OF INFORMATION

The tenderer and his employees must not communicate any information relating to the sale/purchase of stores under this enquiry to any person other than the manufacturer or to any press or agent not authorised in writing by POFs to receive it.

Please return the Schedule to the Tender duly signed by the specified date, alongwith the specifications, drawings etc., if any, enclosed herewith - even if you are unable to quote.

WARNING In case the firm abstain from making offers or fail to return/acknowledge the tender form by the specified date on three consecutive occasions, no further tender enquiry may be issued to them and their names would liable to be removed from the approved list.

Yours Faithfully

(TANVEER AHMED)

MANAGER-PURCHASE-MGFY

for PAKISTAN ORDNANCE FACTORIES

Tele 9314101,22125

Fax 051-9314100

Telex 5840 POFAC PK

PAKISTAN ORDNANCE FACTORIES

POF 1262

SCHEDULE TO TENDER NO. 0006/FP/48/Pur-MGFy DATED 24-SEP-18

Indent No.0017-FP-48-MC-MGFy dated 18.01.18 & Indent No.0001-FP-49-MC-MGFy dated 07-11-17

(1) FOR MATERIALS

(1) Item No.	(2) Description with Specs. etc.	(3) Unit	(4) Qty	(5) Price Per Unit FOB or free delivery		(6) Delivery Date
				In Figures	In Words	
1	COLD ROLLED COMMON PURPOSE STEEL T = 1 MM B3-GB912-66 B-GB708-65 ALT. BS 1449: Part 1:1972, CS 17 A ALT. DIN 1652, GK 22 K - N	KG	1352			
2	COLD ROLLED COMMON PURPOSE STEEL SHEET T=2 MM B3-GB912-66 B-GB708-65 ALT. BS 1449: Part 1:1972, CS 17 A ALT. DIN 1652, GK 22 K - N	KG	80			
3	COLD ROLLED ANNEALED COMMON PURPOSE STEEL T=1.5 MM B3 GB912-66 B-GB708-65 ALT. BS 1449: Part 1:1972, CS 17 A ALT. DIN 1652, GK 22 K - N	KG	769			
4	COLD DRAWN & ANNEALED SEAMLESS STEEL PIPE DIA 14X1.5 MM 35-YB 231-70 ALT. BS 900:1950, CDS6 As drawn	KG	70			
5	HOT ROLLED SUPER QUALITY STRUCTURAL STEEL DIA 32MM 50B YB 481-80 GB 702-65	KG	310			
6	COLD DRAWN SEAMLESS STEEL PIPE Ø 14+-0.12X Ø 9+-0.10 MM 50BA-YB481-80/YB231-70 ALT. BS 970, Part:1:1978, 080M50T ALT. DIN 17200, CK 55 V	KG	52			
7	COLD DRAWN & ANNEALED SEAMLESS STEEL PIPE Ø 36X6 MM 35 YB231-70	KG	1622			

PAKISTAN ORDNANCE FACTORIES

POF 1262

SCHEDULE TO TENDER NO.

0006/MGF/FP/48

DATED

24-SEP-18

(1)	(2)	(3)	(4)	(5)		(6)
Item No.	Description with Specs. etc.	Unit	Qty	Price Per Unit FOB or free delivery		Delivery Date
				In Figures	In Words	
	ALT. BS 900:1950, CDS 6 as drawn ALT. DIN 1652, CK 35 K + N					
8	COLD DRAWN SEAMLESS STEEL PIPE Ø 42X5.5 X50 MM 35 YB231-70 ALT. BS 900:1950, CDS 6 as drawn ALT. DIN 1658, CK 35 K + N	KG	171			
9	HOT ROLLED SEAMLESS STEEL PIPE Ø114X15 X112 MM 45 YB231-64 YB 231-70	KG	483			
10	HOT ROLLED ANNEALED SEAMLESS STEEL PIPE Ø180 X14X102 MM 45 YB231-64 YB231-70	KG	715			
11	COLD DRAWN ANNEALED SUPER QUALITY CARBON STRCTURAL STEEL WIRE Ø 3 X 1496 MM 10 YB194-63 GB905-66	KG	11			
12	COLD DRAWAN SUPER QUALITY CARBON STRUCTURAL STEEL WIRE DIA 6.3 MM 50B YB481-80 GB905-66	KG	120			
13	COLD DRAWN SUPER SUALITY SPECIAL SECTION STEEL (FIGURED STEEL) 50 X 87 MM 45B / 50B YB481-80 ALT. BS 970, Part:1:1972, 080M46 COLD DRAWN ALT. DIN 1652, CK 45 K	KG	135			
14	COLD DRAWN SUPER QUALITY SPECIAL SECTION STEEL (FIGURED STEEL) 12 X 24 MM 45B YB481-80	KG	30			

PAKISTAN ORDNANCE FACTORIES

POF 1262

SCHEDULE TO TENDER NO.

0006/MGF/FP/48

DATED

24-SEP-18

(1)	(2)	(3)	(4)	(5)		(6)
Item No.	Description with Specs. etc.	Unit	Qty	Price Per Unit FOB or free delivery		Delivery Date
				In Figures	In Words	
	ALT. BS 970, Part:1:1972, 080M46 COLD DRAWN ALT. DIN 1652, CK 45 K					
15	HOT ROLLED SUPER QUALITY CARBON STRUCTURAL STEEL PLATE T=7MM 50 GB711-65/GB709-65 OR 50B YB481-80 ALT. BS 1449: Part 1:1972 HS 50 BEING IN HARD CONDITION BLANKING ETC. WIL BE DIFFICULT.	KG	1116			
16	HOT ROLLED SUPER QUALITY CARBON STRUCTURAL STEEL PLATE T= 5 MM 40 GB711-65/ GB709-65 ALT. BS 1449: Part 1: 1972 HS 40 ALT. DEALS WITH BAR	KG	665			
17	HOT ROLLED SUPER QUALITY CARBON STRUCTURAL STEEL SHEET T=7 MM 50B YB481-80/ GB709-65 ALT. BS 1449: Part 1:1972 HS 50 BEING IN HARD CONDITION BLANKING ETC. WIL BE DIFFICULT.	KG	210			
18	COLD DRAWN SUPER QUALITY STRUCTUAL STEEL DIA 8.5 MM 50B YB481-80/ GB905-66	KG	4			
19	COLD DRAWN SUPER QUALITY STRUCTURAL STEEL DIA 10 MM 50B YB481-80/GB905-66 ALT. BS 970, Part:1:1972, 080M 50T ALT. DIN 17200, CK 55 V	KG	1202			
20	COLD DRAWN SUPER QUALITY STRUCTURAL STEEL DIA 17MM 50B YB481-80 /GB905-66 ALT. BS 970, Part:1:1972, 080M 50 ALT. DIN 17200, CK 55 V	KG	38			

PAKISTAN ORDNANCE FACTORIES

POF 1262

SCHEDULE TO TENDER NO.

0006/MGF/FP/48

DATED

24-SEP-18

(1)	(2)	(3)	(4)	(5)		(6)
Item No.	Description with Specs. etc.	Unit	Qty	Price Per Unit FOB or free delivery		Delivery Date
				In Figures	In Words	
21	COLD DRAWN SUPER QUALITY CARBON STRUCTURAL STEEL WIRE DIA 4.2 MM X COIL 50B YB481-80/ GB905-66 ALT. BS 970:Part 1:1972, 080M50T ALT. Din 17200, CK 55 V	KG	8			
22	COLD DRAWN SUPER QUALITY CARBON STRUCTURAL STEEL DIA 8 MM 50BA YB481-80/ GB905-66 ALT. BS 970:Part 1:1972, 080M50T ALT. Din 17200, CK 55 V	KG	15			
23	COLD DRAWN SUPER QUALITY STRUCTURAL STEEL DIA 8 MM 50Z YB481-80/ GB905-66 ALT. BS 970, Part:1:1972, 080M 50 COLD DRAWN ALT. DIN 1698, CK 45 K	KG	99			
24	COLD DRAWN SUPER QUALITY CARBON STRUCTURAL STEEL WIRE DIA 6 MM 50Z YB481-80/ GB905-66 ALT. BS 970:Part 1:1972, 080M50 Cold drawn ALT. Din 1652, CK 45 K + N	KG	27			
25	COLD DRAWN SUPER QUALITY STRUCTURAL STEEL DIA 8.5 MM 40 YB194-63/GB905-66 ALT. BS 970:Part 1:1972, 080M40 Cold drawn ALT. Din 1652, CK 35 K	KG	30			
26	COLD DRAWN SUPER QUALITY STRUCTURAL STEEL WIRE DIA 6.5 MM 40 YB194-63/ GB905-66 ALT. BS 970:Part 1:1972, 080M40 Cold drawn ALT. Din 1652, CK 35 K	KG	17			
27	COLD DRAWN SUPER QUALITY STRUCTURAL STEEL	KG	114			

PAKISTAN ORDNANCE FACTORIES

POF 1262

SCHEDULE TO TENDER NO.

0006/MGF/FP/48

DATED

24-SEP-18

(1)	(2)	(3)	(4)	(5)		(6)
Item No.	Description with Specs. etc.	Unit	Qty	Price Per Unit FOB or free delivery		Delivery Date
				In Figures	In Words	

DIA 10 MM

50 YB194-63/GB905-66 OR 50B YB481-80

ALT. BS 970, Part:1:1972, 080M 50
COLD DRAWN
ALT. DIN 1698, CK 45 K

28 COLD DRAWN SUPER QUALITY STRUCTURAL STEEL . KG . 61

DIA 10.5 MM

50BA YB481-80/GB905-66

ALT. BS 970:Part 1:1983, 080M50 T
ALT. DIN 17200, CK 55 V

29 HOT ROLLED SUPER QUALITY CARBON STRUCTURAL STEEL . KG . 92

DIA 26 MM

50 GB699-65/GB702-65 OR 50B-YB481-80

ALT. BS 970:Part 1:1972, 080M50 N
ALT. Din 1652, CK 45 K + N

30 HOT ROLLED SUPER QUALITY CARBON STRUCTURAL STEEL . KG . 1528

DIA 32 MM

50-GB699-65/GB702-65 OR 50B-YB481-80

ALT. BS 970:Part 1:1983, 080M50 T
ALT. Din 1652, CK45 K+N

31 HOT ROLLED SUPER QUALITY CARBON STRUCTURAL . KG . 345

DIA 15MM

50B YB481-80 / GB702-65

ALT. BS 970:Part 1:1972, 080M50 T
ALT. Din 17200, CK 55 V

32 HOT ROLLED SUPER QUALITY CARBON STRUCTURAL STEEL . KG . 107

DIA 34MM

50B YB481-80 / GB702-65

ALT. BS 970:Part 1:1983, 080M50 T
ALT. Din 17200, CK 55 V

33 HOT ROLLED SUPER QUALITY CARBON STRUCTURAL STEEL . KG . 1070

PAKISTAN ORDNANCE FACTORIES

POF 1262

SCHEDULE TO TENDER NO.

0006/MGF/FP/48

DATED

24-SEP-18

(1)	(2)	(3)	(4)	(5)		(6)
Item No.	Description with Specs. etc.	Unit	Qty	Price Per Unit FOB or free delivery		Delivery Date
				In Figures	In Words	

DIA 38MM

50B YB481-80 / GB702-65

ALT. BS 970:Part 1:1972, 080M50 T

ALT. Din 17200, CK 55 V

34 HOT ROLLED SUPER QUALITY CARBON TOOL STEEL . KG . 274 . . .

DIA 12MM

TI2A GB1298-77 / GB702-65

ALT. Din 17222, MK 101 G

35 HOT ROLLED SUPER QUALITY CARBON TOOL STEEL . KG . 410 . . .

DIA 23MM

TI2A GB1298-77 / GB702-65

ALT. Din 17222, MK 101 G

36 HOT ROLLED SUPPER QUALITY CARBON STRUCTURAL STEEL . KG . 1934 . . .

DIA 32MM

45 GB699-65/GB702-65

ALT. BS 970, Part:1:1972, 080M46N

ALT. DIN 1652, CK 45, K + N

37 COLD DRAWN SUPER QUALITY CARBON STRUCTURAL STEEL WIRE . KG . 6 . . .

DIA 3MM

45-YB194-63/ GB905-66

ALT. BS 970:Part 1:1972, 080M46 Cold drawn

ALT. Din 1652, CK 45 K + N

38 COLD DRAWN SUPER QUALITY CARBON STRUCTURAL STEEL WIRE **DIA 5MM** . KG . 100 . . .

45 YB194-63/GB905-66

ALT. BS 970:Part 1:1972, 080M46 Cold Drawn

ALT. DIN 1652, CK 45, K + N

39 COLD DRAWN SUPER QUALITY STRUTURAL STEEL WIRE . KG . 9 . . .

DIA 7MM

45 YB194-63/GB905-66

ALT. BS 970:Part 1:1972, 080M46 Cold drawn

PAKISTAN ORDNANCE FACTORIES

POF 1262

SCHEDULE TO TENDER NO.

0006/MGF/FP/48

DATED

24-SEP-18

(1)	(2)	(3)	(4)	(5)		(6)
Item No.	Description with Specs. etc.	Unit	Qty	Price Per Unit FOB or free delivery		Delivery Date
				In Figures	In Words	
	ALT. Din 1652, CK 45 K					
40	COLD DRAWN SUPER QUALITY STURCTURAL STEEL	KG	11			
	DIA 15MM 10 YB194-63/ GB905-66 ALT. Din 1652, CK 10K					
41	COLD DRAWN SUPER QUALITY STRUCTURAL STEEL	KG	86			
	DIA 16MM 30 YB194-63 GB905-66 ALT. BS 970:Part 1:1983, 080M30 T cold drawn ALT. Din 1652, CK 35 K					
42	COLD DRAWN ROUND STEEL	KG	86			
	DIA: 6MM 30 YB194-63 GB905-66					
43	HOT ROLLED ANNEALED SUPER QUALITY ALLOY STRUCTURAL STEEL	KG	89			
	DIA 19MM 30SiMnMOVA/30Si Mn2 Mo VA YB481-80/ GB702-65					
44	HOT ROLLED SUPER QUALITY ALLOY STRUCTURAL STEEL OR HOT ROLLED Ø30 X 4000~6000MM DIA 30MM	KG	921			
	30SiMnMOVA/30SiMn2MOVA YB481-80/ GB303-65/GB702-6					
45	HRSQ ALLOY STRUCTURAL STEEL ANNEALED OR HOT ROLLOED DIA 36 X4000~6000MM DIA 35MM	KG	1558			
	30 SiMnMOVA/30 SiMn2MOVA YB481-80/ GB702-65					
46	HRSQ ALLOY STRUCTURAL STEEL DIA 52MM OR HOT ROLLED DIA 53 X 4000~6000MM	KG	1391			

PAKISTAN ORDNANCE FACTORIES

POF 1262

SCHEDULE TO TENDER NO.

0006/MGF/FP/48

DATED

24-SEP-18

(1)	(2)	(3)	(4)	(5)		(6)
Item No.	Description with Specs. etc.	Unit	Qty	Price Per Unit FOB or free delivery		Delivery Date
				In Figures	In Words	

30CRNI3A-YB481-80/GB702-65

47 HRSQ ALLOY STRUCTURAL STEEL RADIALLY FORGED . KG . 20143 .

DIA 60 MM

30SiMnMOVA/30SiMn2MOVA YB481-80 GB702-65 OR
32 CrMOV1210

48 HOT ROLLED SUPER QUALITY ALLOY STRUCTURAL STEEL . KG . 530 .

DIA 34MM

35 CRMNS1A YB481-80/GB702-65

49 HOT ROLLED SUPER QUALITY ALLOY STRUCTURAL STEEL . KG . 2330 .
ALT. RADIALLY FORGED SIZE Ø 60X4000~6000MM

50B YB481-80/GB702-65

ii)50B-YB481-80
ALT. BS 970:Part 1:1972, 080M50 T
ALT. Din 17200, CK 55 V

50 HOT ROLLED SUPER QUALITY CARBON STRUCTURAL STEEL . KG . 35 .
SHEET

T=1.5MM

T8A YB538-65/B-GB708-65

ALT. BS 1449: Part 1:1972, HS 80 A
ALT. Din 17222, MK 75 G

51 COLD ROLLED SUPER QUALITY CARBON STRUCTURAL . KG . 396 .
STEEL SHEET

T=1 MM

35-III-P GB710-65 B-GB708-65

ALT. BS 1449:Part 1:1972, CS 40 A

52 HRSQC STRUCTURAL STEEL SHEET . KG . 21 .

T=1.5MM

50B-III-P-YB481- 80/C-GB708-65

ALT. BS 1449: Part 1:1983, HS 50

PAKISTAN ORDNANCE FACTORIES

POF 1262

SCHEDULE TO TENDER NO.

0006/MGF/FP/48

DATED

24-SEP-18

(1)	(2)	(3)	(4)	(5)		(6)
Item No.	Description with Specs. etc.	Unit	Qty	Price Per Unit FOB or free delivery		Delivery Date
				In Figures	In Words	
53	HOT ROLLED SUPER QUALITY CARBON STRUCTURAL STEEL	KG	62			
	T=3MM 50B-III-P-YB 481- 80/C-GB 708-65 ALT. BS 1449: Part 1:1972, HS 50					
54	HOT ROLLED SUPER QUALITY CARBON STRUCTURAL STEEL SHEET	KG	81			
	T=2 MM 25-III-P-GB710-65/C-GB708-65 ALT. BS 1449: Part 1:1972, CS 30 A ALT. DEALS WITH BAR					
55	HOT ROLLED SUPER QUALITY CARBON STRUCTURAL STEEL SHEET	KG	12			
	T=2MM 45-III-P GB710-65/B-GB708-65 ALT. BS 1449: Part 1:1972, HS 50 ALT. DEALS WITH BAR					
56	HRSQ CARBON STRUCTURAL STEEL SHEET	KG	48			
	T= 3MM 45-IV-P-GB710-65/B-GB708-65 45-III-P					
57	HRSQ STRUCTURAL STEEL SHEET	KG	14			
	T= 4MM 45-IV-P/45-III-P-GB710-65/C-GB708-65					
58	COLD DRAWN SUPER QUALITY CARBON STRUCTURAL STEEL STRIP	KG	270			
	2.5X40 MM 45-III-P-GB710-65/B-GB708-65 ALT. 1449 Part 1:1972, CSA 50 ALT. DEALS WITH BARS					
59	HOT ROLLED ANNEALED SUPER QUALITY CARBON STRUCTURAL STEEL SHEET	KG	158			

PAKISTAN ORDNANCE FACTORIES

POF 1262

SCHEDULE TO TENDER NO.

0006/MGF/FP/48

DATED

24-SEP-18

(1)	(2)	(3)	(4)	(5)		(6)
Item No.	Description with Specs. etc.	Unit	Qty	Price Per Unit FOB or free delivery		Delivery Date
				In Figures	In Words	
	<p>T=3MM</p> <p>35-III-P GB710-65 C-GB708-65</p> <p>ALT. BS 1449: Part 1:1972, CS 40 A</p> <p>ALT. DEALS WITH BAR</p>					
60	HOT ROLLED ANNEALED SUPER QUALITY STRUCTURAL STEEL SHEET	KG	240			
	<p>T=3.2 MM</p> <p>35-III-S-GB710-65/C-GB708-65</p> <p>ALT. BS 1449: Part 1:1972, CS 40 A</p> <p>ALT. DEALS WITH BAR</p>					
61	HOT ROLLED ANNEALED SUPER QUALITY ALLOY STRUCTURAL SQUARE STEEL	KG	280			
	<p>20X20 MM</p> <p>30CRMNMOTIA-YB481-80/GB703-65</p>					
62	HOT ROLLED SUPER QUALITY CARBON STRUCTURAL SQUARE STEEL	KG	2631			
	<p>55X55 MM</p> <p>50BA YB481-80/ GB703-65</p>					
63	HRSQCS STEEL OR RADIALLY FORGED.	KG	22517			
	<p>100 X 100 MM</p> <p>50BA YB481-80/GB703-65 OR 50B YB 481-80</p>					
64	COLD DRAWN ANNEALED SUPER QUALITY CARBON STRUCTURAL STEEL STRIP	KG	18			
	<p>0.8X40MM X COIL</p> <p>50B-P-G-Q-T YB481-80/YB207-65</p> <p>ALT. BS 1449 Part 1:1972,CSA50</p> <p>ALT. DEALS WITH BARS</p>					
65	COLD DRAWN ANNEALED SUPER QUALITY CARBON STRUCTURAL STEEL STRIP	KG	94			

PAKISTAN ORDNANCE FACTORIES

POF 1262

SCHEDULE TO TENDER NO.

0006/MGF/FP/48

DATED

24-SEP-18

(1)	(2)	(3)	(4)	(5)		(6)
Item No.	Description with Specs. etc.	Unit	Qty	Price Per Unit FOB or free delivery		Delivery Date
				In Figures	In Words	

0.8X105 MM X COIL

50B-P-G-Q-T YB481-80/YB207-65

ALT. BS 1449 Part 1:1983, CSA50

ALT. DEALS WITH BARS

66 COLD DRAWN ANNEALED SUPER QUALITY STRUCTURAL STEEL STRIP . KG . 1486 . . .

0.9X130 MM X COIL

50AZ-P-G-Q-T YB689-76/YB207-65

WITHOUT Cr & Ni CONTENTS

67 COLD DRAWN ANNEALED SUPER QUALITY ALLOY STRUCTURAL STEEL . KG . 23 . . .

DIA 7 MM

35CRMNSIA YB481-80 GB905-66

68 COLD DRAWN SUPER QUALITY STRUCTURAL HEXAGONAL STEEL . KG . 9 . . .

S=11 MM (ACROSS FLAT = 11 MM)

50 YB194-63/GB907-66 OR 45 YB194-63

ALT. BS 970, Part:1:1972, 080M 50

COLD DRAWN

ALT. DIN 1652, CK 45 K

69 CDSQ CARBON STRUCTURAL STEEL WIRE . KG . 1 . . .

DIA 3MM X COIL

15 GB344-64

ALT. BS 970:Part 1:1972, 080M30 Cold drawn

ALT. Din 1652, CK 35 K

70 COLD ROLLED ANNEALED SPRING AND TOOL STEEL STRIP . KG . 26 . . .

2X25 MM X COIL

T8A-P-BG-T YB208-63

ALT. BS 1449: Part 1: 1972 CS 80 A

ALT. DIN 17222, MK 75 G

71 COLD DRAWN SUPER QUALITY CARBON SPRING STEEL WIRE . KG . 2 . . .

PAKISTAN ORDNANCE FACTORIES

POF 1262

SCHEDULE TO TENDER NO.

0006/MGF/FP/48

DATED

24-SEP-18

(1)	(2)	(3)	(4)	(5)		(6)
Item No.	Description with Specs. etc.	Unit	Qty	Price Per Unit FOB or free delivery		Delivery Date
				In Figures	In Words	
	<p align="center">DIA 0.5MM X COIL</p> <p align="center">GROUP-I YB248-64</p>					
72	COLD DRAWN SUPER QUALITY CARBON SPRING STEEL WIRE	KG	2			
	<p align="center">DIA 1.2MM X COIL</p> <p align="center">GROUP-I, YB248-64</p>					
73	COLD DRAWN SUPER QUALITY CARBON SPRING STEEL WIRE	KG	21			
	<p align="center">DIA 1.5 MM X COIL</p> <p align="center">GROUP-I, YB248-64</p>					
74	COLD DRAWN SUPER QUALITY CARBON SPRING STEEL WIRE	KG	15			
	<p align="center">DIA 3MM X COIL</p> <p align="center">GROUP-I YB248-64</p>					
75	COLD DRAWN SUPPER QUALITY SPRING STEEL	KG	850			
	<p align="center">DIA 8.5MM</p> <p align="center">65 SI2 MN WA YB 682-77/GB 905-66</p> <p align="center">ALT. 17222, 66 S1 7 H+A</p>					

**(2) For Plant & Machinery:
Specification:-**

- (3) Special Conditions**
1. Past business performance with POF or other Govt. organization in relevent store.
 2. Specs. mentioned against each item is Chinese.
 3. In case of first time business of foreign firm with POF:
 - a) Firm will provide credential certificate + export license.
 - b) 100% payment will be made after receipt & acceptance of store.
 4. In case of local firm:
 - a) Firm will provide Tender Fee + Bid Money.
 - b) GST must be shown separately.

PAKISTAN ORDNANCE FACTORIES

POF 1262

SCHEDULE TO TENDER NO. 0006/FP/48/Pur-MGFy DATED 24-SEP-18

(4) Undertaking

Should our offer be accepted, we hereby undertake to supply the stores/render the services contracted on the basis of Conditions of Contract embodied in Form POF 1280, and to deposit the performance bond within the prescribed time, failing which it will constitute a breach of contract, and POF will have the right to purchase the stores/services elsewhere at our risk and cost.

Place _____
Date _____

Signature of the Tenderer _____
Name _____
Postion _____
Address _____
Income Tax G.I.R. No _____