



POF 1262
(FOREIGN SUPPLIES)

Government of Pakistan
PAKISTAN ORDNANCE FACTORIES
TENDER ENQUIRY

To

M/s

Dear Sirs,

Reference : TENDER ENQUIRY NO. 0035/WPN/FP/49

DATED 21-FEB-19

You are requested to submit quotations for the items noted in the schedule to the tender. Offers should be sent duly sealed in an envelope. [REDACTED]
[REDACTED]. Please note the following instructions for filling the tender:-

1. SUBMISSION OF TENDER

1.1 Tenders will be opened at 1100 hours on 29-3-2018 and must reach this office on or before 10 30 . The tender received late will not be entertained. You may witness the opening of the tender if you so desire. If a representative is deputed, he should bring a letter of authority from you.

1.2 Only one tender should be included in one envelope. The outside of the envelope should be inscribed with:-

Tender Enquiry No: 0035/WPN/FP/49

Tender to be opened on: 29-3-2019

Address as follows:-

GENERAL MANAGER-PFC-WPNS

BID CENTER / RABITA HALL C-04

POF WAH CANTT PAKISTAN

1.3 If envelope do not indicate reference of TES or received late the same returned up-opened.

2. GENERAL INSTRUCTIONS REGARDING PREPARATION OF QUOTATIONS

2.1 For materials,

SEE SPECIAL CONDITION ATTACHED AS ANNEXURE 'A'

2.2 For Plant and Machinery, you are required to quote in two parts:-

Part I "Technical Offer": It should exclusively give technical details and literatures/ brochures of the offered plant, machinery and equipment; validity date; delivery schedule; and signed undertaking given on the schedule to this Tender Enquiry. It must not indicate price, costs etc.

Part II "Commercial Offer": It should indicate the commercial terms e.g. price, terms of payment, mode of payment, mode of supply.

Each part should be placed in a separate sealed cover. The envelopes should be inscribed with Part I "Technical Quotation without Price" and Part II "Commercial Quotation with Price".

2.3 The quotation must remain valid for, at least 90 days from the date of opening of tenders.

2.4 The quotation should hold good for any reduced or enhanced quantities without notice.

2.5 In the event of non-acceptance of offer, no intimation will be given to the Tenderers.

2.6 Conditional offers or alternative offers are likely to be ignored.

2.7 Quotations should be based on FOB. The consignment will be shipped through Pakistan National Shipping Corporation (PNSC). In case there is no PNSC service in the country of shipping, please quote on C & F basis. The freight should be indicated separately. Insurance premium should not be included in the quoted price. However, where insurance is considered necessary, advice to that effect should be given in the quotation.

2.8 Submission of the offer through an agent in Pakistan should be avoided. In case it is considered inevitable, the agent's quotation must invariably be accompanied by the original proforma invoice from the principals/manufacturers.

2.9 Country of origin and port of shipment to be stated

2.10 The offer of the principal must clearly indicate whether the rate quoted is inclusive of agent's commission, and if inclusive rate of commission included be specified.

2.11 Suppliers will render necessary information regarding hazardous effects on environment, of the materials/products supplied by them, in their quotations and shipping/despatch documents

2.12 If the requisite information is not furnished on the T.E form or offer received is not in conformity with the requirement of the T.E each offer shall be ignored.

3. INSPECTION

3.1 Supplies shall be subject to the inspection and acceptance by the competent inspection authority nominated by the Purchaser, who will arrange it at his own cost. Inspection facilities such as tools, test equipment, instruments etc will, however, be provided by the Suppliers in accordance with the

3.2 Where considered necessary by the Purchaser, the stores may be obtained on Warranty/Guarantee subject to inspection on receipt. Rejected stores will be removed and replaced with the acceptable stores by the Supplier at his own expense, within a specified time.

3.3 TENDER SAMPLE

Where required, offer must accompany tender sample, strictly according to the description and specification given in Tender Enquiry. Offer not accompanied by tender sample will NOT be entertained excepting the established and reputable firms who have either previously satisfactorily supplied the same or similar stores or have submitted an acceptable sample thereof against previous T.E.

4. ACCEPTANCE OF OFFERS

4.1 The right to accept or reject any offer in full or in part, without assigning any reason or to negotiate price without prejudice to the original offer is hereby reserved.

4.2 PERFORMANCE BOND

(a) The successful bidder will provide Performance Bond at the rate of 10% of F.O.B value of the contract in favour of Controller Ordnance Factories, Accounts CMA (POF) Wah Cantt (Pakistan). The Performance Bond will be furnished in the form of Deposit At Call Receipt from any scheduled bank in Pakistan or an unconditional bank guarantee on prescribed proforma covered by any scheduled bank in Pakistan. The performance Bond shall be furnished within 45 days from the date of opening of Letter of Credit. It shall be valid for a period of 12 months after the date of expiry of letter of credit. If the Performance Bond is not furnished within the a/m prescribed time, the Purchaser reserves the right to cancel the contract and has the right of risk purchase action.

(b) No Performance Bond will be required if the total FOB value of the contract is less than US \$50,000 and contract is placed directly on the foreign Supplier.

4.3 FAILURE TO SUPPLY THE STORES

All deliveries must be completed by the specified dates. If the failure to deliver the stores within the scheduled time should have arisen from "Force Majeure", which the purchaser may admit as reasonable ground for further time, he will allow such additional time as he may consider to have been required by the circumstances of the case. Otherwise, he will be entitled, at his discretion, to cancel the contract; and/or claim liquidated damages upto 2% but not less than 1% of the contract price of the items and their quantities for each and every month or part of a month, beyond the specified delivery date, during which these may not be delivered, subject to a maximum of 10% of the total contract value; or, to purchase from elsewhere, the unsupplied stores at the risk and cost of the supplier.

4.4 PAYMENT

Payment will normally be made by means of irrevocable letter of credit. Unless otherwise stated 90% payment will be released on submission of despatch documents to Bank while balance 10% payment will be released on receipt and acceptance of store by the consignee.

All Bank charges incurred in Pakistan in connection with the establishment of L.C. will be borne by the Purchaser, whereas all Bank charges incurred in connection with drawing of payment including charges for confirmation of L.C. by the advising Bank/Foreign Bank will be borne by the Sup

5. SECURITY OF INFORMATION

The tenderer and his employees must not communicate any information relating to the sale/purchase of stores under this enquiry to any person other than the manufacturer or to any press or agent not authorised in writing by POFs to receive it.

Please return the Schedule to the Tender duly signed by the specified date, alongwith the specifications, drawings etc., if any, enclosed herewith - even if you are unable to quote.

WARNING In case the firm abstain from making offers or fail to return/acknowledge the tender form by the specified date on three consecutive occasions, no further tender enquiry may be issued to them and their names would liable to be removed from the approved list.


Yours Faithfully

(NAEEM AHMED)

MANAGING DIRECTOR-W

for PAKISTAN ORDNANCE FACTORIES

Tele 051-9055-21015

Fax 051-9271400

Telex mdwpn@pof.gov.pk

PAKISTAN ORDNANCE FACTORIES

POF 1262

SCHEDULE TO TENDER NO.

0035/WPN/FP/49

DATED

21-FEB-19

(1) FOR MATERIALS

(1) Item No.	(2) Description with Specs. etc.	(3) Unit	(4) Qty	(5) Price Per Unit FOB or free delivery		(6) Delivery Date
				In Figures	In Words	
1	CASE HARDENING STEEL (TREATED FOR STRENGTH) DIA 4.5 MM 16 Mn Cr 5 BF BS 970 PT-I 527 M17 SAE 5115 UNSG 51150	KG	100			
2	STEEL HOT ROLLED AND ANNEALED SIZE 40 X 50 MM 15 Cr Ni 6 , (1.5919) DIN-17210 LENGTH: 3-4 MTR OR SAE-3215. OR 17 Cr Ni 6-6 EN-10263-3	KG	300			
3	HIGH SPEED STEEL HEAT TREATED FOR GOOD MACHINEABILITY. DIA 8.5 MM, DIN 175 S 6 - S - 2 (1.3343), OR. BS 4659 BM 2 Length. 3-5 Mtr. According to Steel/iron mater- ial sheet 320-69 material No. 1.3343 Acc.to DIN 17007 sheet-2 as supplement for the materail sheeet. Additional chemicalcomposition as follow Si=0.25%,Mn=0.3% Min P=0.03%,S=0.03%.Max value Super ficial decarborization. Inspected for cracks.	KG	150			
4	HEAT TREATABLE STEEL G3A3 DIA 10 MM, DIN-671 32 Ni Cr Mo 145 G, (1.6746) OR (BS-970-En 27) (Length. 3-3.5 Mtr) Or 30Cr Ni Mo8 DIN.17200 Or BS-970, Pt-2 (823 M30) CHEMICAL COMPOSITION IN % age. C=0.25-0.35, Si=0.5 Max. Mn=0.8 Max.Ni=3.2 to 3.7 Cr=1-1.5.Mo=0.3 to 0.6 P= 0.030 Max. S=0.025 Max. P+S=0.055 Max OR 1.6746 SAMPLE ANALYSIS. P= 0.02, S = 0.015, P+S=0.03 Mechanical Properties. Best Machineability without superficial decarburization, Inspection for cracks Rigidity= 70-90 KP/mm2.	KG	1000			

PAKISTAN ORDNANCE FACTORIES

POF 1262

SCHEDULE TO TENDER NO.

0035/WPN/FP/49

DATED

21, FEB-19

(1)	(2)	(3)	(4)	(5)		(6)
Item No.	Description with Specs. etc.	Unit	Qty	Price Per Unit FOB or free delivery		Delivery Date
				In Figures	In Words	
5	STEEL COLD DRAWN AND HEAT TREATED. DIA 33 MM, DIN-668 (LENGTH=3--4 Mtr) 32 Cr Mo V 1210 K+V, (1.6746) chemical composition C=0.29 to 0.36% Si=0.50% Max Mn=0.70% Max P=0.025% Max S=0.025% Max Cr=2.80 to 3.20 % Mo=0.80 to 1.20 % V=0.25 to 0.35 % MECHANICAL PROPERTIES YEILD POINT= 686 N/mm Sq/ Min Tensile Strength=931 to 1070 N/mm2 Elongation= 12% Min Notch Toughness=117.6 Nm/Cm Sq/Min.	KG	1200			
6	Cr Mo V ALLOYED STRUCTURAL STEEL HOT ROLLED AND ANNEALED. DIA 31 +- 0.2 MM 32 Cr Mo V 1210, LENGTH= 3-4 METER acc to TTD	KG	47500			
7	COLD WORK STEEL IN FLAT BARS ████████ Size= 11 X 18 MM, DIN-174 STEEL 070M20 NORMALIZED TO BS-970 PT-1 OR Length=3-3.5 Mtr. Cq 15K+G, DIN-1654 BS 970 PT-1 040 A12 SAE M1015, UNS G 10150 (ROD LENGTH=3-3.5 MTR).	KG	1150			

PAKISTAN ORDNANCE FACTORIES

POF 1262

SCHEDULE TO TENDER NO.

0035/WPN/FP/49

DATED

21 FEB-19

(1)	(2)	(3)	(4)	(5)		(6)
Item No.	Description with Specs. etc.	Unit	Qty	Price Per Unit FOB or free delivery		Delivery Date
				In Figures	In Words	
8	COLD WORK STEEL BRIGHT ANNEALED Size.15 X 18 MM DIN, 174 Cq 35 K+G (1.1172) DIN 1654 length 4-4.5 Mtr, BS-970 PT-1 060 A32,OR SAE 1030,AISI 1030,UNS G-10300 Contraction of area 60% min. up setting test :50% Forming in degree: 60-70%. Tensile strength= 55 KG/mm SqrMax. Or 550 N/mm Sqr Max. checked for cracks. chemical Composition, C=0.32-0.36 %, S=0.025-0.04%.	KG	4250			
9	HEAT TREATABLE STEEL COLD DRAWN DIA 19-0.052MM DIN 671 C 45 K (1.0503) OR C 45 pb VK 17200 (1.0504) Length=3-3.5 Mtr. BS 970 Pt-I 080 M 46 SAE 1043, AISI 1043,UNSG 10430	KG	1500			
10	CASE HARDENING STEEL LENGTH; 3-4 MTR. [REDACTED] DIA 18 MM DIN.671 C45 K DIN.1652 Drawing No01-0114.03 BS970 PT -I 080- M46 SAE 1043, AISI 1043, UNS G 10430. OR C 45 + A EN -10083-2 Acc. to TTD	KG	200			
11	STEEL STRIP COLD ROLLED SIZE. 2.5F X 230 GK DIN.1544 St bl 42 tz, Acc. to TTD [REDACTED] LENGTH: 3-4 MTR. OR SAE 1034 ,OR AISI C-1034-OR UNS G-10340	KG	6400			

PAKISTAN ORDNANCE FACTORIES

POF 1262

SCHEDULE TO TENDER NO. 0035/WPN/FP/49

DATED 21-FEB-19

(1) Item No.	(2) Description with Specs. etc.	(3) Unit	(4) Qty	(5) Price Per Unit FOB or free delivery		(6) Delivery Date
				In Figures	In Words	
12	STEEL STRIP COLD ROLLED [REDACTED] 3.5F X 45MM St bl 42 tz [REDACTED] SAE 1034-OR- AISI C-1034-OR- UNS G 10340 GK DIN-1544 (LENGTH= 3-4 MTR) *Acc to TTL	KG	100			
13	SPRING STEEL STRIP SIZE. 4 . 5 -0.3X 10.5MM DIN.1544 67 Si Cr 5 GK (1.7103)DIN.17222 OR STRIP LENTGH.3-4 MTR. YB- 8-59	KG	100			
14	HOT ROLLED FLAT STEEL BARS Size.9/32"+0.008"-0.004 X 1"+0.012" BS 1449 EN 42 G or Steel 070 A78,to LENGTH 3-3.5 MTR. BS-970 PT-5 OR C 75 G (1.0605) DIN.17222 OR ASTM A-682 1074 OR BS-1449Pt-1 HS, CS, 80	KG	8200			
15	CASE HARDENING STEEL BRIGHT DRAWN [REDACTED] 11 X 6.3 MM 14 Ni Cr 14 K, CLASS C OR BS 970 PT1 655 H 13, 655 M 13 OR 15 NiCr 13+A EN 10084 JUNE- 1998	KG	800			

(2) For Plant & Machinery:
Specification:-

(3) Special Conditions 01 AS ANNEX 'A'

PAKISTAN ORDNANCE FACTORIES

POF 1262

SCHEDULE TO TENDER NO.

0035/WPN/FP/49

DATED

21 FEB-19

(4) Undertaking

Should our offer be accepted, we hereby undertake to supply the stores/render the services contracted on the basis of Conditions of Contract embodied in Form POF 1280, and to deposit the performance bond within the prescribed time, failing which it will constitute a breach of contract, and POF will have the right to purchase the stores/services elsewhere at our risk and cost.

Place _____
Date _____

Signature of the Tenderer _____
Name _____
Postion _____
Address _____
Income Tax G.I.R. No _____

Special Conditions:

1. **"TECHNICAL QUOTATION WITHOUT PRICE" and "COMMERCIAL QUOTATION WITH PRICE"** shall be written in BLOCK CAPITAL LETTERS on the respective sealed envelopes which will be placed in a large envelope bearing complete details of the tender inquiry. **ONLY TECHNICAL OFFERS WILL BE OPENED ON THE SPECIFIED DATES.**

2. Local Manufacturers will be given preference but in case of local manufacturer, firm shall clearly indicate at top of the Technical offer i.e. "LOCAL MANUFACTURER" and will require to explain/clarify the availability of technical infrastructure, human resources to undertake development of the required items or provide certificate of collaboration with other (Local) firms who have facilities, which are not held with quotee firm. Following are guide lines:

- i. Design/Development Cell
- ii. Availability of requisite machines and equipment for manufacturing
- iii. Tools and gauges
- iv. Technical manpower
- v. Quality Control Cell
- vi. Expertise in relevant field of manufacture.
- vii. Complete manufacturing process of item/assemblies.
- viii. Purchaser may ask to visit the manufacturer's premises for confirmation.

3. In case, imported item is being offered, country of origin must be mentioned.

4. Rates should be on FOB as well as CFR Islamabad/Karachi Pakistan basis separately.

5. Participating firms should have not defaulted in any contract with any govt. organizations within or outside Pakistan.

6. Firm should not be blacklisted in any of the govt. organizations with in or outside Pakistan. In this regard firm should provide "No Blacklisting Certificate".

7. Firms having excellent past record of supply/experience as far as quality and timely provision of store is concerned will be given preference.

8. Over writing and cutting of any nature in the quotation will not be accepted.

9. Bids money and Tender fee must be attached as mentioned in the TE.

10. Bid should be duly signed by the authorized person.

11. Company profile indicating vision, mission, establishment, business details, after sale service, financial health must be attached.

12. Detail of supply of similar goods to other customers.

13. Performance Bond/Bank Guarantee submission confirmation would be mandatory.

14. Confirmation regarding settlement of inspection related issues with the respective inspection agency would have to be made.

15. Export license related matter is the sole responsibility of supplier & it would not because of delay in execution of the contract. Confirmation to this effect has to be made.

16. Confirmation of acceptance of all terms & conditions mentioned in the TE.

17. Proof of ATL, NTN, Professional Tax Certificate & Certificate of registration with FBR.

18. 100% Payment will be made after receipt and acceptance for firms participating first time with POF.

19. On demand, the bidder will invariably provide advance sample of the items offered by them within the limit specified by the purchaser. In case advance sample are not provided by due date, their offer will be set-aside/ignored.

20. In case of incomplete or missing info the offers will not be entertained and discarded on spot.