

Government of Pakistan
PAKISTAN ORDNANCE FACTORIES
TENDER ENQUIRY

To

Dear Sirs,

Reference: TENDER ENQUIRY NO.0150-LP-CMC-48-PD, DT.06.11.2018

You are requested to submit quotations for the item(s) noted in the Schedule to the Tender. Offer should be sent duly sealed in an envelope. Please note the following instructions for filling the tender: -

1. SUBMISSION OF TENDER

1.1) Tenders will be opened at 1200 Hours on 06.12.2018 and must reach Bid center adjacent to Rabta Hall on or before 1130 hours upto the date of opening of Tenders. The tender received late will not be entertained. You may witness the opening of the tender if you so desire. If a representative is deputed, he should bring a letter of authority from you.

1.2) Only one tender should be included in one envelope. The outside of the envelope should be inscribed with: -

Tender Enquiry No: 0150-LP-CMC-48-PD, DT.06.11.2018.
Tender to be opened on: 06.12.2018.
Address as follows:

DY.DIRECTOR SCM - II
POF WAH CANTT.

1.3) If envelope do not indicate reference of T.E or received late the same may be returned un-opened.

2. GENERAL INSTRUCTIONS REGARDING PREPARATION OF QUOTATIONS

2.1) For materials, the prices should be filled in column 5 and delivery date in column 6 of the schedule to this Tender Enquiry. The undertaking should be signed at the bottom of the Schedule, which shall form the Quotation. You may use a separate sheet if necessary.

2.2) For Plant and Machinery, you are required to quote in two parts:-
Part I "Technical Offer": It should exclusively give technical details and literatures/brochures of the offered plant, machinery and equipment, validity date, delivery schedule, and signed undertaking given on the schedule to this Tender Enquiry. It must not indicate price, costs etc.

||| N.A.

Part II "Commercial Offer": It should indicate the commercial terms e.g. price, terms of payment, mode of payment, mode of supply.

Each part should be placed in a separate sealed cover. The envelopes should be inscribed with Part I "Technical Quotation without Price" and Part II "Commercial Quotation with Price".

2.3) The Quotation must remain valid for, at least 90 days from the date of opening of tenders.

2.4) The Quotation should hold good for any reduced or enhanced quantities without notice.

2.5) In the event of non-acceptance of offer, no intimation will be given to the Tenderers.

2.6) Conditional Offer or alternative offers are likely to be ignored.

2.7) Quotations should be based on: -

Free Delivery at POF's stores at Central Stores POF WAH CANTT.

In this case Octopi duty will be payable by the supplier.

2.8) Taxes and Duties etc. where applicable, must be shown separately, quoting reference to Registration No. in cases of Sales Tax and relevant authority in the case of others. Offers without clarifications and inclusive of Taxes and Duties may be ignored.

2.9) Taxes and duties levied on or after Tender opening date or on or after the date offer was signed and dispatched will be allowed to include in the offered rates.

2.10) "Suppliers will furnish a certificate, issued by Excise & Taxation deptt: that he has cleared all Professional Tax payable by him" offers received without this certificate will be rejected.

2.11) If the requisite information is not furnished on the T.E. forms or offer received in not conformity with the requirement of T.E. such offer shall be ignored.

2.12) Supplier will render necessary information regarding hazardous effects on environment of the material/products supplied by them, in their quotations and shipping/dispatch documents.

3. INSPECTION

3.1) Supplies shall be subject to the inspection and acceptance by the competent inspection authority nominated by the Purchaser, who will arrange it at his own cost. Inspection facilities such as tools, test equipment, instruments etc will, however, be provided by the suppliers in accordance with the relevant specifications.

3.2) Where considered necessary, by the Purchaser, the stores may be obtained on Warranty/Guarantee subject to inspection on receipt. Rejected stores will be removed and replaced with the acceptable stores by the Supplier at his own expense, with in a specified time.

4. TENDER FEE

The tender must be accompanied by a non-refundable fee Rs.500/- by means of a crossed postal order / Pay order in favour of Director Admin POFs Wah Cantt.

TENDER SAMPLE

4.1) Where required, offer must accompany tender sample, strictly according to the description and specification given in Tender Enquiry. Offer not accompanied by tender sample will NOT be entertained excepting the established and reputable firms who have either previously satisfactorily supplied the same or similar stores or have submitted an acceptable sample thereof against previous T.E.

5. BID MONEY

5.1) Bid Money at the rate of 2% (for registered firms with POF) & 5% (For un-registered firms with POF) of the quoted value, should accompany the tender in the shape of Deposit at Call Receipt/Pay order/Banker's Cheque, from a scheduled Bank drawn in favour of:-

DY. DIRECTOR SCM - II, POFs, WAH CANTT.

Tenders received without Bid Money will be rejected.

5.2) Bid Money of the unsuccessful tenderers will be returned as soon as the scrutiny of the tenders is completed. Bid Money of the successful tenderers will be retained until the contract is finalized. Bid Money will be forfeited in case the quotation is withdrawn before the expiry of its validity date.

5.3) State owned organizations are not required to provide Bid Money.

6. ACCEPTANCE OF OFFERS

6.1) POF may reject all bids or proposals at any time prior to the acceptance of a bid or proposals but is not required to justify grounds for its rejection. POF shall incur no liability towards suppliers or contractors who have submitted bids or proposals.

6.2) Performance Bond:

(a) The successful bidders shall provide performance bond at the rate, prescribed by POF Board according to the value of contract which shall not exceed 10% of the contract value, in the form of a Deposit At Call Receipt from a scheduled Bank; or, an un-conditional Bank Guarantee valid for 12 months after receipt of store in POFs on a prescribed format. The performance bond will be in favour of C.M.A. POF Wah Cantt. It will be returned on satisfactory completion of the contract.

(b) If the Supplier fails to furnish the Performance Bond within the specified time, such failure will constitute a breach of the contract and the Purchaser shall be entitled to make other arrangements for Purchase of the stores at the risk and expense of the supplier.

6.3 PERFORMANCE BOND from State owned organizations may be waived off at the discretion of the Purchaser.

6.4 FAILURE TO SUPPLY THE STORES

All deliveries must be completed by the specified date. If the failure to deliver the stores within the scheduled time should have arisen from "Force Majeure", which the purchaser may admit as reasonable ground for further time, he will allow such additional time as he may consider to have been required by the circumstances of the case. Otherwise, he will be entitled, at his discretion, to cancel the contract; and/or Claim liquidated damages up to 2% but not less than 1% of the contract price of the items and their quantities for each and every month or part of a month, beyond the specified delivery date, during which these may not be delivered, subject to a maximum of 10% of the total contract value of the particular stores which remained unsupplied either in part or in full; or, to purchase, from elsewhere, the unsupplied stores at the risk and cost of the supplier.

6.5 PAYMENT

Payment will be made by the C.M.A.-(POFs) through crossed cheques on receipt/acceptance of stores on our prescribed bill form supported by receipt voucher on part/full supply basis.

6.5(a) Payment of duties / Taxes including professional tax (where applicable) must be supported by proof of having paid these to concerned GOVT.Taxation Deptt.

7. SECURITY OF INFORMATION

The tendered and his employees must not communicate any information relating to the sale/purchase of stores under this enquiry to any person other the manufacturer or to any press or agent not authorized in writing by POFs to receive it.

Please return the Schedule to the Tender duly signed by the specified date, along with the specifications, drawings etc. if any, enclosed herewith - even if you are unable to quote.

WARNING In case the firm abstain from making offers or fail to return / acknowledge the tender form by the specified date on three consecutive occasions, no further tender enquiry may be issued to them and their names would liable to be removed from the approved list.

Yours Sincerely,

(Naheed Akhtar)
A.M-PURCHASE-II (A)

Tele : 051-9314101-21/22036
 : 051-9055-2036
Fax : 051-9271400
Email: mma.ddpii@yahoo.com

PAKISTAN ORDNANCE FACTORIES

SCHEDULE OF TENDER ENQUIRY # 0150-LP-CMC-48-PD, DT. 06.11.2018

(1) FOR MATERIALS

(1)	(2)	(3)	(4)	(5)		(6)
Item #	Description of Store with Specification, etc.	A/U	Qty.	Price Per Unit For Free Delivery		Delivery Date
				In Figures	In words	
Indent #0150-LP-CMC-48,DT.19.10.2016						
1	PIPE STEEL CONTINUOUS WELDED GALVD. SCREWED BOTH SIDE & SOCKET ONE END CLASS HEAVY, LENGTH 6 MTR AP 2" DIA (50X4.5MM) BSS-1387/1985, TABLE-5, TABLE-6 FOR SOCKET	Mtr.	194			Within 03x months after issuance of contract.
2	COCK UNION HEX. SCREWED RIGID FAN SIZE 1/2" TESLA PK, UNIT ROLL USA OR EQUIVALENT	Nos.	500			-do-
3	BRASS STOP COCK HEX. SCREWED BSP 3/4" BSS-1010/1973, PT-II , FIG-6(% OF CU 70% & Zn 30% for BRASS)	Nos	742			-do-
4	PIPE STEEL CONTINUOUS WELDED GALVD SCREWED ON BOTH SIDES & SOCKET ON ONE END CLASS HEAVY. 1-1/2" DIA (40MM X 4MM THICK X 6 METER LENGTH APPROX) BSS-1387/1985, TABLE-5, TABLE-6 FOR SOCKET.	Mtr.	256			-do-
INDENT # 0151/LP/CMC/48 Dated 19-10-2016						
5	STEAM TRAP STRAIGHT PATTERN THERMOSTATIC TYPE. PRESSURE MAX=80 PSI(G) MIN=25 PSI(G) SCREWED BSP 1/2" Working pressure : 0.3-16 kgf/Cm2 Temp: 220 C Body : Cast Iron Bonnet/Plug:Iron Seat: SS-410 Disc: SS-304 Sample to be got approved before contract is placed.	Nos	109			-do-
6	STEAM TRAP STRAIGHT PATTERN THERMOSTATIC TYPE. PRESSURE MAX=80 PSI(G) MIN=25 PSI(G) SCREWED BSP 3/4" Working pressure : 0.3-16 kgf/Cm2 Temp: 220 C Body : Cast Iron Bonnet/Plug:Iron Seat: SS-410 Disc: SS-304 Sample to be got approved before contract is placed.	Nos	86			-do-
7	VALVE GATE GM WITH PARALLELED SLIDE DISC SCREWED BSP 1"(25.4MM) DN-25, L.G-2 BSS 5154/1983 TABLE- I, CLASS PN 16 SERIES-A, BS-1400/1985	Nos	783			-do-
8	VALVE GATE GM WITH PARALLELED SLIDE DISC SCREWED BSP 3/4" DN-20 (19 MM) L.G-2, BSS-5154/1983, CLASS- PN16 SERIES- A TABLE-I, BS-1400/1985	Nos	1257			-do-
9	VALVE GLOBE GM WITH RENEWABLE STEM DISC SCREWED BSP SIZE -1/2" L.G-2 BSS-5154-1983 TABLE-1 CLASS PN-16 SERIES- A, BS-1400/1985	Nos	138			-do-
10	VALVE GLOBE GM WITH RENEWABLE STEM DISC SCREWED BSP SIZE -3/4" L.G-2, BSS-5154-1983 TABLE-I CLASS PN-16 SERIES -A, BS-1400/1985	Nos	40			-do-
11	SHOWER ROSE BRASS SIZE -1/2" SUPER ASIA, BAIG, ANWAR, MASTER OR EQUIVALENT	Nos	450			-do-
INDENT # 0152/LP/CMC/48 Dated 19-10-2016						
12	BIB COCK EASY CLEAN BIB TAP BRASS 1/2" BSS-1010/ PT-2 FIG - I	Nos	7370			-do-
13	VALVE BALL GM WITH COPPER FLOAT SIZE- 4-1/2" COMPLETE SIZE - 1/2" BSS-1212/1953,PT-I ,BS.1968/1953 CLASS-A FOR FLOAT	Nos	549			-do-
14	VALVE BALL GM WITH COPPER FLOAT SIZE-5" COMPLETE SIZE -3/4" BSS-1212/1953, -PT-I, BS1968/1953 CLASS-A FOR FLOAT	Nos	684			-do-
15	VALVE BALL GM WITH COPPER FLOAT SIZE-6" COMPLETE SIZE - 1" BSS-1212/1953 BS PT-I , BS.1968/1953 CLASS - A FOR FLOAT	Nos	418			-do-
16	VALVE GATE GM WITH PARALLELED SLIDE DISC SCREWED BSP SIZE -1/2" BSS-5154/1983 PN-16 SERIES- A	Nos	1474			-do-

PAKISTAN ORDNANCE FACTORIES

SCHEDULE OF TENDER ENQUIRY # 0150-LP-CMC-48-PD, DT. 06.11.2018

(1) FOR MATERIALS

(1)	(2)	(3)	(4)	(5)		(6)
Item #	Description of Store with Specification, etc.	A/U	Qty.	Price Per Unit For Free Delivery		Delivery Date
				In Figures	In words	
17	VALVE GATE G.M. WITH PARRALLAL SLIDE DISC SCREWED BSP 1-1/2" (38MM) BSS-5154/1983, TABLE-1, CLASS PN-16 SERIES A BS-1400, LG-2	Nos	269			
18	VALVE GATE GM WITH PARALLELED SLIDE DISC SCREWED BSP SIZE - 2" BSS-5154/1983, TABLE-1, CLASS PN-16 SERIES- A BS-1400, LG-4	Nos	194			
Indent #0145-LP-CMC-48,DT.19.10.2016						
19	GI BEND WITH SOCKET 4" BSS-143 & 1256/1986 TABLE-17 FIG-G-4	Nos.	10			Within 03x months after issuance of contract.
20	BUSH REDUCING MALLEABLE IRON BLACK MALE & FEMALE GALVD. MALE & FEMALE 1/2" X 1/4" BSS-143 & 1256/1986 TABLE-20 N4 PATTERN-II	Nos.	70			-do-
21	BUSH REDUCING MALLEABLE IRON GALVANIZED SCREWED BS - 3/4" X 1/2" BSS-143 & 1256, N4 PATTERN-I	Nos.	13			-do-
22	G I REDUCING BUSH MALLEABLE IRON GALVED. MALE & FEMALE 1"X1/2" BSS-143 & 1256/1986 T-20 N4.PATTERN-I	Nos.	10			-do-
Indent #0146-LP-CMC-48,DT.19.10.2016						
23	BRASS STOP VALVE FEMALE SCREWED 1" BSS :1010/1973, PT-II, FIG-6	Nos.	95			-do-
24	EASY CLEAN BIB TAP BRASS SIZE 3/4" BSS-1010/ PT-2,FIG-I	Nos.	56			-do-
INDENT # 0147/LP/CMC/48 Dated 19-10-2016						
25	HIGH PRESSURE JOINTING SHEET SIZE: 6MM X 1524MM X 2032MM BS-2815-1973 GRADE "B" , WORKING PESSURE UPTO 16 BAR WITH STEAM TEMPERATURE 230 DEG C.	Kgs.	23			-do-
26	HEMP PACKING GREASED 1/4" SQR BSS-4371/1968,TYPE-B	Kgs.	5			-do-
27	PIPE STEEL CONTINUOUS WELDED GALVD SCREWED ON BOTH SIDES & SOCKET ON ONE END CLASS HEAVY. 4" DIA (100MM X 5.4MM THICK X 6 METER LENGTH APPROX) BSS-1387/1985 TABLE-5, TABLE-6 FOR SOCKET	Mtr.	33			-do-
28	PIPE STEEL CONTINUOUS WELDED GALVD SCREWED ON BOTH SIDES & SOCKET ON ONE END CLASS HEAVY. 3/4" DIA (20MM X 3.2MM THICK X 6 METER LENGTH APPROX) BSS-1387/1985, TABLE-5, TABLE-6 FOR SOCKET	Mtr.	68			-do-
INDENT # 0148/LP/CMC/48 Dated 19-10-2016						
29	M.S. REDUCING SOCKET SIZE - 1"X3/4" BSS-143 & 1256/1986 TABLE-19 M-2 REDUCING	Nos.	32			-do-
30	G.I. REDUCING SOCKET 3/4"X1/2" BSS-143 & 1256/1986 TABLE-19 M-2 REDUCING	Nos.	52			-do-
31	TEE EQUAL MALLEABLE CAST IRON BLACK SCREWED BSP SIZE -3/4" BSS-143/1256/1986 TABLE-9 B-1	Nos.	19			-do-
INDENT # 0149/LP/CMC/48 Dated 19-10-2016						
32	FLANGES MALLEABLE CAST IRON BLACK SCREWED BSP 'F'AND DRILLED 1" BSS-10 / 1962 TABLE 'F'	Nos.	115			-do-
33	VALVE CHECK HORIZANTAL G.M. SCREWED BSP SIZE 1/2" BSS-5154/1983, PN-16, SERIES-A, LG-2, BS-1400/1985	Nos.	85			-do-
34	VALVE GATE GM WITH PARALLELED SLIDE DISC SCREWED BSP 3" BSS-5154/1983 CLASS PN-16 SERIES-A LG-4, BS-1400/1985	Nos.	67			-do-
35	VALVE GLOBE GM WITH RENEWABLE STEM DISC SCREWED BSP SIZE -1" BSS-5154-1983 TABLE1 CLASS PN-16 SERIES -A LG-2, BS-1400/1985	Nos.	13			-do-
36	VALVE GLOBE GM WITH RENEWABLE STEM DISC SCREWED BSP SIZE - 1-1/2" BSS-5154-1983 TABLE-1 CLASS PN-16 SERIES- A LG-4, BS-1400/1985	Nos.	13			-do-

PAKISTAN ORDNANCE FACTORIES

SCHEDULE OF TENDER ENQUIRY # 0150-LP-CMC-48-PD, DT. 06.11.2018

(1) FOR MATERIALS

(1)	(2)	(3)	(4)	(5)	(6)
Item #	Description of Store with Specification, etc.	A/U	Qty.	Price Per Unit For Free Delivery	Delivery Date
Indent #0291-LP-CMC-47,DT.03.6.2017					
37	PIPE STEEL SEAMLESS BLACK SCREWED ON BOTH SIDES AND SOCKET ON ONE END CLASS HEAVY LENGTH 6 MTR APPROX, 3/8" DIA, (10 X 2.9MM) BSS-1387/1985, TAB-5, TABLE-6 FOR SOCKET	Mtr.	22		Within 03x months after issuance of contract.
Indent #0292-LP-CMC-47,DT.03.6.2017					
38	LONG SWEEP BEND MALLEABLE CAST IRON GLAVED 90 DEG. SCREWED BSP WITH ONE SOCKET 3/4" BSS-143 & 1256/1986 TABLE-17 FIG-G-4	Nos.	439		-do-
Indent #0293-LP-CMC-47,DT.03.6.2017					
39	LONG SWEEP BEND MALLEABLE CAST IRON BLACK 90 DEG. SCREWED BSP WITH ONE SOCKET 2" [M&F =,SOCKET M-2, FM=, T-19] BSS-143 & 1256/1986 TABLE-17 FIG-G-4 M&F=M-2, T-19	Nos.	43		
40	ELBOW EQUAL FEMALE MALLEABLE CAST IRON BLACK TAPPER THREAD 90 DEG. SCREWED BSP 3/4" BSS - 143 & 1256/1986 FIG - A-I TABLE - 9	Nos.	693		-do-
Indent #0295-LP-CMC-47,DT.03.6.2017					
41	LONG SWEEP BEND MALLEABLE CAST IRON BLACK 90 DEG. SCREWED BSP WITH ONE SOCKET 6" BSS-143 & 1256/1986 TABLE-17 FIG-G-4 M&F=M-2, T-19, SIZE AS DESCRIPTION OF STORE	Nos.	10		-do-
42	ROCK WOOL MAT WITH ALUMINIUM FOIL AND WIRE KNETTING MESH STITCH WITH WIRE MAX TEMP. 450 DEG C. SOZE OF ROLL: 5 MTR X 1 MTR X 50MM, DENSITY: 60 KG/M3. BSS-3958 pt-5 07 1982 width=01Meter, Thickness=50mm, Density=60kg/m3	Roll	60		-do-
43	SHOWER ROSE BRASS SIZE -1/2" SUPER ASIA, BAIG, ANWAR, MASTER OR EQUIVALENT	Nos.	225		-do-
Indent #0296-LP-CMC-47,DT.03.6.2017					
44	BRASS STOP VALVE FEMALE SCREWED BSP (NOMINAL SIZE & DIRECTION OF FLOW ALSO BE INDICATED ON THE STOP VALVE) 1/2" BSS-1010/PT-II FIG 6	Nos.	286		-do-
45	HIGH PRESSURE JOINTING SHEET SIZE: 6MM X 1524MM X 2032MM BS-2815-1973 GRADE "B", WORKING PESSURE UPTO 16 BAR WITH STEAM TEMPERATURE 230 DEG C.	Kgs.	117		-do-
46	PIPE STEEL CONTINUOUS WELDED GALVD. SCREWED ON BOTH SIDE AND SOCKET ONE END CLASS HEAVY LENGTH 6 MTR APPROX, 1" DIA (25X4MM) BSS-1387/1985, TABLE-5, TABLE-6 FOR SOCKET	Mtr.	996		-do-
47	PIPE STEEL SEAMLESS BLACK SCREWED ON BOTH SIDES AND SOCKET ON ONE END CLASS HEAVY LENTH 6 MTR APPROX, 2-1/2" DIA, (65 X 4.5MM) BSS-1387/1985, TABLE-5,	Mtr.	99		-do-
48	G I PIPE WELDED WITH ONE SOCKET 3/4" BSS-1387/1985 TAB - 5	Mtr.	1238		-do-
49	G I PIPE WELDED WITH ONE SOCKET 4" BSS-1387/1985, TABLE - 5	Mtr.	131		-do-
50	UNION MALLEABLE COST IRON GALVD.FLAT SEAT SCREWED BSP SIZE -1/2" BSS-143 & 1256/1986, TABLE-24, U-11	Nos.	1178		-do-
51	UNION MI GALVANISED FLAT SEAT SCREWED BSP 3/4" BSS 143&1256/1986 TABLE 24 U-11	Nos.	645		-do-
Indent #0299-LP-CMC-47,DT.03.6.2017					
52	STEAM TRAP STRAIGHT PATTERN THERMOSTATIC TYPE. PRESSURE MAX=80 PSI(G) MIN=25 PSI(G) SCREWED BSP 1/2" Working pressure : 0.3-16 kgf/Cm2 Temp: 220 C Body : Cast Iron Bonnet/Plug:Iron Seat: SS-410 Disc: SS-304.Sample to be got approved before contract is placed.	Nos.	1116		-do-
53	STEAM TRAP STRAIGHT PATTERN THERMOSTATIC TYPE. PRESSURE MAX=80 PSI(G) MIN=25 PSI(G) SCREWED BSP 3/4" Working pressure : 0.3-16.kgf/Cm2 Temp: 220 C Body : Cast Iron Bonnet/Plug:Iron Seat: SS-410 Disc: SS-304.Sample to be got approved before contract is placed.	Nos.	871		-do-
Grand Total of all Quoted items must be added					

**(2) For Plant & Machinery:-
Specifications:-**

(3) Special Conditions:-

- I. RATE & SALES TAX MUST BE SHOWN SEPARATELY. OTHERWISE YOUR QUOTED RATES WILL BE CONSIDERED INCLUSIVE OF G.S.T.
- II. QUOTATION NOT ACCOMPANIED WITH BID MONEY & TENDER FEE WILL BE IGNORED.
- III. DATE AND STAMP OF THE POSTAL ORDER MUST BE VISIBLE.
 - a. ONLY REGISTERED SUPPLIERS (WITH SALES TAX AND INCOME TAX DEPTT.) WHO ARE ON ACTIVE TAX PAYER LIST (ATL) OF FBR ARE ELIGIBLE TO SUPPLY GOOD / SERVICES TO GOVERNMENT DEPARTMENTS.
- IV. b. THE PAYMENT TO THE REGISTERED PERSONS MAY BE LINKED WITH THE ACTIVE TAXPAYER STATUS OF THE SUPPLIER AS PER FBR DATABASE. IF ANY REGISTERED SUPPLIER IS NOT IN ATL, HIS PAYMENT SHOULD BE STOPPED TILL HIS MANDATORY RETURNS AND APPEARS ON ATL OF FBR.
- V. UNREGISTERED FIRMS ARE REQUIRED TO PROVIDE ANNEXURE-A DULY FILLED SIGNED AND STAMPED ALONGWITH QUOTATION.
- VI. UNDERTAKING OF T.E. SCHEDULE SHOULD BE RETURNED DULY SIGNED & STAMPED WITH QUOTATION.
- VII. STATUS OF FIRM WITH POF (REGISTRATION / UN - REGISTERED) SHOULD BE MENTIONED IN OFFER. REGISTERED FIRMS ARE REQUIRED TO PROVIDE COPY OF VALID REGISTRATION LETTER WITH POF.
- VIII. PTC MUST BE OBTAINED FROM PUNJAB GOVERNMENT.
- IX. ONLY ONE RATE SHOULD BE QUOTED AGAINST DESCRIPTION OF STORE ON THE TENDER SCHEDULE.
- X. SUPPLIER MUST BE PROVIDED TECHNICAL LITERATURE OF QUOTED ITMES ALONGWITH THE QUOTATION.
- XI. REPUTED OEM/BRANDED COMPANY WILL BE GIVEN PERFFRENCE.
- XII. STORE SHOULD BEAR THE WARRANTY/GUARANTY CERTIFICATE AND SUPPORTED WITH TEST CERTIFICATE (WHERE REQUIRED)
- XIII. THE STORE MUST BE PROVIDED WITHIN GIVEN DELIVERY PERIOD OF THE CONTRACT.
- XIV. ADVANCE SAMPLE OF ITEM # 2,11,43,52 & 53 MUST BE QUALIFIED IN TENDERED ENQUIRY STAGE PRIOR TO CONTRACT TO AVOID ANY PROBLEM AT LATER STAGES DURING INSPECTION.
- XV. QUOTATION MUST BE VALID FOR 90 DAYS WHICH WILL BE EFFECTIVE FROM THE DATE OF ACCEPTANCE OF SAMPLES/TECHNICAL OFFERS FROM OUR SIDE.IF THE FIRM HAS ALREADY SUPPLIED TENDERED STORE THEN MENTIONED LAST CONTRACT NO.IN YOUR OFFER/QUOTATION.
- XVI. COPY OF ATL,PTC AND REGISTERTATION OF SALES TAX MUST BE ATTACHED WITH QUOTATION
- XVII. ADVANCE SAMPLE ARE REQUIRED WITH IN A WEEK AFTER OPENING OF TENDER AND CONSIGNEE NAME DY. DIRECTOR STORE & CMC POFS WAH CANTT.

(4) UNDERTAKING

Should our offer be accepted, we hereby undertake to supply the stores/render services contracted on the basis of conditions of contract embodied in Form POF-1280, and to deposit the performance bond within the prescribed time, failing which it will constitute a breach of contract, and POF will have the right to purchase the stores/services elsewhere at our risk & cost.

Date _____
Place _____

Signature of the Tendered _____
Name _____
Position _____
Address _____
Income Tax G.I.R. No. _____
Official Stamp _____

SUPPLIERS'S CAPABILITY

Annexure-A

1. NAME OF THE FIRM: _____
ADDRESS : _____
2.1- TELE: NO: _____
2.2- FAX NO : _____
2.3- E.MAIL ADDRESS : _____
2. WHETHER PUBLIC LTD, PRIVATE LTD, PARTNERSHIP OR SOLE PROPRIETERSHIP : _____
3. ESTABLISHED SINCE : _____
4. CAPACITY : (Manufacture/stockist/Agent to foreign Firm) : _____
5. IF MANUFACTURER, PROVIDE FOLLOWING DETAILS : _____
5.1- IF MANUFACTURER, PROVIDE FOLLOWING DETAILS : _____
5.2- DETAIL OF PLANTS, MACHINERY AND MAJOR EQUIPMENTS;
(Attached separate sheet if required): _____
6. INSPECTION/QUALITY ASSURANCE FACILITIES : _____
7. ISO-9000 CERTIFIED IF SO ATTACH NECESSARY DOCUMENTS
8. IF STOCKIST, PROVIDE FOLLOWING :-
8.1- DETAILS OF STOCKS HELD :- _____
8.2- APPROX .STOCK VALUE :- _____
8.3- LOCATION OF STOCKS: - _____
9. WHETHER THE FIRM IS REGISTERED WITH THE HOLDING FOLLOWING DEPTTS. (Give registration No. Date and attach copies of the necessary documents).

9.1 DP/ARMY OR ANY GOVT./SEMI GOVT.DEPTT :- _____

9.2 IMPORT TRADE CONTROL DEPTT : _____

9.3 SALES TAX DEPTT :- _____

9.4 INCOME TAX DEPTT : _____

FINANCIAL STATUS : _____
(Bank certificate to be attached)