

GOVERNMENT OF PAKISTAN
PAKISTAN ORDNANCE FACTORIES
TENDER ENQUIRY

To

M/s

Dear Sirs,

Reference: **TENDER ENQUIRY NO. 03-LP-Capt-48-ACs-D&P(M) DATED 06-9-2018.**

You are requested to submit quotations for the item(s) noted in the Schedule to the Tender. Offer should be sent duly sealed in an envelope. Please note the following instructions for filling the tender:-

1. **SUBMISSION OF TENDER**

- 1.1 Tenders will be opened at **1300** hours on **01-10-2018** and must reach this office on or before **1230** Hours upto due date. The tender received late will not be entertained. You may witness the opening of the tender if you so desire. If a representative is deputed, he should bring a letter of authority from you.
- 1.2 Only one tender should be included in one envelope. The outside of the envelope should be inscribed with:-

Tender Enquiry No: **03-LP-Capt-48-ACs-D&P(M) DATED 06-9-2018**

Tender to be opened on: **01-10-2018**

Address as follows:-

DIRECTOR SERVICES, POF WAH CANTT

Wah Cantt – 47040 Pakistan

Tele: +92-51-9055-21090

Fax: +92-51-9271400, 9314100

e. mail: dirser.pof@gmail.com

- 1.3 If envelope does not indicate reference of T.E or received late the same may be returned un-opened.

2. **GENERAL INSTRUCTIONS REGARDING PREPARATION OF QUOTATIONS**

- 2.1 For materials, the prices should be filled in column 5 and delivery date in column 6 of the schedule to this Tender Enquiry. The undertaking should be signed at the bottom of the Schedule which shall form the Quotation. You may use a separate sheet if necessary.

- 2.2 For Plant and Machinery, you are required to quote in two parts:-

Part I **"Technical Offer"**: It should exclusively give technical details and literatures/brochures of the offered plant, machinery and equipment; validity date; delivery schedule; and signed undertaking given on the schedule to this Tender Enquiry. It must not indicate price, costs etc.

Part II **"Commercial Offer"** It should indicate the commercial terms e.g. price, terms of payment, mode of payment, mode of supply.

Each part should be placed in a separate sealed cover. The envelopes should be inscribed with: Part I "Technical Quotation without price" and Part II "Commercial Quotation with Price."

- 2.3 The quotation must remain valid for, at least **90 days** from the date of opening of tenders.
- 2.4 The quotation should hold good for any reduced or enhanced quantities without notice.
- 2.5 In the event of non-acceptance of offer, intimation may be given to the Tenderers on their request.
- 2.6 Conditional offers or alternative offers are likely to be ignored.
- 2.7 Quotations should be based on:-

F.O.R. station of Dispatch basis, i.e. delivered free on rail, inclusive of packing and forwarding charges. The stores will be booked under Military Credit Note, to be provided by the purchaser.

and/or

Free delivery at POF's stores at **POF Wah basis**.

In this case Octroi duty will be payable by the supplier.

- 2.8 Taxes and Duties etc. where applicable, must be shown separately, quoting reference to Registration No. in cases of Sales Tax and relevant authority in the case of others. Offer without these clarifications and inclusive of Taxes and Duties may be ignored.
- 2.9 Taxes and duties levied on or after Tender opening date or on or after the date offer was signed and dispatched will be allowed to include in the offered rates.
- 2.10 "Suppliers will furnish a certificate, issued by Excise & Taxation Deptt, that he has cleared all Professional Tax payable by him" offers received without this certificate will be rejected.
- 2.11 Suppliers will render necessary information regarding hazardous effects on environment, of the materials/products supplied by them, in their quotations and shipping/dispatch documents.
- 2.12 If the requisite information is not furnished on the T.E forms or offer received is not conformity with the requirement of the T.E such offer shall be ignored.

3. **INSPECTION**

- 3.1 Supplies shall be subject to the inspection and acceptance by the competent inspection authority nominated by the Purchaser, who will arrange it at his own cost. Inspection facilities such as tools, test equipment, instruments etc will, however, be provided by the Suppliers in accordance with the relevant specifications.
- 3.2 Where considered necessary by the Purchaser, stores may be obtained on Warranty/Guarantee, subject to inspection on receipt. Rejected stores will be removed and replaced with the acceptable stores by the Supplier at his own expense, within a specified time.

4. **TENDER FEE**

The tender must be accompanied by a non-refundable fee by means of a **crossed postal order/pay order for Rs 500/- in favour of Director Admin POFs Wah Cantt.**

4.1 **TENDER SAMPLE**

Where required, offer must a company tender sample, strictly according to the description and specification given in Tender Enquiry. Offer not accompanied by tender sample will NOT be entertained excepting the established and reputable firms who have either previously satisfactorily supplied the same or similar stores or have submitted an acceptable sample thereof against previous T.E.

5. **BID MONEY**

5.1 **Bid Money at the rate of 2% (for registered firms) and 5% (for unregistered firms) of the quoted value should accompany the tender in the shape of Deposit At Call Receipt/Pay Order/Banker's cheque, from a scheduled Bank drawn in favour of Director Services**

Tenders received without Bid Money will be rejected.

5.2 Bid Money of the unsuccessful tenderers will be returned as soon as the scrutiny of the tenders is completed. Bid Money of the successful tenderers will be retained until the contract is finalized. Bid Money will be forfeited in case the quotation is withdrawn before the expiry of its validity date.

5.3 State owned organizations are not required to provide Bid Money.

6. **ACCEPTANCE OF OFFERS**

6.1.1 The procuring agency may reject all bids or proposals at any time prior to the acceptance of a bid or proposal. The procuring agency shall upon request communicate to any supplier or contractor who submitted a bid or proposal, the grounds for its rejection of all bids or proposals, but is not required to justify those grounds.

6.1.2 Procuring agency shall incur no liability, solely by virtue of its invoking sub-rule (1.1) towards suppliers or contractors who have submitted bids or proposals.

6.1.3 Notice of the rejection of all bids or proposals shall be given promptly to all suppliers or contractors that submitted bids or proposals

6.2 **PERFORMANCE BOND**

(a) The successful bidders shall provide Performance bond at the rate, prescribed by POF Board according to the value of contract which shall not exceed 10% of contract value, in the form of a Deposit At Call Receipt from a scheduled Bank; or, an un-conditional Bank Guarantee valid for 12 months (03 months extendable to 12 months in case of cloth items required by Clothing Fy.) after receipt of store in POFs on a prescribed format. The Performance Bond will be in favour of C.M.A. POF Wah Cantt. It will be returned on satisfactory completion of the contract.

(b) If the Supplier fails to furnish the Performance Bond within the specified time, such failure will constitute a breach of the contract and the Purchaser shall be entitled to make other arrangements for purchase of the stores at the risk and expense of the Supplier.

6.3 Performance Bond from State owned organizations may be waived off at the discretion of the Purchaser.

6.4 **FAILURE TO SUPPLY THE STORES**

All deliveries must be completed by the specified date. If the failure to deliver the stores within the scheduled time should have arisen from "Force Majeure", which the Purchaser may admit as reasonable ground for further time, he will allow such additional time as he may consider to

have been required by the circumstances of the case. Otherwise, he will be entitled, at his discretion, to cancel the contract; and/or, claim liquidated damages upto 2% but not less than 1% of the contract price of the items and their quantities for each and every month or part of a month, beyond the specified delivery date, during which these may not be delivered, subject to a maximum of 10% of the total contract value of the particular stores which remained unsupplied either in part or in full: or, to purchase, from elsewhere, the unsupplied stores at the risk and cost of the Supplier.

6.5 **PAYMENT**

- a. Payment will be made by the C.M.A(POF) through crossed cheque on receipt/acceptance of stores on our prescribed bill form supported by receipt voucher on part/full supply basis.
- b. Payment of duties /Taxes including professional tax(where applicable) must be supported by proof of having paid these to concerned Govt. Taxation Deptt:

7. **SECURITY OF INFORMATION**

The tenderer and his employees must not communicate any information relating to the sale/purchase of stores under this enquiry to any person other than the manufacturer or to any press or agent not authorized in writing by POFs to receive it.

Please return the Schedule to the Tender duly signed by the specified date, alongwith the specifications drawings etc. if any, enclosed herewith - even if you are unable to quote.

WARNING In case the firm abstain from making offers or fail to return/acknowledge the tender form by the specified date on three consecutive occasions, no further tender enquiry may be issued to them and their names would be liable to remove from the approved list.

Yours faithfully,

(REHAN WAHEED)

Director Services

Pakistan Ordnance Factories

Wah Cantt

Tele + 92-51-905521090

Fax + 92-51-9271400 & 9314100

e. mail: dirser.pof@gmail.com

PAKISTAN ORDNANCE FACTORIES

SCHEDULE TO TENDER NO. 03-LP-Capt-48-ACs-D&P(M) DATED 06-9-2018

(1) FOR MATERIALS

(1)	(2)	(3)	(4)	(5)		(6)
Item No	Description with spec etc	Unit	Qty	Price per unit FOR or free delivery		Delivery date
				In figure	In words	
i.	Cassette type split reversible Ac Units 2.5 Ton Capacity with installation material.	No	02			
ii.	Cassette type split reversible Ac Units 02 Ton Capacity with installation material.	No	48			
iii.	Cassette type split reversible Ac Units 1.5 Ton Capacity with installation material.	No	22			
iv.	Cassette type split reversible Ac Units 01 Ton Capacity with installation material.	No	23			
v.	Wall Mounted Split Type AC Units Reversible 2.5 ton capacity with installation material.	No	04			
vi.	Wall Mounted Split Type AC Units Reversible 2 ton capacity with installation material.	No	09			
vii.	Wall mounted Split type AC Units Reversible 1.5 ton capacity with installation material.	No	25			
viii.	Wall mounted Split type AC Units Reversible 01 ton capacity with installation material.	No	03			
ix.	Common Installation Material for all above mentioned AC units.	Lot	01			

Note: Installation /commissioning will be carried out by the firm/supplier.

(2) For Plant & Machinery:

Specification:- **Attached**

(3) **SPECIAL CONDITIONS:**

- i) Breakdown of rates be given showing price and sales tax separately. If nothing is mentioned then offer shall be considered inclusive of GST.
- ii) In case of arbitration or court case it can only be filed in Rawalpindi / Islamabad.
- iii) Only registered suppliers (with sales Tax & income tax deptt.) who are on Active Taxpayers List (ATL) of FBR are eligible to supply goods/services to government department.
- iv) If any registered supplier is not in ATL, his payment would be stopped till he files his mandatory returns and appears on ATL of FBR.

(4) Undertaking

Should our offer be accepted, we hereby undertake to supply the stores/render the services contracted on the basis of General Conditions of Contract embodied in Form POF-1281, and to deposit the performance bond within the prescribed time, failing which it will constitute a breach of contract, and POF will have the right to purchase the stores/services elsewhere at our risk and cost.

Place _____

Date _____

Signature of the Tenderer _____

Name _____

Position _____

Address _____

Income Tax G.I.R No. _____

Official stamp.

SPECIFICATIONS FOR SPLIT TYPE ACUNITS
QTY 136 Nos.

1. SPECIFICATIONS OF CASSETTE TYPE SPLIT REVERSIBLE AC UNIT (2.5 Ton):

Sr #	Type of AC	Cassette Type Split Reversible AC Unit
1.	Capacity	2.5 Ton
2.	Quantity	02 No
3.	Type of Condenser	Air Cooled
4.	Ambient Temperature	Min. -2°C, Max 47°C
5.	Power Available	Three phase or Single Phase, 200±5% volt, 50 Hz
6.	Make	Acson, Mitsubishi, LG, Daikin or equivalent
7.	Warranty / Guaranty	1 year for AC unit and 03 years for the compressor

Sr.#	Installation material for Cassette Type Split Reversible AC Unit 2.5 Ton	Qty
i.	Supply Insulated Copper pipe Suitable for cassette type AC 2.5 ton	100 RFT
ii.	Return Insulated Copper pipe Suitable for cassette type AC 2.5 ton	100 RFT
iii.	Pure copper cable 110/76 Suitable for cassette type AC 2.5 ton	40 Mtr
iv.	Circuit breaker compatible with AC units	02 Nos

2. SPECIFICATIONS OF CASSETTE TYPE SPLIT REVERSIBLE AC UNIT (02 Ton):

Sr.#	Type of AC	Cassette Type Split Reversible AC Unit
1.	Capacity	02 Ton
2.	Quantity	48 No
3.	Type of Condenser	Air Cooled
4.	Ambient Temperature	Min. -2°C, Max 47°C
5.	Power Available	Three phase or Single Phase, 200±5% volt, 50 Hz
6.	Make	Acson, Mitsubishi, LG, Daikin or equivalent
7.	Warranty / Guaranty	1 year for AC unit and 03 years for the compressor

Sr.#	Installation material for Cassette Type Split Reversible AC Unit 02 Ton	Qty
i.	Supply Insulated Copper pipe Suitable for cassette type AC 02 Ton	1600 RFT
ii.	Return Insulated Copper pipe Suitable for cassette type AC 02 Ton	1600 RFT
iii.	Pure copper cable 110/76 Suitable for cassette type AC 02 Ton	350 Mtr
iv.	Circuit breaker compatible with AC units	48 Nos

3. SPECIFICATIONS OF CASSETTE TYPE SPLIT REVERSIBLE AC UNIT (1.5 Ton):

Sr.#	Type of AC	Cassette Type Split Reversible AC Unit
1.	Capacity	1.5 Ton
2.	Quantity	22 No
3.	Type of Condenser	Air Cooled
4.	Ambient Temperature	Min. -2°C, Max 47°C
5.	Power Available	Three phase or Single Phase, 200±5% volt, 50 Hz
6.	Make	Acson, Mitsubishi, LG, Daikin or equivalent
7.	Warranty / Guaranty	1 year for AC unit and 03 years for the compressor

Sr.#	Installation material for Cassette Type Split Reversible AC Unit 1.5 Ton	Qty
i.	Supply Insulated Copper pipe Suitable for cassette type AC 1.5 ton	900 RFT
ii.	Return Insulated Copper pipe Suitable for cassette type AC 1.5 ton	900 RFT
iii.	Pure copper cable 110/76 Suitable for cassette type AC 1.5 Ton	300 Mtr

iv.	Circuit breaker compatible with AC units	22 Nos
-----	--	--------

4. SPECIFICATIONS OF CASSETTE TYPE SPLIT REVERSIBLE AC UNIT (01 Ton):

Sr.#	Type of AC	Cassette Type Split Reversible AC Unit
1.	Capacity	01 Ton
2.	Quantity	23 No
3.	Type of Condenser	Air Cooled
4.	Ambient Temperature	Min. -2°C, Max 47°C
5.	Power Available	Three phase or Single Phase, 200±5% volt, 50 Hz
6.	Make	Acson, Mitsubishi, LG, Daikin or equivalent
7.	Warranty / Guaranty	1 year for AC unit and 03 years for the compressor

Sr.#	Installation material for Cassette Type Split Reversible AC Unit 01 Ton	Qty
i.	Supply Insulated Copper pipe Suitable for cassette type AC 01 ton	600 RFT
ii.	Return Insulated Copper pipe Suitable for cassette type AC 01 ton	600 RFT
iii.	Pure copper cable 110/76 Suitable for cassette type AC 01 Ton	200 Mtr
iv.	Circuit breaker compatible with AC units	23 Nos

5. SPECIFICATIONS OF WALL MOUNTED SPLIT TYPE REVERSIBLE AC UNIT (2.5 Ton):

Sr.#	Type of AC	Wall Mounted Split Type Reversible AC Unit
1.	Capacity	2.5 Ton
2.	Quantity	04 No
3.	Type of Condenser	Air Cooled
4.	Ambient Temperature	Min. -2°C, Max 47°C
5.	Power Available	Three phase or Single Phase, 200±5% volt, 50 Hz
6.	Make	Acson, Mitsubishi, LG, Daikin or equivalent
7.	Warranty / Guaranty	1 year for AC unit and 03 years for the compressor

S#	Installation material for Wall Mounted Split Type Reversible AC Unit 2.5 Ton	Qty
i.	Supply Insulated Copper pipe Suitable for Wall Mounted Split Type Reversible AC Unit 2.5 Ton	100 RFT
ii.	Return Insulated Copper pipe Suitable for Wall Mounted Split Type Reversible AC Unit 2.5 Ton	100 RFT
iii.	Pure copper cable 110/76 Suitable for Wall Mounted Split Type Reversible AC Unit 2.5 Ton	30 Mtr
iv.	Circuit breaker compatible with AC units	04 Nos

6. SPECIFICATIONS OF WALL MOUNTED SPLIT TYPE REVERSIBLE AC UNIT (02 Ton):

Sr.#	Type of AC	Wall Mounted Split Type Reversible AC Unit
1.	Capacity	02 Ton
2.	Quantity	09 No
3.	Type of Condenser	Air Cooled
4.	Ambient Temperature	Min. -2°C, Max 47°C
5.	Power Available	Three phase or Single Phase, 200±5% volt, 50 Hz
6.	Make	Acson, Mitsubishi, LG, Daikin or equivalent
7.	Warranty / Guaranty	1 year for AC unit and 03 years for the compressor

Sr.#	Installation material for Wall Mounted Split Type Reversible AC Unit 02 Ton	Qty
i.	Supply Insulated Copper pipe Suitable for Wall Mounted Split Type Reversible AC	200 RFT

	Unit 02 Ton	
ii.	Return Insulated Copper pipe Suitable for Wall Mounted Split Type Reversible AC Unit 02 Ton	200 RFT
iii.	Pure copper cable 110/76 Suitable for Wall Mounted Split Type Reversible AC Unit 02 Ton	80 Mtr
iv.	Circuit breaker compatible with AC units	09 Nos

7. SPECIFICATIONS OF WALL MOUNTED SPLIT TYPE REVERSIBLE AC UNIT (1.5 Ton):

Sr.#	Type of AC	Wall Mounted Split Type Reversible AC Unit
1.	Capacity	1.5 Ton
2.	Quantity	25 No
3.	Type of Condenser	Air Cooled
4.	Ambient Temperature	Min. -2°C, Max 47°C
5.	Power Available	Three phase or Single Phase, 200±5% volt, 50 Hz
6.	Make	Acson, Mitsubishi, LG, Daikin or equivalent
7.	Warranty / Guaranty	1 year for AC unit and 03 years for the compressor

Sr.#	Installation material for Wall Mounted Split Type Reversible AC Unit 1.5 Ton	Qty
i.	Supply Insulated Copper pipe Suitable for Wall Mounted Split Type Reversible AC Unit 1.5 ton	440 RFT
ii.	Return Insulated Copper pipe Suitable for Wall Mounted Split Type Reversible AC Unit 1.5 ton	440 RFT
iii.	Pure copper cable 110/76 Suitable for Wall Mounted Split Type Reversible AC Unit 1.5 Ton	190 Mtr
iv.	Circuit breaker compatible with AC units	25 Nos

8. SPECIFICATIONS OF WALL MOUNTED SPLIT TYPE REVERSIBLE AC UNIT (01 Ton):

Sr.#	Type of AC	Wall Mounted Split Type Reversible AC Unit
1.	Capacity	01 Ton
2.	Quantity	03 No
3.	Type of Condenser	Air Cooled
4.	Ambient Temperature	Min. -2°C, Max 47°C
5.	Power Available	Three phase or Single Phase, 200±5% volt, 50 Hz
6.	Make	Acson, Mitsubishi, LG, Daikin or equivalent
7.	Warranty / Guaranty	1 year for AC unit and 03 years for the compressor

Sr.#	Installation material for Wall Mounted Split Type Reversible AC Unit 01 Ton	Qty
i.	Supply Insulated Copper pipe Suitable for Wall Mounted Split Type Reversible AC Unit 01 Ton	100 RFT
ii.	Return Insulated Copper pipe Suitable for Wall Mounted Split Type Reversible AC Unit 01 Ton	100 RFT
iii.	Pure copper cable 110/76 Suitable for Wall Mounted Split Type Reversible AC Unit 01 Ton	30 Mtr
iv.	Circuit breaker compatible with AC units	03 Nos

9. COMMON INSTALLATION MATERIAL FOR ALL ABOVE MENTIONED AC UNITS:

Sr.#	DESCRIPTION	QTY
1.	UPVC Drain pipe 1" dia	5040 RFT
2.	UPVC Socket / Bend for 1"	408 Nos
3.	UPVC Elbow 1"	300 Nos
4.	Rawl bolt for growing size 3/8"x 3" long	608 Nos
5.	'L' Shape Bracket 02-04 Ton	135 set
6.	'L' Shape Bracket 1.5 Ton	01 No.
7.	MS Nut & bolt with washer 2"x 1/4"	600 Nos
8.	Threaded Rod 8mm	1700 RFT
9.	Anchor Bolt 8mm	500 Nos
10.	Washer 8mm	1500 Nos
11.	Bolt 8mm	1300 Nos
12.	PVC Duct Size 3" x 3"	40 ft
13.	Nut & Bolt 3" x 1.5" for 'L' Shape Bracket	04 Nos
14.	Vinyl Tape	04 Roll