

**4104-MPO-W-CNC-UP-Grad**  
**Managing Director Weapons.**  
**POFs Wah Cantt.**  
**Tel: +92-51-9055-21015**  
**Fax: +92-51-9271400/9314100**  
**Email: mdwpn@pof.gov.pk**  
DATE: 30 -8-2018.

To:

PPRA & POF Websites

**CORRIGENDUM**

Subject:

**TENDER ENQUIRY OF FOLLOWING PLANT & MACHINES**

- i) T.E NO. 4104-MPO-W-UP-GRAD-CNC- MACHINES, DT. 28-6-18.
- ii) T.E NO. 4104-MPO-W-UP-GRAD-CNC-DEB PLANT, DT. 02-7-18.
- iii) T.E NO. 4104-MPO-W-UP-GRAD-CNC-CYL MACHINE, DT. 03-7-18.
- iv) T.E NO. 4104-MPO-W-UP-GRAD-CNC-JIG&COORD MACHINES, DT.04-7-18.

The Subject Tender enquiries are hereby amended as under:-

For:- 29-8-2018

Read:- 05-10-2018

2. All other contents of subject TEs will remain un-changed.



Managing Director-WPNs

**4104-MPO-W-CNC-UP-Grad**  
**Managing Director Weapons.**  
**POFs Wah Cantt.**  
**Tel: +92-51-9055-21015**  
**Fax: +92-51-9271400/9314100**  
**Email: mdwpm@pof.gov.pk**  
DATE: 01-8-2018.

To:

- i) PPRA & POF Websites
- ii) M/s \_\_\_\_\_

**CORRIGENDUM**

Subject:

**TENDER ENQUIRY OF FOLLOWING PLANT & MACHINES**

- i) T.E NO. 4104-MPO-W-UP-GRAD-CNC- MACHINES, DT. 28-6-18,  
**Due on 03-8-18.**
- ii) T.E NO. 4104-MPO-W-UP-GRAD-CNC-DEB PLANT, DT. 02-7-18,  
**Due on 03-8-18.**
- iii) T.E NO. 4104-MPO-W-UP-GRAD-CNC-CYL MACHINE, DT. 03-7-18,  
**Due on 10-8-18.**
- iv) T.E NO. 4104-MPO-W-UP-GRAD-CNC-JIG&COORD MACHINES, DT.04-7-18,  
**Due on 10-8-18.**

The Subject Tender enquiries are hereby amended as under:-

**Opening Dates**

For:- Existing

Read:- 29-8-2018

2. All other contents of subject TEs will remain un-changed. Please acknowledge receipt by return e-mail/Fax.



Managing Director-WPNs



GOVERNMENT OF PAKISTAN  
PAKISTAN ORDNANCE FACTORIES  
TENDER ENQUIRY.

To

PPRA, ISLAMABAD

Dear Sirs,

Reference: TENDER ENQUIRY NO. 4104-MPO-W-Up-grad-NC Deburring Plant, dt. 02-07-2018

You are requested to submit quotations for the items(s) noted in the Schedule to the Tender. Offers should be sent duly sealed in an envelope. Please note the following instructions for filling the tender:-

1. **SUBMISSION OF TENDER**

1.1 Tenders will be opened at Room No 3, Bid centre, adjacent to Rabita Hall, POF Wah Cantt at **11:00 hours** on **03-08-2018** and must reach CR Section, POF Wah Cantt on or before **10:20 hour upto due date**. The tender received late will not be entertained. You may witness the opening of the tender if you so desire. If a representative is deputed, he should bring a letter of authority from you.

1.2 Only one tender should be included in one envelope. The outside of the envelope should be inscribed with:-

Tender Enquiry No: 4104-MPO-W-Up-grad-NC Deburring Plant, dated 02-07-2018

Tender to be opened on: 03-08-2018

Address as follows:-

i) For Technical Offer:

Managing Director  
Weapons Factory  
CR Section, C-04 Building , POF Wah Cantt.  
Email : mdwpn@pof.gov.pk

ii) For Commercial Offer:

Chairman, POF Board,  
POF Board Headquarter,  
Wah Cantt. Pakistan  
Fax. +92-51-9314080  
E-Mail: chairman@pof.gov.pk

iii) Both Technical & Commercial offers duly sealed in 02x separate envelopes should be sent in third envelope, which should indicate address of MD-Weapons POF- Wah Cantt.

1.3 If envelope does not indicate reference of T.Es or received late the same may be returned un-opened.

2. **GENERAL INSTRUCTIONS REGARDING PREPARATION OF QUOTATIONS**

2.1 For materials, the prices should be filled in column 5 and delivery date in column 6 of the schedule to this Tender Enquiry. The undertaking should be signed at the bottom of the Schedule which shall form the Quotation. You may use a separate sheet if necessary.

2.2 For Plant and Machinery, you are required to quote in two parts:-

Contd....P-2

Part I "TECHNICAL OFFER" It should exclusively give technical details and literatures/brochures of the offered plant, machinery and equipment; validity date; delivery schedule; and signed undertaking given on the schedule to this Tender Enquiry. It must not indicate price, costs etc.

Part II "COMMERCIAL OFFER" It should indicate the commercial terms e.g. price, terms of payment, mode of payment, mode of supply.

Each part should be placed in a separate sealed cover. The envelopes should be inscribed with: Part I "Technical Quotation without price" and Part II "Commercial Quotation with Price."

- 2.3 The quotation must remain valid for, at least 90 days from the date of opening of tenders.
- 2.4 The quotation should hold good for any reduced or enhanced quantities without notice.
- 2.5 In the event of non-acceptance of offer, intimation may be given to the tenderers on their request.
- 2.6 Conditional offers or alternative offers are likely to be ignored.
- 2.7 Quotations should be based on F.O.B. The consignment will be shipped through Pakistan National Shipping Corporation (PNSC). In case there is no PNSC service in the country of shipping, please quote on C & F basis. The freight should be indicated separately. Insurance premium should not be included in the quoted price. However where insurance is considered necessary, advice to that effect should be given in the quotation.
- 2.8 Submission of the offer through an agent in Pakistan should be avoided. In case it is considered inevitable, the agent's quotation must invariably be accompanied by the original proforma invoice from the principals/ manufacturers.
- 2.9 Country of origin and port of shipment to be stated.
- 2.10 The offer of principal must clearly indicate whether the rate quoted is inclusive of agent's commission, and if inclusive rate of commission included be specified.
- 2.11 Suppliers will render necessary information regarding hazardous effects on environment, of the materials/products supplied by them, in their quotations and shipping/Dispatch documents.
- 2.12 If the requisite information is not furnished on the T.E form or offer received is not in conformity with the requirement of the T.E such offer shall be ignored.

### 3. INSPECTION

- 3.1 Supplies shall be subject to the inspection and acceptance by the competent inspection authority nominated by the Purchaser, inspection facilities such as tools, test equipment, instruments etc will, however, be provided by the Suppliers in accordance with the relevant specifications.
- 3.2 Where considered necessary by the Purchaser, stores may be obtained on Warranty/Guarantee, subject to inspection on receipt. Rejected stores will be removed and replaced with the acceptable stores by the Supplier at his own expense, within a specified time.

Contd....P-3



3.3 **TENDER SAMPLE**

Where required offer must accompany tender sample strictly according to the description given in tender Enquiry. Offer not accompanied by tender sample will NOT be entertained excepting the established and reputable firms who have either previously satisfactorily supplied the same or similar stores or have submitted an acceptable samples thereof against previous T.E.

4. **ACCEPTANCE OF OFFERS**

4.1.1 The procuring agency may reject all bids or proposals at any time prior to the acceptance of a bid or proposal. The procuring agency shall upon request communicate to any supplier or contractor who submitted a bid or proposal, the grounds for its rejection of all bids or proposals, but is not required to justify those grounds.

4.1.2 Procuring agency shall incur no liability, solely by virtue of its invoking sub-rule (1.1) towards suppliers or contractors who have submitted bids or proposals.

4.1.3 Notice of the rejection of all bids or proposals shall be given promptly to all suppliers or contractors that submitted bids or proposals.

4.2 **PERFORMANCE BOND**

(a) The successful bidders will provide Performance Bond at the rate upto 10% of F.O.B. value of contract in favour of the Controller Military Accounts (CMA) POF Wah Cantt. The Performance Bond will be furnished in the form of Deposit At Call Receipt (CDR) from any scheduled Bank in Pakistan or an unconditional bank guarantee on prescribed proforma covered by any scheduled bank in Pakistan. The Performance Bond shall be furnished within 45 days from the date of opening of Letter of Credit. It shall be valid for a period of 12 months after the date of expiry of letter of credit. If the Performance Bond is not furnished within the prescribed time of 45 days, the Purchaser reserves the right to:

i. Impose penalty @ 1 % per month of the value of CDR/BG.

(Clause-4.2 (a i) is not applicable in case of procurement of Plant / Equipment / Machinery items)

OR

ii. Cancel the contract and make other arrangements for purchase of the stores at the risk and expense of the Supplier.

(b) No Performance Bond will be required if the total FOB value of the contract is less than US\$ 50,000 and contract is placed directly on the foreign Supplier.

4.3 **FAILURE TO SUPPLY THE STORES**

All deliveries must be completed by the specified date. If the failure to deliver the stores within the scheduled time should have arisen from "Force Majeure", which the Purchaser may admit as reasonable ground for further time, he will allow such additional time as he may consider to have been required by the circumstances of the case. Otherwise, he will be entitled, at his discretion, to cancel the contract; and/or, claim liquidated damages upto 2% but not less than 1% of the contract price of the items and their quantities for each and every month or part of a month, beyond the specified delivery date, during which these may not be delivered, subject to a maximum of 10% of the total contract value of particular store which remained unsupplied either in part or in full or, to purchase, from elsewhere, the unsupplied stores at the risk and cost of the Supplier.

**4.4 PAYMENT**

Payment will normally be made by means of irrevocable letter of credit. Unless otherwise stated 80% payment will be released on submission of dispatch documents to Bank while balance 20% payment will be released on receipt and acceptance of store by consignee.

All Bank charges in Pakistan in connection with establishment of L.C will be borne by the purchaser, whereas all Bank charges incurred in connection with drawing of payment including charges for confirmation of L.C by the advising Bank/Foreign Bank will be borne by the supplier.

5

**SECURITY OF INFORMATION**

The tenderer and his employees must not communicate any information relating to the sale/purchase of stores under this enquiry to any person other than the manufacturer or to any press or agent not authorized in writing by POFs to receive it. Please return the Schedule to the Tender duly signed by the specified date, along-with the specifications drawings etc. if any, enclosed herewith - even if you are unable to quote.

**WARNING**

In case the firm abstain from making offers or fail to return/acknowledge the tender form by the specified date on three consecutive occasion, no further tender enquiry may be issued to them and their names would liable to be removed from the approved list.

Yours faithfully,



( NAEEM AHMED )  
MANAGING DIRECTOR-WPNS,  
POFs Wah Cantt.  
For and on behalf of President of  
The Islamic Republic of Pakistan.

**PAKISTAN ORDNANCE FACTORIES**

SCHEDULE TO TENDER NO. 4104-MPO-W-Up-grad-NC-Deburring Plant, dated: 02-07-2018

(1) FOR MATERIAL

| (1)      | (2)  | (3)  | (4)  | (5)                         |          | (6)           |
|----------|--|------|------|-----------------------------|----------|---------------|
| Item No. | Description with Specs. etc                                  | Unit | Qty. | Price per Unit FOB or C & F |          | Delivery Date |
|          |  |      |      | In Figures                  | In Words |               |
| 01       | Re-Fubrishment/ Additions/ Upgradation of NC Deburring plant | No.  | 03   |                             |          |               |

(2) For Plant & Machinery:-

Description & Specification:-

Enclosed as Annexure- "A' & "B"

(3) Special Conditions:-

~~Enclosed as Annexure- "C'~~

(4) Technical Comparison:-

Enclosed as Annexure- "D'

(5) Undertaking

Should our offer be accepted, we hereby undertake to supply the stores/render the services contracted on the basis of General Conditions of Contract embodied in Form POF 1282, and to deposit the performance bond within the prescribed time, failing which it will constitute a breach of contract, and POF will have the right to purchase the stores/services elsewhere at our risk and cost.

Place \_\_\_\_\_ Signature of Tenderer \_\_\_\_\_

Date \_\_\_\_\_ Name \_\_\_\_\_

\_\_\_\_\_ Position \_\_\_\_\_

\_\_\_\_\_ Address \_\_\_\_\_

Income Tax G.I.R No. \_\_\_\_\_

**Annex -A to Appendix "A"**

**UPGRADATION OF CNC MACHINE**

| <b>Sr. No</b>         | <b>Machine Description</b>  | <b>Production item</b>                                   | <b>No. of Machines</b> |
|-----------------------|---|--|------------------------|
| 1                     | <b>NC Deburring Plant</b><br>Maker: M/s Bosch Germany<br>Procured in 1985 and installed in C-22 shop. | Deburring of all type of components.<br>(G3A3, MG3, MP5) | 01                     |
| <b>TOTAL MACHINE:</b> |   |  | <b>01</b>              |



**SPECIFICATION****1. DESCRIPTION**

Up-Gradation of 01 x NC machine/plant

**1. PURPOSE**

Up-Gradation of NC machine/plant electrical / electronic panels complete control system with all accessories are essential to restore this machine from long breakdown. Its spares are not available in local market as well as in foreign market due to obsolete model.

**2. INPUT & SUPPORT MATERIALS**

Different components of MG3, G3A3 & MP5 of different grade materials are manufactured and processed on this machine.

**4. SCOPE OF HARDWARE PROCUREMENT**

| <b>b. NC DEBURRING PLANT</b>  |  |
|---|--|
| <b>Description</b>  | <b>Specification</b>   |
| 1. Complete set of CNC control system Including PLC, HMI unit, I/O Module interfacing Hardware etc, | Must support at least all functions with accuracy  |
| 2. Round Table indexing, Drive Control Cylinder, Sliding Gate Control with Hydraulic                | 20~140 bars pressure required  |
| 3. Hydraulic Motor  | 18 KW, 36 Amp  |
| 4. Exhaust Motor  | 0.55 KW, 1.5 Amp   |
| 5. Connected load Natural Gas   | 26 KVA, 12 Bar Pressure  |
| 6. Connected load Hydrogen gas  | 41 KVA, 12 Bar Pressure  |
| 7. Compressed Air   | 5 Bar  |
| 8. General checking of M/c (Slides, Guides, Hydraulic & Pneumatic valves)                           | General checking of M/c (Slides, Guides, Hydraulic & Pneumatic valves)                     |
| <b>Remarks:</b>   | Control system of reputable company & all motors with Same specification will be preferred |

5. **TERMS & CONDITIONS:**

a) **SPARES:**

- i. It shall be guaranteed that spares shall be made available for at least 10 years and back up support after up-gradation and successful commissioning.
- b) **Other conditions**
  - ii. The upgraded machines shall be installed with necessary safety equipments.
  - iii. Minimum life is 10 years and with 01 x year warranty / guarantee.
  - iv. Master standard to be included in the offer
  - v. Operation & Maintenance manual in English version will be provided
  - vi. Installation and commissioning of the machines at POF would be the responsibility of supplier
  - vii. Free of cost training will be imparted at POF work premises by supplier
  - viii. Programming / configuration software along with soft copy of the program should be provided.
  - ix. The up-graded machine should maintain the existing features including resolution and accuracy as of the original system.
  - x. The geometry check of machine must be carried out before & after retrofitting / overhauling.
  - xi. Status of encoders should be mentioned either will be provided built-in the motors or separately.
  - xii. Payment will be made after completion of pilot of at least 1000 components.

c) **UTILITIES:**

Under mentioned utilities are available at site.

- i) Electricity 400 volt  $\pm$  05 % , 50 Hz, Three phase
- ii) Electricity 220 to 230 volt, 50 Hz, Single Phase
- iii) Compressed air pressure (90 Psi)
- iv) Temperature (-5 - 50C)
- v) R.H 40 - 50%

**TECHNICAL COMPARISON**

(TO BE FILLED BY SUPPLIER)

| <b>SR.<br/>#</b> | <b>TENDER SPECIFICATIONS</b> | <b>OFFERED SPECIFICATIONS WITH<br/>REFERENCE TO PAGE NO. OF<br/>QUOTATION</b> |
|------------------|------------------------------|---|
|                  |                              |   |