

Government of Pakistan  
PAKISTAN ORDNANCE FACTORIES  
TENDER ENQUIRY

To

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Dear Sirs,

Reference: TENDER ENQUIRY NO. 0238-LP-CMC-49-PD, DT. 19.03.2020

You are requested to submit quotations for the item(s) noted in the Schedule to the Tender. Offer should be sent duly sealed in an envelope. Please note the following instructions for filling the tender:-

1. SUBMISSION OF TENDER

1.1) Tenders will be opened at 1200 Hours on 13.04.2020 and must reach Bid Center adjacent to Rabta Hall on or before 1130 hours upto the date of opening of Tenders. The tender received late will not be entertained. You may witness the opening of the tender if you so desire. If a representative is deputed, he should bring a letter of authority from you.

1.2) only one tender should be included in one envelope. The outside of the envelope should be inscribed with: -

Tender Enquiry No: 0238-LP-CMC-49-PD, DT. 19.03.2020

Tender to be opened on: 13.04.2020.

Address as follows:

Dy. Dir SCM-II  
POF WAH CANTT.

1.3) If envelope do not indicate reference of T.E or received late the same may be returned un-opened.

2. GENERAL INSTRUCTIONS REGARDING PREPARATION OF QUOTATIONS

2.1) For materials, the prices should be filled in column 5 and delivery date in column 6 of the schedule to this Tender Enquiry. The undertaking should be signed at the bottom of the Schedule, which shall form the Quotation. You may use a separate sheet if necessary.

2.2) For Plant and Machinery, you are required to quote in two parts:-  
Part I "Technical Offer": It should exclusively give technical details and literatures/brochures of the offered plant, machinery and equipment, validity date, delivery schedule, and signed undertaking given on the schedule to this Tender Enquiry. It must not indicate price, costs etc.

|| N.A.

Part II "Commercial Offer": It should indicate the commercial terms e.g. price, terms of payment, mode of payment, mode of supply.

Each part should be placed in a separate sealed cover. The envelopes should be inscribed with Part I "Technical Quotation without Price" and Part II "Commercial Quotation with Price".

2.3) The Quotation must remain valid for, at least 90 days from the date of opening of tenders.

2.4) The Quotation should hold good for any reduced or enhanced quantities without notice.

2.5) In the event of non-acceptance of offer, no intimation will be given to the Tenderers.

2.6) Conditional Offer or alternative offers are likely to be ignored.

2.7) Quotations should be based on: -

Free Delivery at POF's stores at Central Stores POF WAH CANTT.

In this case Octopi duty will be payable by the supplier.

2.8) Taxes and Duties etc. where applicable, must be shown separately, quoting reference to Registration No. in cases of Sales Tax and relevant authority in the case of others. Offers without clarifications and inclusive of Taxes and Duties may be ignored.

2.9) Taxes and duties levied on or after Tender opening date or on or after the date offer was signed and dispatched will be allowed to include in the offered rates.

2.10) "Suppliers will furnish a certificate, issued by Excise & Taxation deptt: that he has cleared all Professional Tax payable by him" offers received without this certificate will be rejected.

2.11) If the requisite information is not furnished on the T.E. forms or offer received in not conformity with the requirement of T.E. such offer shall be ignored.

2.12) Supplier will render necessary information regarding hazardous effects on environment of the material/products supplied by them, in their quotations and shipping/dispatch documents.

### 3. INSPECTION

3.1) Supplies shall be subject to the inspection and acceptance by the competent inspection authority nominated by the Purchaser, who will arrange it at his own cost. Inspection facilities such as tools, test equipment, instruments etc will, however, be provided by the suppliers in accordance with the relevant specifications.

3.2) where considered necessary, by the Purchaser, the stores may be obtained on Warranty/Guarantee subject to inspection on receipt. Rejected stores will be removed and replaced with the acceptable stores by the Supplier at his own expense, within a specified time.

4. TENDER FEE

The tender must be accompanied by a non-refundable fee Rs.500/- by means of a crossed postal order / Pay order in favour of Director Admin POFs Wah Cantt.

TENDER SAMPLE

4.1) Where required, offer must accompany tender sample, strictly according to the description and specification given in Tender Enquiry. Offer not accompanied by tender sample will NOT be entertained excepting the established and reputable firms who have either previously satisfactorily supplied the same or similar stores or have submitted an acceptable sample thereof against previous T.E.

5. BID MONEY

5.1) Bid Money at the rate of 2% (for registered firms with POF) & 5% (For un-registered firms with POF) of the quoted value, should accompany the tender in the shape of Deposit at Call Receipt/Pay order/Banker's Cheque, from a scheduled Bank drawn in favour of:-

DY. DIRECTOR SCM - II, POFs, WAH CANTT.

Tenders received without Bid Money will be rejected.

5.2) Bid Money of the unsuccessful tenderers will be returned as soon as the scrutiny of the tenders is completed. Bid Money of the successful tenderers will be retained until the contract is finalized. Bid Money will be forfeited in case the quotation is withdrawn before the expiry of its validity date.

5.3) State owned organizations are not required to provide Bid Money.

6. ACCEPTANCE OF OFFERS

6.1) POF may reject all bids or proposals at any time prior to the acceptance of a bid or proposals but is not required to justify grounds for its rejection. POF shall incur no liability towards suppliers or contractors who have submitted bids or proposals.

6.2) Performance Bond:

(a) The successful bidders shall provide performance bond at the rate, prescribed by POF Board according to the value of contract which shall not exceed 10% of the contract value, in the form of a Deposit At Call Receipt from a scheduled Bank; or, an un-conditional Bank Guarantee valid for 12 months after receipt of store in POFs on a prescribed format. The performance bond will be in favour of C.M.A. POF Wah Cantt. It will be returned on satisfactory completion of the contract.

(b) If the Supplier fails to furnish the Performance Bond within the specified time, such failure will constitute a breach of the contract and the Purchaser shall be entitled to make other arrangements for Purchase of the stores at the risk and expense of the supplier.

6.3 PERFORMANCE BOND from State owned organizations may be waived off at the discretion of the Purchaser.

6.4 FAILURE TO SUPPLY THE STORES

All deliveries must be completed by the specified date. If the failure to deliver the stores within the scheduled time should have arisen from "Force Majeure", which the purchaser may admit as reasonable ground for further time, he will allow such additional time as he may consider to have been required by the circumstances of the case. Otherwise, he will be entitled, at his discretion, to cancel the contract; and/or Claim liquidated damages up to 2% but not less than 1% of the contract price of the items and their quantities for each and every month or part of a month, beyond the specified delivery date, during which these may not be delivered, subject to a maximum of 10% of the total contract value of the particular stores which remained unsupplied either in part or in full; or, to purchase, from elsewhere, the unsupplied stores at the risk and cost of the supplier.

6.5 PAYMENT

Payment will be made by the C.M.A.-(POFs) through crossed cheques on receipt/acceptance of stores on our prescribed bill form supported by receipt voucher on part/full supply basis.

6.5(a) Payment of duties / Taxes including professional tax (where applicable) must be supported by proof of having paid these to concerned GOVT. Taxation Deptt.

7. SECURITY OF INFORMATION

The tendered and his employees must not communicate any information relating to the sale/purchase of stores under this enquiry to any person other the manufacturer or to any press or agent not authorized in writing by POFs to receive it.

Please return the Schedule to the Tender duly signed by the specified date, along with the specifications, drawings etc. if any, enclosed herewith - even if you are unable to quote.

WARNING In case the firm abstain from making offers or fail to return / acknowledge the tender form by the specified date on three consecutive occasions, no further tender enquiry may be issued to them and their names would liable to be removed from the approved list.

Yours Sincerely,

(BUSHRA ALI)  
MANAGER-PURCHASE-II

Tele : 051-9314101-21/22193  
      : 051-9055-22193  
Fax : 051-9271400  
Email: [ddscm2@pof.gov.pk](mailto:ddscm2@pof.gov.pk)

**PAKISTAN ORDNANCE FACTORIES**

**SCHEDULE OF TENDER ENQUIRY # 0238-LP-CMC-49-PD, DT. 19.03.2020 OPENED ON 13-04-2020.**

**(1) FOR MATERIALS**

(1)	(2)	(3)	(4)	(5)		(6)
Item #	Description of Store with Specification, etc.	Qty.	A/U	Price Per Unit For Free Delivery		Delivery Date
				In Figures	In words	
<b>INDENT NO. 0079/LP/CMC/49 Dated 15-01-2018 (Item No. 02,03,06 &amp; 07)</b>						
01/02	PUSH BUTTON BAKELITE FOR ELECTRIC BELL, 250 VOLTS (BRAND: HERO, BUSH, ITTEFAQ OR EQUIVALENT) GEC. FIG. NO. L-3456 ( S.T.S. ,SAMPLE TO BE GOT APPROVED BEFORE CONTRACT IS PLACED )	61	No.			<b>Within 03 months after placing of contract.</b>
02/03	TAPE COTTON WHITE FINE QUALITY ( LENGTH OF ROLL = 50 MTR ) 13 MM WIDE BSS: 633/1970	300	Mtr			---do---
03/06	BOXES ADOPTER & COVER (STEEL) 4"X4"X2" - (100X100X50 MM) BSS-4568/PT-II-1970 (CLASS-2)	03	No.			
04/07	ENERGY SAVER SPIRAL MOON LIGHT (E-14) BRAND: PHILIPS, ORIENT OR EQUIVALENT. 8-9 WATT, 220 – 240 VOLT 8-9 WATT, 220-240V, 50-60HZ, 475LM, 59LM/W. SPIRAL GLOW MOON LIGHT 60MA (E-14)	15	No.			
<b>INDENT NO. 0080/LP/CMC/49 Dated 15-01-2018 (Item No. 03, 04, 07 &amp; 08)</b>						
05/03	185C GLASS FIBRE INSULATED CABLE 300/300 VOLTS TWISTED TWIN CORE 4 MM SQR. (7/.036") BSS-6141/1981-TABLE-18	215	Mtr			---do---
06/04	185C GLASS FIBRE INSULATED CABLE 300/300 VOLTS SINGLE CORE 1.5 MM SQR. (3/.029") BSS-6141/1981-TABLE-18, W/G & TEST CERTIFICATE.	283	Mtr			
07/07	CABLE PVC INSULATED PVC SHEATHED, TWIN CORE, FLAT SOLID. (PACKING OF 100 MTR ROLL) 2X1.5MM2, 300/500 VOLTS BSS-6004/1984, 6500/1984, 6360/1981 W/G & TEST CERTIFICATE	435	Mtr			
08/08	CABLE STEEL WIRE ARMoured 3-CORE PVC INSULATED & PVC SHEATHED (STRANDED COPPER CONDUCTOR) 3X1.5MM2, (3/.036) - 600/1000 VOLTS FULL LENGTH ON A DRUM. BSS-6346 / 1987 W/G & TEST CERTIFICATE	1500	Mtr			
<b>INDENT NO. 0081/LP/CMC/49 Dated 15-01-2018 (Item No. 04, 11 &amp; 12)</b>						
09/04	CABLE STEEL WIRE ARMoured TWIN CORE PVC INSULATED & SHEATHED (STRANDED COPPER CONDUCTOR) 2X2.5 MM2- 600/1000 VOLTS FULL LENGTH ON A DRUM BSS-6346 / 1987 W/G & TEST CERTIFICATE	235	Meter			---do---
10/11	CONDUIT PIPE WELDED BLACK ENAMELLED DIA 1" - (25MM) 0.064 INCH BSS-31/1940 (1979) / CLASS- B	55	Meter			
11/12	CONDUIT PIPE WELDED BLACK ENAMELLED HEAVY GUAGE DIA 1-1/2" (38MM) 16 SWG BSS-31/1940 (1979) CLASS-B	40	Meter			

<b>INDENT NO. 0082/LP/CMC/49 Dated 15-01-2018 (Item No. 02 to 05)</b>					
<b>12/02</b>	DRY CELL SMALL, (TRADE= NATIONAL, TOSHIBA SONY, SANYO, MAXELL POWER PLUS, PHILIPS OR EQUIVALENT) 1.5 VOLTS SIZE "AA" ( R-6 ) BSS-397-PT-1 & II/1989	91	No.		<b>Within 03 months after placing of contract.</b>
<b>13/03</b>	DRY CELL MEDIUM, (TRADE= NATIONAL, TOSHIBA SONY, SANYO, MAXELL POWER PLUS, PHILIPS OR EQUIVALENT) 1.5 VOLTS SIZE "C" ( R-14 ) BSS-397-PT-1 & II/1989	44	No.		<b>---do---</b>
<b>14/04</b>	ALKALINE MANGANESE DURA CELL ULTRA, CAN STYLE PP3 VOLTAGE 9 V, DIMENSION 48.5 X 26.5 X 17.5 MM PP3 9V FARNELL	12	No.		
<b>15/05</b>	BATTERY CELL (BUTTON TYPE) FOR DIGITAL VERNIER CALLIPER 1.5 V SR. NO 44 TECH/DETAIL	06	No.		
<b>INDENT NO. 0084/LP/CMC/49 Dated 15-01-2018 (Item No. 02,08,09 &amp; 10)</b>					
<b>16/02</b>	PORCELAIN LAMP HOLDER BATTEN TYPE B.C, B-22 BSS- 52/1963	491	No.		<b>---do---</b>
<b>17/08</b>	UN-LOADED EBONITE ROD 1/2" DIA - (12 MM), LENGTH-1 METER BSS- 234/1971, COLOUR BLACK	10	KG		
<b>18/09</b>	UN-LOADED EBONITE ROD 3/4" DIA - (20 MM) LENGTH-1 METER BSS- 234/1971, COLOUR BLACK	110	KG		
<b>19/10</b>	UN-LOADED BLACK EBONITE ROD 1" DIA - (25 MM) LENGTH-1 METER BSS- 234/1971	30	KG		
<b>INDENT NO. 0085/LP/CMC/49 Dated 15-01-2018 (Item No. 07 &amp; 09)</b>					
<b>20/07</b>	S.B. SADDLE 3/4"X 1 WAY (20 MM X 1 WAY) BSS-4568/PT- II /1970 CLASS - 2	1135	No.		<b>---do---</b>
<b>21/09</b>	BAKELITE SHEET 1220X1220X6MM THICK (4' X 4' X 1/4" THICK) BS-EN60061-1/1993 SAMPLE TO BE GOT APPROVED BEFORE CONTRACT IS PLACED	30	KG		
<b>INDENT NO. 0086/LP/CMC/49 Dated 15-01-2018 (Item No. 05, 06, 07 &amp; 08)</b>					
<b>22/05</b>	SHEET LEATHEROID 0.005" THICKX36" WIDE (0.127MM THICKX915MM WIDE) BSS-2768/1956, BSS-6091/PT-I (1981) & PT-II (1987)	27	KG		<b>---do---</b>
<b>23/06</b>	SHEET LEATHEROID 0.200MM THICK X 915MM WIDE BSS- 2768/1956,BSS-6091/PT-I(1981)& PT-II(1987)	150	KG		
<b>24/07</b>	PHENOLIC RESIN BONDED PAPER LAMINATED SHEET FOR ELECTRICAL APPLICATIONS (TUFNOL SHEET) 1220 X 1220 X 6 MM THICK BSS-5102/1974, BSS-2572/1990 TYPE-I	13	KG		
<b>25/08</b>	PHENOLIC RESIN BONDED PAPER LEMINATED SHEET FOR ELECTRICAL APPLICATIONS (TUFNOL SHEET) 1220 MM X 1220 MM X 12 MM THICK BSS-2572/1990, BSS-5102/1974, TYPE-1	3	KG		
<b>INDENT NO. 0087/LP/CMC/49 Dated 15-01-2018 (Item No. 04, 05, 06, 07 &amp; 11)</b>					
<b>26/04</b>	SLEEVE VARNISHED COTTON (EMPIRE) (RED,YELLOW,GREEN OR BLUE) 1MM INTERNAL DIA, TYPE-I, CLASS-105 B BSS-2848/1973	727	Meter		<b>---do---</b>
<b>27/05</b>	SLEEVE VARNISHED COTTON (EMPIRE) RED,YELLOW,GREEN OR BLUE 2MM INTERNAL DIA, TYPE-I M, CLASS-105 B, BSS-2848/1973	483	Meter		
<b>28/06</b>	SLEEVE VARNISHED COTTON (EMPIRE) ( RED, YELLOW, GREEN OR BLUE ) 3MM INTERNAL DIA, TYPE-I, CLASS-105 B BSS-2848/1973	570	Meter		

<b>29/07</b>	SLEEVE VARNISHED COTTON (EMPIRE) ( RED, YELLOW, GREEN OR BLUE ) 4MM INTERNAL DIA, TYPE-I, CLASS-105 B BSS-2848/1973	615	Meter		<b>Within 03 months after placing of contract.</b>
<b>30/11</b>	IRON CLAD SWITCH FUZE ( D.P.), 15/16 AMP, 220 - 660 VOLTS (WITH OUT HRC FUZE) (BRAND: MEFCO, FICO, SIEMENS, HERO OR EQUIVALENT) BSS-5419/1977 & CEE STANDARD SPEC. 1983 W/G & TEST CERTIFICATE	30	No.		
<b>INDENT NO. 0088/LP/CMC/49 Dated 15-01-2018 (Item No.01, 02, 03, 05 &amp; 07)</b>					
<b>31/01</b>	IRON CLAD SWITCH FUZE TP&N (WITH HRC FUZE) 660 VOLT, 200 AMP BSS-5419/1977 & CEE STD. SPEC. 1983	4	No.		<b>---do---</b>
<b>32/02</b>	TAPE COTTON GLASS IMPREGNATED (GLASS FIBRE WOVEN TAPE) 1" WIDE, 0.005" THICK (25MM WIDE X 0.127MM THICK) BSS-3779/1974	1305	Meter		
<b>33/03</b>	TAPE COTTON IMPREGNATED WITH BITUMEN COMPOUND 2 ROLL / TIN (EACH ROLL CONSIST OF 20 MTR) 1" WIDE X 20 MTR, 0.5MM THICK BSS-5689/1979, PT-I	2	Tin		
<b>34/05</b>	TAPPING BOX, TP & N, (WITH HRC FUZES, WITHOUT INDICATING DEVICE) 30 AMPS, 250 VOLTS. ITTEFAQ, HERO, FICO, CHAMPION, GRL, FCHIFE, BOSS, SCOTCH, MASTER, FAISAL KARACHI OR EQUIVALENT	37	No.		
<b>35/07</b>	CONDUIT UNION, 1" (25MM) BSS-31/1940(1979), Class-B	24	No.		
<b>INDENT NO. 0089/LP/CMC/49 Dated 15-01-2018 (Item No. 07)</b>					
<b>36/07</b>	L.T. CABLE BITUMEN BASED COMPOUND CLASS-II 1 TIN = 10 KG BSS-1858/1973 W/G & TEST CERTIFICATE	139	KG		<b>---do---</b>
<b>INDENT NO. 0091/LP/CMC/49 Dated 15-01-2018 (Item No. 02, 04, 05, 06 &amp; 07)</b>					
<b>37/02</b>	IRON CLAD SWITCH FUZE TP&N WITH HRC FUZE, 500 - 660 VOLT, 315 AMP (BRAND: FICO, MEFCO, SIEMEN OR EQUIVALENT BSS-5419/1977&CEE STD SPEC.1989 BSS-88/PT-1/1988BSS-88/SEC2.2/1988 W/G CERTIFICATE FOR HRC FUZEZS).	11	No.		<b>---do---</b>
<b>38/04</b>	TAPE COTTON BASE WITH OLEORESINOUS COMPOUND IMPREGNATED (G-514) (EACH ROLL CONSIST OF 18 MTR) 20MM WIDE X 18 MTR LONG X 0.5MM THICK, 3 ROLL/TIN BSS-5689/1979, PT-I	102	Tin		
<b>39/05</b>	TAPE COTTON BASE WITH BITUMEN IMPREGNATED (G- 516) (EACH ROLL CONSIST OF 18 MTR) 20MM WIDE X 18 MTR ( 3 ROLLS/TIN) BSS-5689/1979, PT-I	2	Tin		
<b>40/06</b>	TAPPING BOX, TP & N, INCLUDING HRC FUZES, WITHOUT INDICATING DEVICE FOR B.B.T. 60 AMPS, 220-660 VOLTS, W/G ITTEFAQ, HERO, FICO, CHAMPION, GRL, FCHIFE, BOSS, SCOTCH, MASTER, FAISAL KARACHI OR EQUIVALENT	43	No.		
<b>41/07</b>	TAPPING BOX, TP & N, (WITH HRC FUZES, WITHOUT INDICATING DEVICE) FOR B.B.T 100 AMPS, 220-660 VOLTS. W/G, ITTEFAQ, HERO, FICO, CHAMPION, GRL, FCHIFE, BOSS, SCOTCH OR EQUIVALENT	35	No.		

**INDENT NO. 0103/LP/CMC/49 Dated 19-01-2018 (Item No. 06, 07, 08, 09, 11 & 12)**

<b>42/06</b>	FUZE WIRE TINNED COPPER ANEALED "O" DIA :1.25 MM BSS-4109/1970	4	Kg		<b>Within 03 months after placing of contract.</b>
<b>43/07</b>	FUZE WIRE 24 SWG TINNED COPPER ANEALED "O" DIA : .56 MM. BSS-4109/1970	3	Kg		
<b>44/08</b>	FUZE WIRE TINNED COPPER ANEALED "O" 0.5 MM DIA BSS-4109/1970	1	Kg		
<b>45/09</b>	FUZE WIRE TINNED COPPER ANEALED "O" 0.45 MM DIA BSS-4109/1970	1	Kg		
<b>46/11</b>	FUZE WIRE TINNED COPPER ANEALED "O" 0.375 MM DIA BSS-4109/1970	1	Kg		
<b>47/12</b>	FUZE WIRE TINNED COPPER ANEALED "O" 0.355 MM DIA BSS-4109/1970	1	Kg		

**INDENT NO. 0104/LP/CMC/49 Dated 19-01-2018 (Item No. 01, 02, 04, 05, 06, 08 & 09)**

<b>48/01</b>	WIRE COPPER ENAMELLED (ENAMEL WITH POLY VINYLE ACETAL BASE) ( BRAND : GAZILEX, PAK OR MILLAT OR EQUIVALENT ) 0.25 MM DIA ( 33 SWG ) BSS-4516/1969, PT-I, TABLE-14 NOMINAL GRADE-II	60	KG		<b>---do---</b>
<b>49/02</b>	FUZE WIRE TINNED COPPER ANEALED "O" 0.315 MM DIA BSS-4109/1970	3	KG		
<b>50/04</b>	FUZE WIRE TINNED COPPER ANEALED "O" 0.236 MM DIA BSS-4109/1970	1	KG		
<b>51/05</b>	FUZE WIRE TINNED COPPER ANEALED "O" DIA :0.20 MM BSS-4109/1970	1	KG		
<b>52/06</b>	FUZE WIRE TINNED COPPER ANEALED "O" DIA :0.160 MM BSS-4109/1970	1	KG		
<b>53/08</b>	BAR ELEMENT , SUITABLE FOR ELECTRIC REFLECTOR HEATER (24 SWG, RATIO 80/20 & NICHROME WIRE) 250MM, 1000 WATTS SUPER CHINA & NATIONAL, NAWAZ BAKALITE LTD LAHORE, ARISTON LTD LAHORE OR EQUIVALENT	65	No.		
<b>54/09</b>	REFLECTOR ELECTRIC HEATER (BAR TYPE) TWIN ROD 2 KILO WATT, 250 VOLTS. ITTEFAQ (NTN) OR EQUIVALENT	9	No.		

**INDENT NO. 0238/LP/CMC/49 Dated 03-08-2019 (Item No. 01 to 07)**

<b>55/01</b>	LAMP HOLDER BRASS, BATTEN TYPE, 3-CUT SUITABLE FOR 125 WATT M.V. LAMP ( BRAND: SEVEN SATR, PPI, HERO ) OR EQUIVALENT BSS: 5042/1987	44	NO.		<b>---do---</b>
<b>56/02</b>	CABLE PVC INSULATED & SHEATHED, TWIN CORE (FLAT) (STRANDED) (PACKING OF 100 MTR ROLL) 2X4MM2, 300/500 VOLTS BSS-6004/1984, 6500/1984, 6360/1981 W/G & TEST CERTIFICATE	398	METER		
<b>57/03</b>	LAMP HOLDER PORECLAIN, E.S. CAP, E-40, SUITABLE FOR 250 WATT M.V. LAMP. BSS-5042/1987 BSS-5042/1987	16	NO.		
<b>58/04</b>	TAPE COTTON GLASS INSULATION (GLASS FIBRE WOVEN TAPE) 1" WIDE, 0.011" THICK (25MM WIDE X 0.3MM THICK) BSS-3779/1974	4617	METER		
<b>59/05</b>	WIRE COPPER ENAMELLED (ENAMEL WITH POLY VINYLE ACETAL BASE) ( BRAND : GAZILEX, PAK , MILLAT OR EQUIVALENT ) 0.2 MM DIA BSS-4516/1969, PT-I, TABLE-14 NOMINAL GRADE-II	53	KG		
<b>60/06</b>	WIRE COPPER ENAMELLED (ENAMEL WITH POLY VINYLE ACETAL BASE) ( BRAND : GAZILEX, PAK , MILLAT OR EQUIVALENT ) 0.18 MM DIA BSS-4516/1969, PT-I, TABLE-14 NOMINAL GRADE-II	84	KG		

**INDENT NO. 0239/LP/CMC/49 Dated 03-08-2019 ( Item No. 01)**

<b>61/01</b>	WIRE NICHROME 3.35 MM DIA ( 10 SWG ) RATIO: NICKLE 80%, CHROMIUM 20%	43	KG		<b>---do---</b>
--------------	--	----	----	--	-----------------



3. **For Plant & Machinery:-**

**Specifications:-**

4. **Special Conditions:-**

i	Rate & Sales Tax must be shown separately otherwise your quoted rates will be considered inclusive of G.S.T.
ii	<b>Quotation not accepted without Bid Money &amp; Tender Fee. Moreover, firm name &amp; T.E # &amp; dt, must be endorse on backside of bid money/ Tender Fee.</b>
iii	Date and stamp of the Postal Order must be visible.
iv	a. Only registered suppliers (with Sales Tax and Income Tax Deptt.) Who are on Active Tax Payer List (ATL) of FBR are eligible to supply Good / Services to Government Departments. b. The payment to the registered persons may be linked with the Active Taxpayer Status of the supplier as per FBR database. If any registered supplier is not in ATL, his payment should be stopped till his mandatory returns and appears on ATL of FBR.
v	Unregistered firms are required to provide Annexure–A duly filled Signed and Stamped along with quotation.
vi	<b>Undertaking of T.E. Schedule should be returned duly Signed &amp; Stamped with quotation.</b>
vii	Status of firm with POF (registration / un – registered) should be mentioned in offer. Registered firms are required to provide copy of valid registration letter with POF.
viii	PTC must be obtained from Punjab Government
ix.	<b>Only one rate should be quoted against description of store on the Tender Schedule.</b>
x.	The store must be provided within given delivery period of the contract.
xi.	All the interested firms are required to submit the documentary evidence of their professional, technical, financial, legal & managerial competency for bid evaluation.
xii.	In case of failure to supply the store within D.P, LD will be imposed as per procedure.
xiii.	<b>Photocopies of PTC, NTN, GST &amp; ATL (Sale Tax) must be attached with quotation.</b>
Xiv.	<b>Material Safety Data Sheet (MSDS) must be provided along with each consignment.</b>
xv.	<b>Quotation must be valid for 90 days which will be effective from the date of acceptance of samples / technical offers from our side and for free Delivery of store at POFs Wah Cantt.</b>
xvi.	<b>Advance sample against items # 01/2, 14/4, 15/5, 21/9, 34/05, 40/06, 41/07, 53/08 &amp; 54/09 are required within a week after opening of tender &amp; consignee of sample to be dispatch on the behalf of DY. DIRECTOR - STORES &amp; CMC POFs Wah Cantt.</b>
xvii.	<b><u>Suppliers' Capability form &amp; undertaking must be return duly signed / stamped.</u></b>

(4) UNDERTAKING

Should our offer be accepted, we hereby undertake to supply the stores/render services contracted on the basis of conditions of contract embodied in Form POF-1280, and to deposit the performance bond within the prescribed time, failing which it will constitute a breach of contract, and POF will have the right to purchase the stores/services elsewhere at our risk & cost.

Date \_\_\_\_\_

Signature of the Tendered \_\_\_\_\_

Place \_\_\_\_\_

Name \_\_\_\_\_

\_\_\_\_\_

Position \_\_\_\_\_

\_\_\_\_\_

Address \_\_\_\_\_

Income Tax G.I.R. No. \_\_\_\_\_

Official Stamp \_\_\_\_\_

**SUPPLIERS'S CAPABILITY**

**Annexure-A**

1. NAME OF THE FIRM: \_\_\_\_\_  
ADDRESS : \_\_\_\_\_  
2.1- TELE: NO: \_\_\_\_\_  
2.2- FAX NO : \_\_\_\_\_  
2.3- E.MAIL ADDRESS : \_\_\_\_\_
2. WHETHER PUBLIC LTD, PRIVATE LTD, PARTNERSHIP OR SOLE PROPRIETERSHIP : \_\_\_\_\_
3. ESTABLISHED SINCE : \_\_\_\_\_
4. CAPACITY : (Manufacture/stockist/Agent to foreign Firm) : \_\_\_\_\_
5. IF MANUFACTURER, PROVIDE FOLLOWING DETAILS : \_\_\_\_\_  
5.1- IF MANUFACTURER, PROVIDE FOLLOWING DETAILS : \_\_\_\_\_  
5.2- DETAIL OF PLANTS, MACHINERY AND MAJOR EQUIPMENTS;  
(Attached separate sheet if required): \_\_\_\_\_
6. INSPECTION/QUALITY ASSURANCE FACILITIES : \_\_\_\_\_
7. ISO-9000 CERTIFIED IF SO ATTACH NECESSARY DOCUMENTS
8. IF STOCKIST, PROVIDE FOLLOWING :-  
8.1- DETAILS OF STOCKS HELD :- \_\_\_\_\_  
8.2- APPROX .STOCK VALUE :- \_\_\_\_\_  
8.3- LOCATION OF STOCKS: - \_\_\_\_\_
9. **ORGANISATIONAL DETAILS.**  
WHETHER THE FIRM IS REGISTERED WITH THE HOLDING FOLLOWING DEPTTS. (Give registration No. Date and attach copies of the necessary documents).

---

9.1 DP/ARMY OR ANY GOVT./SEMI GOVT.DEPTT :- \_\_\_\_\_

9.2 IMPORT TRADE CONTROL DEPTT : \_\_\_\_\_

9.3 SALES TAX DEPTT :- \_\_\_\_\_

9.4 INCOME TAX DEPTT : \_\_\_\_\_

FINANCIAL STATUS : \_\_\_\_\_

(Bank certificate to be attached)