



GOVERNMENT OF PAKISTAN
PAKISTAN ORDNANCE FACTORIES
TENDER ENQUIRY

To

Dear Sir(s),

Reference: **TENDER ENQUIRY NO.0090-LP-CMC-50-PD, DATED 02-09-2020.**

You are requested to submit quotations for the item(s) noted in the Schedule to the Tender. Offer should be sent duly sealed in an envelope. The case will be processed as per competitive bidding method endorsed vide PPRA Rule 36(a). Please note the following instructions for filling the tender:-

1. **SUBMISSION OF TENDER**

- 1.1 Tenders will be opened at **12:00 hours** on **28-09-2020** and must reach in **Bid Center on or before 11:30** hours up to due date. The tender received late will not be entertained. You may witness the opening of the tender if you so desire. If a representative is deputed, he should bring a letter of authority from you.
- 1.2 Only one tender should be included in one envelope. The outside of the envelope should be inscribed with:-

Tender Enquiry No: **0090-LP-CMC-50-PD, DATED 02-09-2020.**

Tender to be opened on: **28-09-2020**

Address as follows:-

“DY.DIRECTOR-SCM-II”
(Bid Centre, Near Rabita Hall,
POF, Wah Cantt.)

- 1.3 If envelope does not indicate reference of T.E or received late the same may be returned un-opened.

2. **GENERAL INSTRUCTIONS REGARDING PREPARATION OF QUOTATIONS AND EVALUATION CRITERIA:**

- 2.1 The prices should be filled in column 5 and delivery date in column 6 of schedule to this Tender Enquiry. The undertaking should be signed at the bottom of the Schedule, which shall form Quotation. You may use a separate sheet if necessary. The case will be processed as per PPRA Rules / POF Procedure and contract will be awarded to the lowest evaluated bidder.

- 2.2) **For Plant and Machinery**, you are required to quote in two parts:-
Part I “Technical Offer”: It should exclusively give technical details and literatures/brochures of the offered plant, machinery and equipment, validity date, delivery schedule, and signed undertaking given on the schedule to this Tender Enquiry. It must not indicate price, costs etc.

NOT
APPLICABLE

Part II "Commercial Offer": It should indicate the commercial terms e.g. price, terms of payment, mode of payment, mode of supply.

Each part should be placed in a separate sealed cover. The envelopes should be inscribed with Part I "Technical Quotation without Price" and Part II "Commercial Quotation with Price".

**NOT
APPLICABLE**

- 2.3 Quotation must be valid for 90 days (Extendable, if so desired) which will be effective after the date of acceptance of offer (Technical literature / Sample) from our side.
- 2.4 The quotation should hold good for any reduced quantities without notice.
- 2.5 In the event of non-acceptance of offer, intimation may be given to the Bidders on their request.
- 2.6 Conditional offers or alternative offers are likely to be ignored.
- 2.7 Quotations should be based on:
F.O.R. station of dispatch basis, i.e. delivered "Free On Rail", inclusive of packing and forwarding charges or
"Free delivery at POF's stores at Central Stores, POF, Wah Cantt".
In this case octroi duty will be payable by the supplier.
- 2.8 Taxes and Duties etc. where applicable, must be shown separately, quoting reference to Registration No. in cases of Sales Tax and relevant authority in the case of others. Offer without these clarifications and inclusive of Taxes and Duties may be ignored.
- 2.9 Taxes and duties levied on or after Tender opening date or on or after the date offer was signed and dispatched will be allowed to include in the offered rates.
- 2.10 "Suppliers will furnish a certificate, issued by Excise & Taxation Deptt, that he has cleared all Professional Tax payable by him" offers received without this certificate will be rejected.
- 2.11 If the requisite information is not furnished on the T.E forms or offer received is not conformity with the requirement / special conditions of the T.E such offer shall be ignored.
- 2.12 Suppliers will render necessary information regarding hazardous effects on environment, of the materials/products supplied by them, and material Safety Data Sheet (MSDS), in their quotations and shipping/dispatch documents.
- 2.13 Special Conditions must be carefully studied and conformed.

3. **INSPECTION**

- 3.1 Supplies shall be subject to the inspection and acceptance by the competent inspection authority nominated by the Purchaser, who will arrange it at his own cost. Inspection facilities such as tools, test equipment, instruments etc will, however, be provided by the Suppliers in accordance with the relevant specifications.
- 3.2 Where considered necessary by the Purchaser, stores may be obtained on Warranty/Guarantee, subject to inspection on receipt. Rejected stores will be removed and replaced with the acceptable stores by the Supplier at his own expense, within a specified time.

4. **TENDER FEE**

The tender must be accompanied by a non-refundable fee **Rs. 500/-** by means of a crossed Postal Order / Pay Order for in favor of **Director-Admin, POF, Wah Cantt.**

4.1 **TENDER SAMPLE**

Offer must a company tender sample (Where required) strictly according to the description and specification given in Tender Enquiry. Offer not accompanied by tender sample will NOT be entertained excepting the established and reputable firms who have either previously satisfactorily supplied same or similar stores or have submitted an acceptable sample thereof against previous T.E.

5. **BID SECURITY**

5.1 Bid Security at the rate of **2 %** (for **registered firms with POF**) and **5%** (for **un-registered firms with POF**) of the quoted value, should accompany the tender in the shape of Call Deposit Receipt / Pay Order / Banker's Cheque, from a scheduled Bank drawn in favour of:-

“DY.DIRECTOR-SCM-II, POF, WAH CANTT.”

“Tenders received without / less Bid Money will be rejected.

5.2 Bid Security of the unsuccessful bidders will be returned as soon as the scrutiny of the tenders is completed. Bid Money of the successful bidders will be retained until the contract is finalized. Bid Money will be forfeited in case the quotation is withdrawn before the expiry of its validity date.

5.3 State owned organizations are not required to provide Bid Money.

6. **ACCEPTANCE OF OFFERS**

6.1 POF may reject all bids or proposals at any time prior to the acceptance of a bid or proposals, but is not required to justify grounds for its rejection. POF shall incur no liability towards suppliers or contractors who have submitted bids or proposals.

6.2 **PERFORMANCE BOND**

(a) The successful bidders shall provide Performance bond at the rate, prescribed by POF Board according to the value of contract which shall not exceed **10%** of contract value, in the form of a **Deposit at Call Receipt** from a scheduled Bank; or, an un-conditional Bank Guarantee valid for 12 months after receipt of store in POFs on a prescribed format. The Performance Bond will be in favour of **C.M.A. POF Wah Cantt.** It will be returned on satisfactory completion of the contract.

(b) If the Supplier fails to furnish the Performance Bond within the specified time, such failure will constitute a breach of the contract and the Purchaser shall be entitled to make other arrangements for purchase of the stores at the risk and expense of the Supplier.

6.3 Performance Bond from State owned organizations may be waived off at the discretion of the Purchaser.

6.4 **FAILURE TO SUPPLY THE STORES**

All deliveries must be completed by the specified date. If the failure to deliver the stores within the scheduled time should have arisen from "Force Majeure", which the Purchaser may admit as reasonable ground for further time, he will allow such additional time as he may consider to have been required by the circumstances of the case. Otherwise, he will be entitled, at his discretion, to cancel the contract; and/or, claim liquidated damages upto 2% but not less than **1% of the contract price of the items and their quantities for each and every month or part of a month, beyond the specified delivery date**, during which these may not be delivered, subject to a maximum of 10 % of the total contract value of the particular stores which remained unsupplied either in part or in full: or, to purchase, from elsewhere, the unsupplied stores at the Risk and Cost of the Supplier.

6.5 **PAYMENT**

- a. Payment will be made by the C.M.A (POF) through crossed cheque on receipt/acceptance of stores on our prescribed bill form supported by receipt voucher on part/full supply basis.
- b. Payment of duties / Taxes including professional tax (Where applicable) must be supported by proof of having paid these to concerned Govt. Taxation Deptt:

7. **SECURITY OF INFORMATION**

The bidders and his employees must not communicate any information relating to the sale/purchase of stores under this enquiry to any person other than the manufacturer or to any press or agent not authorized in writing by POFs to receive it.

Please return the Schedule to the Tender duly signed by the specified date, along with the specifications drawings etc. if any, enclosed herewith - even if you are unable to quote.

WARNING: In case the firm abstain from making offers or fail to return / acknowledge the tender form by the specified date on three consecutive occasions, no further tender enquiry may be issued to them and their names would be liable to remove from the approved list.

Yours faithfully,

(NAHEED AKHTAR)
A.M-PURCHASE-II (A)

Contact Details: -

Tele: **051-905522036**

Fax: **(051) 9271400 & 9314100**

Email: **ddscm2@pof.gov.pk**

PAKISTAN ORDNANCE FACTORIES
SCHEDULE OF T.E. # 0090-LP-CMC-50-PD, DATED 02.09.2020.

(1) FOR MATERIALS

(1)	(2)	(3)	(4)	(5)	(6)
Sr. # / Item No. of indent	Description of Store with Specification, etc.	A/U	Qty.	Price Per Unit For Free Delivery (In Figures & In Words)	Delivery Date
<u>INDENT # 0088/LP/CMC/50, DATED 15.11.2018</u>					
01 / 01	DYE PENETRANT FLAW DETECTION KIT CONSIST OF 03 PIECES AEROSOLS CLEANER PENETRANT REMOVER DEVELOPER OF CAPACITY 400 ML EACH. INSPECTION KIT # 1000 OR EQUIVALENT.	SET	20		(WITHIN 03 MONTHS AFTER ISSUANCE OF CONTRACT)
02 / 02	ASPIRATOR BOTTLE PYREX GLASS WITH DRAW-OUT TUBULURE CAPACITY 500 ML B&T/215-1090-02 OR EQUIVALENT.	NO.	03		
03 / 03	BEAKER LOW FORM PYREX GLASS WITH SPOUT CAP 50 ML FISONS / BNB-280-070-H, 209/0310/04, OR EQUIVALENT.	NO.	06		
04 / 04	BEAKER SQUAT FORM HARD GLASS WITH SPOUT CAP 400 ML FISONS/BNB-280/150-J, 209/0310/08, OR EQUIVALENT.	NO.	03		
05 / 05	BEAKER LOW FORM PYREX GLASS WITH SPOUT CAP 2000 ML B&T 209/0310/11, OR EQUIVALENT.	NO.	19		
06 / 06	FLASK TONGS NICKLE FLAT HINGE 200 MM FISHER FB-65089 (WITH BOW) (2007-08), OR EQUIVALENT.	NO.	08		
07 / 07	BEAKER TONGS STAINLESS STEEL LENGTH-330-MM FISHER TNS-530-V (2007-2008) OR EQUIVALENT.	NO.	08		
08 / 08	DENSITY BOTTLE 25-ML, WITH DRILLED STOPPER CAP-25-ML 228/0030/02 B&T-1990 OR EQUIVALENT.	NO.	04		
09 / 09	DENSITY BOTTLE, WITH THERMOMETER. ACCURACY + - 5%, WITH THERMOMETER 15C TO 35C X 0.5C AND CAPPED SIDE ARM. CAP: 50 ML 03-230 C-FISHER 1986 OR EQUIVALENT.	NO.	03		
10 / 10	BOTTLE REAGENT CLEAR GLASS NARROW MOUTH WITH GROUND IN DUST PROOF STOPPER CAP: 250 ML FISONS/BTF-280-090-K, 215/0090/07, OR EQUIVALENT.	NO.	50		
11 / 11	BOTTLE REAGENT WIDE MOUTH WITH GROUND IN DUST PROOF STOPPER CAP: 500 ML FISONS / BTF-550-110-E, 215/0100/04, OR EQUIVALENT.	NO.	22		
12 / 12	BOTTLE SAMPLE WIDE MOUTH WITH BAKELITE SCREW CAP: 250 ML (8 OZ) FISONS BTF-625-090 N, OR EQUIVALENT.	NO.	45		

(1)	(2)	(3)	(4)	(5)	(6)
Sr. # / Item No. of indent	Description of Store with Specification, etc.	A/U	Qty.	Price Per Unit For Free Delivery (In Figures & In Words)	Delivery Date
<u>INDENT # 0089/LP/CMC/50, DATED 15.11.2018</u>					
13 / 01	WEIGHING BOTTLE GLASS, TALL STOPPERED. SIZE: DIA 30 MM X HEIGHT 60 MM FISIONS / BGW-380-070-E, OR EQUIVALENT.	NO.	40		(WITHIN 03 MONTHS AFTER ISSUANCE OF CONTRACT)
14 / 02	BRUSH (SOFT HAIR) WIDTH-25MM, WIDTH-25-MM BUR-770-L, FISHER (2007-2008) OR EQUIVALENT.	NO.	03		
15 / 03	BRUSH SOFT HAIR 2" (50 MM) TIN BOUND FLAT B&T CAT. NO. 216/0120/05, OR EQUIVALENT.	NO.	03		
16 / 04	BRUSH DUSTING 102 MM WIDE WITH WOODEN HANDLE. SIZE: 102 MM FISIONS / BUR-800-G, B&T 216/0410/00, OR EQUIVALENT.	NO.	07		
17 / 05	BUCKET POLYTHENE. CAP: 40 LITRES. FISIONS / YRW-250-050-K OR EQUIVALENT.	NO.	05		
18 / 06	BUNSEN BURNER INTERNAL DIA OF TUBE BORE 11 MM B&T 218/0181/00 OR EQUIVALENT.	NO.	04		
19 / 07	BURETTES GLASS, BS846, CLASS 'B' WITH INTERCHANGEABLE DOUBLE OBLIQUE BORE. GLASS STOPCOCK. CAP: 50 ML X 0.1 ML FISIONS / BWH-270-150-S OR EQUIVALENT.	NO.	01		
20 / 08	STAND TRIPOD WITH PLASTIC FEET, TRIANGULAR TOP OF IRON MAILEABLE GR EEN STOVED ENAMEL FINISH HEIGHT: 203 MM, TRIANGLE IS 127 MM SIDE CAT NO. 261/1300/00 (B&T) OR EQUIVALENT.	NO.	02		
21 / 09	BURETTE GLASS, CLASS 'A' BOROSILICATE GLASS WITH INTER-CHANGEABLE SINGLE BORE. PTFE STOP COCK. WITH CERTIFICATE CAP 50 X 0.1 ML B&T 241/0132/19 OR EQUIVALENT.	NO.	28		
22 / 10	BURETTE GLASS, CLASS 'A' BOROSILICATE GLASS WITH INTERCHANGEABLE SINGLE BORE PTFE STOPCOCK. WITH CERTIFICATE CAP: 100 ML X 0.2 ML FISIONS/BWF-700-170-S, B&T 241/0132/20, OR EQUIVALENT.	NO.	05		
23 / 11	RUBBER CORK, RED RUBBER B.S.NO.25 SIZE 25MM AT NARROW END AND 28.5 MM AT WIDE END, DEPTH 28 MM CAT.NO.226/0120/14 (B&T) OR EQUIVALENT.	NO.	05		
24 / 12	CRUCIBLE, FILTER, SINTERED GLASS SQUAT WITH SHORT SKIRT BELOW FILTER PLATE. CAP: 35 ML POROSITY 3 SIZE: PLATE DIA: 30 MM X HT: 45 MM. FISIONS/CWC-700-150-T. OR EQUIVALENT.	NO.	20		

(1)	(2)	(3)	(4)	(5)	(6)
Sr. # / Item No. of indent	Description of Store with Specification, etc.	A/U	Qty.	Price Per Unit For Free Delivery (In Figures & In Words)	Delivery Date
<u>INDENT # 0090/LP/CMC/50, DATED 15.11.2018</u>					
25 / 01	CRUCIBLE PYREX FILTER SINTERED POROSITY 3 DISC DIA 30MM LIGHT APPROX. 50MM, CAP. 40 ML 232-0101-43 OR EQUIVALENT.	NO.	30		(WITHIN 03 MONTHS AFTER ISSUANCE OF CONTRACT)
26 / 02	CRUCIBLE FILTER SINTERED FITTED GLASS PLATE. POROSITY - 4 DIA 40 MM X HT: 50 MM, CAP: 35 ML FISIONS / CWC-700-190-H OR EQUIVALENT.	NO.	05		
27 / 03	CRUCIBLE NICKLE WITH OUT LID TALL FORM POLISHED TYPE NO. 25, DIA 50 MM NOMONAL, DEPTH 50 ML CAP: 70 ML G&G /S-21-620 OR EQUIVALENT.	NO.	09		
28 / 04	CYLINDER GRADUATED WITH SPOUT TO BS-604 CAP.500 X 5 ML B&T # 241/1000/09 OR EQUIVALENT	NO.	26		
29 / 05	CYLINDER GRADUATED GLASS, WITH PLASTIC STOPPER E-MILL CAP: 100 ML BS-604.	NO.	03		
30 / 06	FLASK VOLUMETRIC GRADUATED ONE MARK STOPPERED N.P.L. CLASS 'A' STAMPED WITH CERTIFICATE CAP. 1000 ML B&T/241/1556/09 OR EQUIVALENT.	NO.	03		
31 / 08	FILTER PAPER WHATMAN NO.1 (100 SHEETS IN ONE PKT.) DIA 15 CM BTL/234/290/07, OR EQUIVALENT.	PKT	10		
32 / 09	FILTER PAPER WHATMAN NO.1 (100 SHEETS IN ONE PKT.) (46 X 57 CM) BTL/234/290/21, OR EQUIVALENT.	PKT	09		
33 / 10	FILTER PAPER WHATMAN NO .40 (100 SHEETS IN ONE PKT.) SIZE: DIA 185 MM BTL /234/0380/08 OR EQUIVALENT.	PKT	50		
34 / 11	FILTER PAPER WHATMAN NO. 542 (100 SHEETS IN ONE PKT.) SIZE: DIA 12.5 MM BTL / 234/0483/06, OR EQUIVALENT.	PKT	05		
35 / 12	FILTER PAPER WHATMAN NO. 44 (100 SHEETS IN ONE PKT.) DIA 18.5 CM BTL/234 OR EQUIVALENT.	BOX	05		

(1)	(2)	(3)	(4)	(5)	(6)
Sr. # / Item No. of indent	Description of Store with Specification, etc.	A/U	Qty.	Price Per Unit For Free Delivery (In Figures & In Words)	Delivery Date
<u>INDENT # 0091/LP/CMC/50, DATED 15.11.2018</u>					
36 / 01	FILTER PAPER NO. 540 GENERAL PURPOSE (100 SHEETS IN ONE PKT.) SIZE: DIA 185 MM (WHATMAN) FISIONS/FDH-520-190-R, B&T 234/0481/08 OR EQUIVALENT.	PKT	30		(WITHIN 03 MONTHS AFTER ISSUANCE OF CONTRACT)
37 / 02	FILTER PAPER NO. 540, WHATMAN, CIRCLE, 24CM, (BOX OF 100 CIRCLES) CAT.NO.234/0481/09 (B&T) OR EQUIVALENT.	PKT	06		
38 / 03	FLASK VOLUMTRIC ONE MARK GRADE 'A' STOPPERED, WITH WORKS CORRECTION CERTIFICATE. CAP: 250 ML B&T 241/1556/07 OR EQUIVALENT.	NO.	05		
39 / 04	FLASK VOLUMTRIC ONE MARK GRADE 'A' STOPPERED WITH WORKS CORRECTION CERTIFICATE. CAP: 500 ML FISIONS / FHM-365-210 Q, B&T 241/1556/08, OR EQUIVALENT.	NO.	28		
40 / 05	FLASK VOLUMETRIC, ONE MARK, CLASS A CAP:1000 ML WITH STOPPER.WITH CORRECTION CERTIFICATE B&T CAT. NO. 241/1556/09, OR EQUIVALENT.	NO.	15		
41 / 06	FLASK CONICAL PYREX GLASS CAP: 250 ML G&G/S-26-410 OR EQUIVALENT.	NO.	30		
42 / 07	FLASK 'IODINE' BS-2735 BOROSILICATE GLASS WITH GROUND IN STOPPER B-24 CAP: 250 ML FISIONS / QFY-950-Q OR EQUIVALENT.	NO.	15		
43 / 08	FLASK GRADUATED GRADE "A" STOPPERED. WITH WORKS CORRECTION CERTIFICATE. CAP: 100 ML B&T 241/1556/05 OR EQUIVALENT.	NO.	15		
44 / 09	FUNNEL PYREX GLASS PLAIN DIA 100 MM B&T/237-0050-05, OR EQUIVALENT.	NO.	20		
45 / 10	SEPRATING FUNNEL 500-ML, STOPPER 24/29 ROUND PEAR SHAPED. FISHER CAT NO. FB-51753 (2007-2008) NO FB 51753 OR EQUIVALENT.	NO.	01		
46 / 11	FUNNEL PYREX GLASS PLAIN, 100 MM DIA PYREX NO. 2140/10 B&T CAT. NO. 237/0050/05 OR EQUIVALENT.	NO.	06		
47 / 12	GAS LIGHTER FLINT TYPE (SPARKING LIGHTER) FISIONS / GHL-300-F OR EQUIVALENT.	NO.	10		

(1)	(2)	(3)	(4)	(5)	(6)
Sr. # / Item No. of indent	Description of Store with Specification, etc.	A/U	Qty.	Price Per Unit For Free Delivery (In Figures & In Words)	Delivery Date
<u>INDENT # 0092/LP/CMC/50, DATED 16.11.2018</u>					
48 / 01	LIGHTER FOR NATURAL GAS, OPERATED BY PIEZO ELECTRIC CRYSTAL, REQUIRE NO BATTERY. CAT.NO. 246/0012/00 (B&T), OR EQUIVALENT.	NO.	05		(WITHIN 03 MONTHS AFTER ISSUANCE OF CONTRACT)
49 / 02	HYDROMETER (DENSITY) LENGTH 190 MM SUB DIVISION 0.002 RANGE 1.450 - 1.500 B&T CAT NO. 242/1741/18 OR EQUIVALENT.	NO.	12		
50 / 03	HYDROMETER (DENSITY) RANGE 1.250 - 1.300 B&T CAT. NO. 242/1741/14 OR EQUIVALENT.	NO.	06		
51 / 04	HYDROMETER 100 SERIES RANGE: 1.1 - 1.2 LENGTH 20-24 CM, B&T/B-42-0201 OR EQUIVALENT.	NO.	30		
52 / 05	HYDROMETER 100 SERIES STEM LINE SHOT WEIGHTED IN SHOT WEIGHTED IN 0.001" RANGE: 1.400 - 1.500 LENGTH 20-24 CM B&T/B-42-0201 OR EQUIVALENT.	NO.	40		
53 / 06	HYDROMETER 100 SERIES STEM LINE SHOT WEIGHTED IN 0.001" LENGTH 20-24 CM, RANGE: 1.600 - 1.700 GRIFFEN / S-29-321-150-Y OR EQUIVALENT.	NO.	35		
54 / 07	HYDROMETER 100 SERIES STEM LINE SHOT WEIGHTED IN 0.001". LENGTH 20-24 CM, RANGE: 1.700 - 1.800 GRIFFEN / S-29-321-150-Y OR EQUIVALENT.	NO.	35		
55 / 08	HYDROMETER 100 SERIES STEM LINE SHOT WEIGHTED IN 0.001". LENGTH 20 - 24 CM, RANGE: 1.800 - 1.900 GRIFFEN / S-29-321-Y OR EQUIVALENT.	NO.	35		
56 / 09	HYGROMETER "MASON" WET & DRY BULB CLEAR READING MERCURY IN GLASS WITH ENGRAVED ZINC SCALE. RANGE 20 - 120 F IN 1 F DIV. 14" LONG FISIONS / HYT-470-030-F, B&T 750/1100/00 OR EQUIVALENT.	NO.	15		
57 / 10	PIPETTES GLASS GRADUATED CLASS "A" CAP: 5 ML X 0.05 ML FISIONS / PMF-200-040-N, OR EQUIVALENT.	NO.	35		
58 / 11	PIPETTES GLASS, ONE MARK / BULB, CLASS 'A' WITH WORKS CORRECTION CERTIFICATE. CAP: 5 ML FISIONS / PMC-285-070-R, B&T 241/2640/05.	NO.	04		
59 / 12	PIPETTES GLASS, ONE MARK / BULB, CLASS 'A' CAP: 10 ML WITH CERTIFICATE B&T 241/2640/06 OR EQUIVALENT.	NO.	04		

(1)	(2)	(3)	(4)	(5)	(6)
Sr. # / Item No. of indent	Description of Store with Specification, etc.	A/U	Qty.	Price Per Unit For Free Delivery (In Figures & In Words)	Delivery Date
INDENT # 0093/LP/CMC/50, DATED 16.11.2018					
60 / 01	PIPETTES FILLER ONE PIECE MOULDED PVC BULB 60 ML CAPACITY PVC-3 VALVE CONTROL UNIT CAP: 60 ML CAT.NO.241/3980/00 OR EQUIVALENT.	NO.	01		(WITHIN 03 MONTHS AFTER ISSUANCE OF CONTRACT)
61 / 02	PIPETTE VOLAC BULB FORM, ONE MARK. CLASS 'A' CALIBRATION CERTIFICATE, COLOUR CODED (10 ML) CAT.NO.241/2640/06 (B&T), OR EQUIVALENT.	NO.	04		
62 / 04	STOPPER RED RUBBER SOLID NO: 23 DIA OF BASE 23 MM G&G-S-381 OR EQUIVALENT.	NO.	06		
63 / 05	STOPPER RED RUBBER SOLID NO: 25 DIA OF BASE 25 MM FISONS / SYH-450-181-J OR EQUIVALENT.	NO.	06		
64 / 06	PAPER TEST UNIVERSAL RANGE INDICATOR PH 0 TO 14 (EACH BOOK CONTAINING) MEASURING 2-1/2" X 3/8" FB 33003 FISHER (2009-10) OR EQUIVALENT.	NO.	04		
65 / 07	THERMOMETER CENTIGRADE SCALE MERCURY IN GLASS LENGTH 300 MM RANGE: 0°C TO 200°C X 1°C G & G / S-39-020 OR EQUIVALENT.	NO.	05		
66 / 08	THERMOMETER CENTIGRADE SCALE MERCURY IN GLASS LENGTH 400 MM RANGE: 0°C X 150°C SUB DIV. 1°C AGK / TJ – 060 OR EQUIVALENT.	NO.	17		
67 / 09	THERMOMETER (0 TO 200-C) RANGE & SUBDIVISIONS: 0-200 X 1 C LENGTH-300-MM FISHER CAT NO-THR-570-050 Y (2007-08) OR EQUIVALENT.	NO.	02		
68 / 10	THERMOMETER (90 TO 370-C) RANGE & SUBDIVISIONS 90-370 X 2 C IMMERSION DEPTH 57 MM LENGTH-300-MM FISHER CAT NO-THT (2007-2008) (THT 270-250 E) OR EQUIVALENT.	NO.	01		
69 / 11	THERMOMETER (-80 TO +20 C) RANGE & SUBDIVISIONS 1-C LENGTH – 225 - MM FISHER CAT NO-THT-260-150-P (2007-2008) OR EQUIVALENT	NO.	01		
70 / 12	THERMOMETER CALIBRATION SYSTEM 18.7" W X 17" H X 15.7" D COLE PARMER CATLOGUE 2001/02 CAT # 90750-25 OR EQUIVALENT.	NO.	01		

(1)	(2)	(3)	(4)	(5)	(6)
Sr. # / Item No. of indent	Description of Store with Specification, etc.	A/U	Qty.	Price Per Unit For Free Delivery (In Figures & In Words)	Delivery Date
<u>INDENT # 0099/LP/CMC/50, DATED 20.11.2018</u>					
71 / 01	CONDUCTIVITY CALBRATION SOLUTION WITH CALIBRATION CERTIFICATE SOLUTION FORM HANA CAT # HI-7031, 1413 - μ S/CM @ 25*C/77*F OR EQUIVALENT.	NO.	01		(WITHIN 03 MONTHS AFTER ISSUANCE OF CONTRACT)
72 / 02	TDS CALIBRATION SOLUTION WITH CALIBRATION CERTIFICATE SOLUTION FORM HANA CAT@ 7032, 1382 MG / LIT AT 25*C OR EQUIVALENT.	NO.	01		
73 / 03	TUBING POLYTHENE NATURAL GRADE, MEDIUM WALL, CAN BE MANIPULATED BY SOFTENING IN HOT WATER. BORE 6.3 MM X W / THICK. 1.5 MM FISIONS / TWS-530-150-S, OR EQUIVALENT.	MTR.	30		
74 / 04	TUBING POLYTHENE HEAVY WALL TO BS-1972, WALL THICKNESS 3.6 MM DIA 6.3 MM G & G / S-42-580 OR EQUIVALENT.	MTR.	35		
75 / 05	TUBING POLYTHENE MEDIUM WALL FLEXIBLE BORE 4.5 MM , W/THICKNESS 1.5 MM FISIONS/TWS-530-130-B, OR EQUIVALENT.	MTR.	30		
76 / 06	TUBING POLYETHYLENE NATURAL GRADE, MEDIUM WALL CAN BE MANIPULATED BY SOFTENING IN HOT WATER BORE 8 MM, W/THICKNESS 1.5 MM FISIONS/TWS-530-170-M OR EQUIVALENT.	MTR.	130		
77 / 07	TUBING POLYETHYLENE SURGICAL QUALITY, BORE 12.5 MM,EXTERNAL DIA 20 MM B&T 275/1257/02 OR EQUIVALENT.	MTR.	15		
78 / 08	TUBING RUBBER RED THICK WALL BEST QUALITY BORE 6.5 MM FISIONS / TWR-460-172-F, OR EQUIVALENT.	MTR.	15		
79 / 09	TUBING RUBBER RED NORMAL WALL BEST QUALITY WALL THICKNESS 1.5 MM BORE 6.5 MM BTL/275-1237/53, OR EQUIVALENT.	MTR.	30		
80 / 10	TUBING RUBBER RED NORMAL WALL BEST QUALITY BORE 8 MM X WALL THICKNESS 2 MM BTL/275-1237/54, OR EQUIVALENT.	MTR.	35		
81 / 11	TUBING RUBBER RED NORMAL WALL BEST QUALITY BORE 10 MM WALL THICKNESS 2.00 BTL/275-1237/55, OR EQUIVALENT.	MTR.	30		
82 / 12	BOTTLE WASH POLYTHENE WITH DELIVER TUBE CAP: 250 ML B&T 215/0720/01 OR EQUIVALENT.	NO.	50		
83 / 13	BOTTLE WASH POLY-THENE WITH DELIVR TUBE CAP: 500 ML G&G / S-46-035 OR EQUIVALENT.	NO.	95		
84 / 14	WATCH GLASS WITH GROUND EDGES DIA 200 MM, PYREX GLASS B&T # 276/0100/11 OR EQUIVALENT.	NO.	09		
GRAND TOTAL OF QUOTED STORE'S VALUE					

(2) **UNDERTAKING:**

Should our offer be accepted, we hereby undertake to supply the stores / render services contracted on the basis of conditions of contract embodied in form POF-1281 and to deposit the performance bond within the prescribed time, failing which it will constitute a breach of contract, and POF will have the right to purchase the stores / services elsewhere at our Risk & Cost.

Date _____	Signature of the Tendered _____
Place _____	Name _____
_____	Position _____
_____	Address _____
	Income Tax G.I.R. No. _____
	Official Stamp _____

(3) For Plant & Machinery:-
Specifications:-

(4) Special Conditions:-

i	QUOTATION MUST BE VALID FOR 90 DAYS (EXTENDABLE IF SO DESIRED) WHICH WILL BE EFFECTIVE AFTER THE DATE OF ACCEPTANCE OF TECHNICAL LITERATURE / SAMPLE FROM OUR SIDE.
ii.	QUOTATION NOT ACCOMPANIED WITH BID SECURITY OR TENDER FEE WILL BE REJECTED.
iii.	ONLY ONE RATE SHOULD BE QUOTED AGAINST ONE ITEM / DESCRIPTION OF STORE.
iv.	RATE & SALES TAX MUST BE SHOWN SEPARATELY OTHERWISE YOUR QUOTED RATES WILL BE CONSIDERED INCLUSIVE OF G.S.T.
v.	MATERIAL SAFETY DATA SHEET MUST BE PROVIDED BY THE SUPPLIER ALONGWITH EACH CONSIGNMENT.
vi.	DATE AND STAMP OF THE POSTAL ORDERS MUST BE VISIBLE.
vii.	SUPPLIER MUST BE PROVIDED TECHNICAL LITERATURE / DATA OF ALL QUOTED ITMES ALONGWITH THEIR QUOTATION.
viii.	STATUS OF FIRM WITH POF (REGISTRATION / UN - REGISTERED) SHOULD BE MENTIONED IN OFFER. REGISTERED FIRMS ARE REQUIRED TO PROVIDE COPY OF VALID REGISTRATION LETTER WITH POF.
ix.	PTC MUST BE OBTAINED FROM PUNJAB GOVERNMENT. NTN, PTC & ATL & UNDERTAKING MUST BE ATTACHED WITH THE QUOTATION.
x.	GRAND TOTAL OF THE QUOTED VALUE OF STORE MUST BE SHOWN SEPARATELY AT THE BOTTOM OF THE TEDNER ENQUIRY'S SCHEDULE.
xi.	SUPPLIER CAPABILITY CERTIFICATE GIVEN AT ANNEXURE-A MUST BE ATTACHED WITH QUOTATION DULLY FILLED, SIGNED & STAMPED BY THE BIDDERS / SUPPLIERS.
xii.	THE FIRM IS REPOSIBLE TO SUPPLY THE STORE ACCORDING TO THE DESCRIPTION / SPECIFICATION MENTIONED IN TENDER ENQUIRY.
xiii.	STORE MUST BE DELEVERED / SUPPLIED WITHIN THE DELEVERY PERIOD OF THE CONTRACT.
xiv.	IN CASE OF FAILURE TO SUPPLY STORE WITHIN DP, L.D CHARGES WILL BE IMPOSED ON THE FIRM AS PER EXISTING PROCEDURE.
xv	FREE DELIVERY OF ALL CONTRCTED ITEMS AT CENTRAL STORES, POF, WAH CANTT.
xvi	a. ONLY REGISTERED SUPPLIERS (WITH SALES TAX AND INCOME TAX DEPTT.) WHO ARE ON ACTIVE TAX PAYER LIST (ATL) OF FBR ARE ELIGIBLE TO SUPPLY GOOD / SERVICES TO GOVERNMENT DEPARTMENTS.
	b. THE PAYMENT TO THE REGISTERED PERSONS MAY BE LINKED WITH THE ACTIVE TAXPAYER STATUS OF THE SUPPLIER AS PER FBR DATABASE. IF ANY REGISTERED SUPPLIER IS NOT IN ATL, HIS PAYMENT SHOULD BE STOPPED TILL HIS MANDATORY RETURNS AND APPEARS ON ATL OF FBR.

SUPPLIERS'S CAPABILITY

ANNEXURE-A

1. NAME OF THE FIRM: _____
ADDRESS : _____
2.1- TELE: NO (INCLUDING MOBILE NUMBER OF AUTHORIZED SIGNATORY): _____
2.2- FAX NO : _____
2.3- E.MAIL ADDRESS : _____
2. WHETHER PUBLIC LTD, PRIVATE LTD, PARTNERSHIP OR SOLE PROPRIETERSHIP : _____
3. ESTABLISHED SINCE : _____
4. CAPACITY : (Manufacture/Stockiest/Agent to foreign Firm) : _____
5. IF MANUFACTURER, PROVIDE FOLLOWING DETAILS : _____
5.1- DETAIL OF PLANTS, MACHINERY AND MAJOR EQUIPMENTS;
(Attached separate sheet if required): _____
6. INSPECTION/QUALITY ASSURANCE FACILITIES : _____
7. ISO-9000 CERTIFIED IF SO ATTACH NECESSARY DOCUMENTS
8. IF STOCKIST, PROVIDE FOLLOWING :-
8.1- DETAILS OF STOCKS HELD :- _____
8.2- APPROX .STOCK VALUE :- _____
8.3- LOCATION OF STOCKS: - _____
- ORGANISTIONAL DETAILS.**
- 9. WHETHER THE FIRM IS REGISTERED WITH THE HOLDING FOLLOWING DEPTTS.**
(Give registration No. Date and attach copies of the necessary documents).

9.1 DP/ARMY OR ANY GOVT./SEMI GOVT.DEPTT :- _____

9.2 IMPORT TRADE CONTROL DEPTT : _____

9.3 SALES TAX DEPTT :- _____

9.4 INCOME TAX DEPTT : _____

FINANCIAL STATUS : _____

(Bank certificate to be attached)