

GOVERNMENT OF PAKISTAN PAKISTAN ORDNANCE FACTORIES TENDER ENQUIRY

To,

Dear Sirs,

Reference: TENDER ENQUIRY NO. 1800-LP-50-SCM(EXP)-Capt-Pur-l Dated 11-01-2021.

You are requested to submit quotations for the item(s) noted in the Schedule to the Tender. Offer should be sent duly sealed in an envelope. Please note the following instructions for filling the tender:-

1. **SUBMISSION OF TENDER**

- Tenders will be opened at 12:00 hours on 15-02-2021 and must reach Bid Center adjacent to Rabita Hall on or before 11:30 hours up to due date. The tender received late will not be entertained. You may witness the opening of the tender if you so desire. If a representative is deputed, he should bring a letter of authority from you.
- 1.2 Only one tender should be included in one envelope. The outside of the envelope should be inscribed with:-

Tender Enquiry No: 1800-LP-50-SCM(EXP)-Capt-Pur-I Dated 11-01-2021.

Tender to be opened on: <u>15-02-2021</u>

Address as follows:-

"GM-Purchase-I POF Wah Cantt - Pakistan."

1.3 If envelope does not indicate reference of T.E or received late the same may be returned un-opened.

2. <u>GENERAL INSTRUCTIONS REGARDING PREPARATION OF QUOTATIONS AND EVALUATION CRITERIA</u>

- 2.1 Case will be processed exactly as per **PPRA Rules 36(b)** in favour of lowest evaluated bidder and single stage two envelope procedure will be utilized for open competitive bidding. The price should be filled in column 5 and delivery date in column 6 of the schedule to this Tender Enquiry. The undertaking should be signed at the bottom of the Schedule which shall form the Quotation. You may use a separate sheet if necessary.
- 2.2 For Plant and Machinery, you are required to quote in two parts:-
 - **Part I** "Technical Offer": It should exclusively give technical details and literatures/brochures of the offered plant, machinery and equipment; validity date; delivery schedule; and signed undertaking given on the schedule to this Tender Enquiry. It must not indicate price, costs etc.
 - **Part II** "Commercial Offer" It should indicate the commercial terms e.g. price, terms of payment, mode of payment, mode of supply.

Each part should be placed in a separate sealed cover. The envelopes should be inscribed with: Part I "Technical Quotation without price" and Part II "Commercial Quotation with Price."

- 2.3 The quotation must remain valid for, at least 90 days from the date of opening of commercial tenders, which is extendable.
- 2.4 The quotation should hold good for any reduced quantities without notice.
- 2.5 In the event of non-acceptance of offer, intimation may be given to the Tenderers on their request.
- 2.6 Conditional offers or alternative offers are likely to be ignored.
- 2.7 Quotations should be based on:F.O.R. station of Dispatch basis, i.e. delivered free on rail / Road, inclusive of packing and forwarding charges. The stores will be booked under Military Credit Note, to be provided by the purchaser, and/or free delivery at POF's stores Explosive Factory. In this case octori duty will be payable by the supplier.
- 2.8 Taxes and Duties etc. where applicable, must be shown separately, quoting reference to Registration No. in cases of Sales Tax and relevant authority in the case of others. Offer without these clarifications and inclusive of Taxes and Duties may be ignored.
- 2.9 Taxes and duties levied on or after Tender opening date or on or after the date offer was signed and dispatched will be allowed to include in the offered rates provided that clause 2.8 has been conformed properly.
- 2.10 "Suppliers will furnish a certificate, issued by Excise & Taxation Deptt, that he has cleared all Professional Tax payable by him" offers received without this certificate will be rejected.
- 2.11 Suppliers will render necessary information regarding hazardous effects on environment, of the materials/products supplied by them, and material Safety Data Sheet (MSDS), in their quotations and shipping/dispatch documents.
- 2.12 If the requisite information is not furnished on the T.E forms or offer received is not conformity with the requirement of the T.E such offer shall be ignored.
- 2.13 Special Conditions must be carefully studied and conformed.

3. <u>INSPECTION</u>

As per attached Annexure "A".

4. **TENDER FEE** The tender must be accompanied by a non-refundable fee by means of a crossed postal order/pay order for Rs 500/- in favour of Director Admin POFs Wah Cantt.

4.1 **TENDER SAMPLE**

Where required, offer must a company tender sample, strictly according to the description and specification given in Tender Enquiry. Offer not accompanied by tender sample will NOT be entertained excepting the established and reputable firms who have either previously satisfactorily supplied the same or similar stores or have submitted an acceptable sample thereof against previous T.E.

5. **BID Security**

5.1 Bid Security at the rate of **2%** (for firms **registered** with POF) and **5%** (for **un-registered** firms) of the quoted value, should accompany the tender in the shape of Call Deposit Receipt/Pay Order/Banker's Cheque, from a scheduled Bank drawn in favour of:-

"General Manager-Purchase-I POF Wah Cantt."

Tenders received without / less Bid security will be rejected.

- 5.2 Bid Money of the unsuccessful Tenderers will be returned as soon as the scrutiny of the tenders is completed. Bid Money of the successful Tenderers will be retained until the contract is finalized. Bid Money will be forfeited in case the quotation is withdrawn before the expiry of its validity date.
- 5.3 State owned organizations are not required to provide Bid Money.

ACCEPTANCE OF OFFERS

6.1 POF may reject all bids or proposals at any time prior to the acceptance of a bid or proposals, but is not required to justify grounds for its rejection. POF shall incur no liability towards suppliers or contractors who have submitted bids or proposals.

6.2 **PERFORMANCE BOND**

6.

- (a) As per attached Annexure "A"
- (b) If the Supplier fails to furnish the Performance Bond within the specified time, such failure will constitute a breach of the contract and the Purchaser shall be entitled to make other arrangements for purchase of the stores at the risk and expense of the Supplier.
- 6.3 Performance Bond from State owned organizations may be waived off at the discretion of the Purchaser.

6.4 FAILURE TO SUPPLY THE STORES

All deliveries must be completed by the specified date. If the failure to deliver the stores within the scheduled time should have arisen from "Force Majeure", which the Purchaser may admit as reasonable ground for further time, he will allow such additional time as he may consider to have been required by the circumstances of the case. Otherwise, he will be entitled, at his discretion, to cancel the contract; and/or, claim liquidated damages upto 2% but not less than 1% of the contract price of the items and their quantities for each and every month or part of a month, beyond the specified delivery date, during which these may not be delivered, subject to a maximum of 10% of the total contract value of the particular stores which remained unsupplied either in part or in full: or, to purchase, from elsewhere, the unsupplied stores at the risk and cost of the Supplier.

6.5 PAYMENT

- a. As per attached Annexure "A"
- b. Payment of duties /Taxes including professional tax(where applicable) must be supported by proof of having paid these to concerned Govt. Taxation Deptt:

7. SECURITY OF INFORMATION

The tenderer and his employees must not communicate any information relating to the sale/purchase of stores under this enquiry to any person other than the manufacturer or to any press or agent not authorized in writing by POFs to receive it.

Please return the Schedule to the Tender duly signed by the specified date, along with the specifications drawings etc. if any, enclosed herewith - even if you are unable to quote.

<u>WARNING</u> In case the firm abstain from making offers or fail to return/acknowledge the tender form by the specified date on three consecutive occasions, no further tender enquiry may be issued to them and their names would be liable to remove from the approved list.

Yours faithfully,

Director SCM POF Wah Cantt

Contact Details: -

Tele: (051) 9055(21087/22269) Fax: (051) 9271400 & 9314100 Email: procurement@pof.gov.pk

Copy to:-

- 1. MD Havelian Fy.
- 2. Manager-SCM (Coord).
- 3. F.I.U Rep Bid Centre.

PAKISTAN ORDNANCE FACTORIES

			<u>QUIRY NO. 1800-LP-50-SCM(EXP)-</u>	-Capt-F	ur-l	Dated 11-01-2021.	
	ant and Machir		againtian with Characta	A /T T	Otre	Deigo Do	Dalizzanz
Item 1	NO	De	scription with Spec etc.	A/U	Qty	Price Rs.	Delivery
1	Mosto Ao	id Store	ago Tanka alangwith atirrar goorbay			In Figures In Words	Date
1.	& electric		age Tanks alongwith stirrer, gearbox	No.	04		
			Ton / Tank	NO.	04		
	•		Storage Tank				
	Capacity			No.	01		
(2)	Special	i)	Rate and sales tax must be shown	separa	telv. (Otherwise your quoted rate	es will be
()	Conditions		considered inclusive of all taxes.	1	<i>J</i>	, , , , , , , , , , , , , , , , , , ,	
	and	ii)	Offer without Bid Security and Tend	er Fee	mav n	ot be considered	
	evaluation	iii)	Date and stamp of the postal order r		-		
	Criteria.	iv)	PTC should be obtained from Punjab				
		v)	Only one rate should be quoted on the				m having
		• /	multiple rates may be rejected.	io tolia.	JI 50110	vadici o mer wise offered ne	
		vi)	Undertaking must be signed.				
		vii)	Unregistered firms are required to	provide	e Ann	nexure "B" duly filled si	gned and
		/	stamped along with quotation.	P			8
		viii)	As per T.E clause, 2 .2 you are req	uired to	o quot	e in two parts, each part s	should be
		,	placed in a separate sealed cover.				
			"Technical Quotation" without pri				
			price."			1	
		ix)	Status of your firm with POF (Regist	ered/U	n-Regi	istered) should be mentioned	ed in your
			offer.		U	,	J
		x)	Registered firms are required to provi	ide cop	y of va	alid registration letter with	POF.
		xi)	a. Only registered suppliers (with Sa	-	•	•	
		,	Taxpayers List (ATL) of FBR are			± '	
			b. The payment to registered persons	_	-		-
			the suppliers as per FBR database	se. If a	ny reg	gistered supplier is not in	ATL his
			payment should be stopped till his	manda	tory re	eturns and appears on ATL	of FBR.
		xii)	Based upon the information being	provide	d by	the firms, only those firm	s will be
			awarded contract(s) who fulfill all the	e T.E. r	equire	ments.	
		xiii)	Case will be processed and contract	will be	award	led to the firm(s) who will	fulfill the
		,	evaluation criteria as per PPRA Rule				
		xiv)	Grand Total of offer must be mention		our au	otation.	
			Relevant technical literature must be	-	_		i.e., only
		xvi)	one offer must be submitted	Ι .		8 1	J
		xvi)	Delivery Period: Within 06 months a	after iss	suance	of formal contract.	
		,					
(3)	<u>Undertakin</u>	g					
` ′			accepted, we hereby undertake to sup	ply the	store/1	render the services contract	ted on the
basis			s of Contract embodied in Form POF				
the pi	rescribed time,	, failing	g which it will constitute a breach of c	contract	, and	POF will have the right to	purchase
			e at our risk and cost.			<u>C</u>	-
	Place		Signature of the To	enderer	•		
	Date		Name				-
	•		Position				=

Address

Income Tax G.I.R No.

TENDER ENQUIRY NO. 1800-LP-50-SCM(EXP)-Capt-Pur-l Dated 11-01-2021.

TECHNICAL SPECIFICATION

1. **NOMENCLATURE Acid Storage Tanks**

2. **QUANTITY** 05 Nos

3. **MAIN FEATURES OF THE EQUIPMENT**

General Requirement: 3.1

- 04 numbers Waste Acid Storage Tanks alongwith compatible complete fitted stirrers, i. gearboxes and electric motors.
- 01 number Weak Nitric Acid Storage Tank. ii.

Description 3.2

Waste Acid Storage Tanks (Qty. 04 Nos)

Sr. #	Description	Specification
a.	Media	Sulphuric Acid (55-64%),
		Nitric Acid (10-26%)
		Balance = Water
b.	Capacity	100 M.Ton
c.	Media Temperature	15-80 °C
d.	Material for Shell &	Mild Steel:
	Bottom	BS EN 10025-3 : 2004 Grade S275JR
		OR
		ASTM A516 GR.70
e.	Material for Tank Top	BS EN 10088-2:2014, Grade: 1.4401 (SS316)
	cover	OR
		ASTM A240 Gr.316
		Drawing # POF/E-12/04-S/7
		Drawing # POF/E-12/04-S/10 (Stirrer)
f.	Gear Box – Qty. 04	Complete reduction gear box, extended bearings, along
	Nos	with coupling motor and starter.
		i. Output shaft = vertically downward
		ii. Gear box ratio = 18:1
		iii. Coupling = flexible disc type with shroud
		iv. Base plate = cast iron
		Drawing # POF/E-12/04-S/11
g.	Electric Motor Qty.	i. Type = TEFC
	04 Nos	ii. Insulation = Class F
		iii. Power = 5 HP
		iv. IP rating = 55
		v. Supply = 3 phase, 50 Hz
		(AC 380-400 Volts)
		vi. RPM = 1440
		vii. Body finished = Acid resistant
		viii. Ambient Temp. = -3° C to 50° C
		Terminal plates must be fitted on Electric motors with
		Cable Glands.

Sr. #	Description	Specification
h.	Starter	Automatic Star delta starter suitable according to motor
	Qty. 04 Nos	rating along with followings:
		i. Phase failure relay.
		ii. Phase reverse protection relay.
		iii. Electronic over current relay.
		iv. On and OFF push buttons.
		v. LED type indication lights.
		vi. Digital type ampere and volt meters.
		vii. Isolator switch.
		IP-65 rated enclosure complete with cable glands & power
		cables as per motor capacity with 50 meter length for each
		starter

3.3 Weak Nitric Acid Storage Tank (Qty. 01 No)

Sr. #	Description	Specification
a.	Media	Weak Nitric Acid (50 – 60%)
b.	Capacity	100 M.Ton
C.	Material for Shell,	BS EN 10088-2:2014, Grade: 1.4401 (SS316)
	Bottom & Top Cover	OR
		ASTM A240 Gr.316
		Drawing # POF/E-37/07A-S/2

4. **DOCUMENTS:**

04 sets of relevant technical documents (material of construction, Maintenance and Safety) regarding the contracted store in English Language.

5. **FABRICATION WORK & TRANSPORTATION**

- 5.1 The seller will fabricate tanks in its base workshop.
- 5.2 The seller will transport the complete prefabricated tanks at its own cost & arrangement to Explosives Factory site.
- 5.3 POF Explosives will unload the same at the designated site.

6. **INSPECTION**

- 6.1 Supplies shall be subject to the inspection and acceptance by the competent inspection authority nominated by the Purchaser, who will arrange it at his own cost.
- 6.2 Inspection facilities such as tools, test equipment, instruments etc will, however, be provided by the Suppliers in accordance with the relevant specifications.
- 6.3 The Inspection will take place in following manner;
 - i. To check dimension of the tanks.
 - ii. Material Test Certificates (MTC).
 - iii. To check welding quality (being used in the tanks fabrication) visually and with x-ray test.
 - iv. The tanks will be filled with water to identify any leakage from the tank.
 - v. Drive run of gearbox and electric motors.

7. INSTALLATION, COMMISSIONING & FINAL ACCEPTANCE TEST

7.1 **Installation Work**

Following installation work will be carried out by buyer within one month after receipt of store at site;

- i. Placement of tanks at their respective foundations.
- ii. connections of acid (inlet & outlet) lines
- iii. Placement of stirrer, gearbox and electric motor,
- iv. Installation of panel.

7.2 <u>Commissioning & Final Acceptance Test.</u>

- i. Commissioning & Final Acceptance Test will be carried out under supervision of seller's technical team.
- ii. Timely provisioning of Bio-data and valid CNIC copies of its workforce for Security Clearance/entry permission to the site.
- iii. Explosives Factory will provide required number of technicians for commissioning & trial run.
- iv. Seller will bear all expenses of its technical team during commissioning & trial run period.
- V. Successful trial run of the complete store for 10 x days (continues) with the requisite acid.

8. **PAYMENT TERMS**

Payment will be made as per following by CMA(POF) through cross cheque on our prescribed bill form supported by receipt voucher;

100% payment will be made after successful "Final Acceptance Test" of the store on full supply basis.

OR

- i. 20% advance payment of the basic price of the quoted value against equal amount of bank guarantee valid till successful inspection and receipt of store in POF Explosives Factory.
- ii. 80% payment will be released after successful final acceptance test.

9. WARRANTY/GUARANTEE:

- 9.1 The stores will be accepted on Seller's Warranty/Guarantee with regard to quality and quantity subject to these being technically checked / tested where necessary and accounted for on arrival at Consignee's ware-house. The SELLER will render Warranty/Guarantee certificate in-duplicate to the BUYER on the enclosed Proforma (Annexure "A") as soon as stores have been dispatched / delivered. This Warranty / Guarantee shall be binding on the supplier for a period of 12 (twelve) months reckoning from the date of successful commissioning and final acceptance test of the Storage Tanks alongwith the related accessories.
- 9.2 In case the stores on checking/test after receipt at the BUYER's factory are found not conforming strictly to the relevant specification and other particulars, or found broken during transit, the SELLER shall immediately replace the rejected/ broken store by acceptable stores free of cost and without any obligation to the BUYER. Rejected / broken stores shall be disposed by the SELLER under his own arrangements. The SELLER will warrant the good quality of all equipment supplied against all defects or failures due to faulty design, material or workmanship.

10. PERFORMANCE BOND

- 10.1 The successful bidders shall provide Performance bond within 30 days after issuance of letter of intent (LOI) at the rate of 10% of the total contract value, in the form of a Deposit At Call Receipt from a scheduled Bank; or, an un-conditional Bank Guarantee valid for 12 months after receipt, commissioning and Final Acceptance Test of the storage tanks in POFs on a prescribed format (Annexure "B"). The Performance Bond will be in favour of C.M.A. POF Wah Cantt. It will be returned on satisfactory completion of the contract.
- 10.2 If the Supplier fails to furnish the Performance Bond within the specified time, such failure will constitute a breach of the contract and the Purchaser shall be entitled to make other arrangements for purchase of the stores at the risk and expense of the Supplier.

11. **REFERENCE LIST**

Provisioning of list of similar store which have been provided to different customers.

Annexure "B"

SUPPLIER'S CAPABILITY

ESTABLISHED SINCE: CAPACITY: (Manufacturer / Stockist/Age IF MANUFACTURER, PROVIDE FOLLO 5.1- RANGE OF PODUCTS MANUFA 5.2- DETAIL OF PLANTS, MACHINE (Attach separate sheet if required): INSPECTION/QUALITY ASSURANCE F ISO-9000 CERTIFIED IF SO ATTACH N IF STOCKIST, PROVIDE FOLLOWING: 8.1- DETAILS OF STOCKS HELD: - 8.2- APPROX. STOCK VALUE 8.3- LOCATION OF STOCKS: ORGANISATIONAL DETAILS. WHETHER THE FIRM IS REGISTERED	D, PARTNERSHIP Int to foreign Firm): DWING DETAILS: CTURED: RY AND MAJOR EQUIPMENTS: FACILITIES: ECESSARY DOCUMENTS
1.2- FAX NO:	D, PARTNERSHIP Int to foreign Firm): DWING DETAILS: CTURED: RY AND MAJOR EQUIPMENTS: FACILITIES: ECESSARY DOCUMENTS
1.3- E.MAIL ADDRESS:	D, PARTNERSHIP Int to foreign Firm): DWING DETAILS: CTURED: RY AND MAJOR EQUIPMENTS: FACILITIES: ECESSARY DOCUMENTS
WHETHER PUBLIC LTD, PRIVATE LTI OR SOLE PROPRIETORSHIP: ESTABLISHED SINCE: CAPACITY: (Manufacturer / Stockist/Age IF MANUFACTURER, PROVIDE FOLLO 5.1- RANGE OF PODUCTS MANUFA 5.2- DETAIL OF PLANTS, MACHINE (Attach separate sheet if required): INSPECTION/QUALITY ASSURANCE F ISO-9000 CERTIFIED IF SO ATTACH N IF STOCKIST, PROVIDE FOLLOWING: 8.1- DETAILS OF STOCKS HELD: - 8.2- APPROX. STOCK VALUE 8.3- LOCATION OF STOCKS: ORGANISATIONAL DETAILS. WHETHER THE FIRM IS REGISTERED	nt to foreign Firm):
OR SOLE PROPRIETORSHIP: ESTABLISHED SINCE: CAPACITY: (Manufacturer / Stockist/Age IF MANUFACTURER, PROVIDE FOLLO 5.1- RANGE OF PODUCTS MANUFA 5.2- DETAIL OF PLANTS, MACHINE (Attach separate sheet if required): INSPECTION/QUALITY ASSURANCE F ISO-9000 CERTIFIED IF SO ATTACH N IF STOCKIST, PROVIDE FOLLOWING: 8.1- DETAILS OF STOCKS HELD: - 8.2- APPROX. STOCK VALUE 8.3- LOCATION OF STOCKS: ORGANISATIONAL DETAILS. WHETHER THE FIRM IS REGISTERED	nt to foreign Firm):
ESTABLISHED SINCE: CAPACITY: (Manufacturer / Stockist/Age IF MANUFACTURER, PROVIDE FOLLO 5.1- RANGE OF PODUCTS MANUFA 5.2- DETAIL OF PLANTS, MACHINE (Attach separate sheet if required): INSPECTION/QUALITY ASSURANCE F ISO-9000 CERTIFIED IF SO ATTACH N IF STOCKIST, PROVIDE FOLLOWING: 8.1- DETAILS OF STOCKS HELD: - 8.2- APPROX. STOCK VALUE 8.3- LOCATION OF STOCKS: ORGANISATIONAL DETAILS. WHETHER THE FIRM IS REGISTERED	nt to foreign Firm):
CAPACITY: (Manufacturer / Stockist/Age IF MANUFACTURER, PROVIDE FOLLO 5.1- RANGE OF PODUCTS MANUFA 5.2- DETAIL OF PLANTS, MACHINE (Attach separate sheet if required): INSPECTION/QUALITY ASSURANCE ISO-9000 CERTIFIED IF SO ATTACH N IF STOCKIST, PROVIDE FOLLOWING: 8.1- DETAILS OF STOCKS HELD: 8.2- APPROX. STOCK VALUE 8.3- LOCATION OF STOCKS: ORGANISATIONAL DETAILS. WHETHER THE FIRM IS REGISTERED	nt to foreign Firm): DWING DETAILS: CTURED: RY AND MAJOR EQUIPMENTS: FACILITIES: ECESSARY DOCUMENTS
IF MANUFACTURER, PROVIDE FOLLO 5.1- RANGE OF PODUCTS MANUFA 5.2- DETAIL OF PLANTS, MACHINE (Attach separate sheet if required): INSPECTION/QUALITY ASSURANCE F ISO-9000 CERTIFIED IF SO ATTACH N IF STOCKIST, PROVIDE FOLLOWING: 8.1- DETAILS OF STOCKS HELD: 8.2- APPROX. STOCK VALUE 8.3- LOCATION OF STOCKS: ORGANISATIONAL DETAILS. WHETHER THE FIRM IS REGISTERED	OWING DETAILS: CTURED: RY AND MAJOR EQUIPMENTS: FACILITIES: ECESSARY DOCUMENTS
5.1- RANGE OF PODUCTS MANUFA 5.2- DETAIL OF PLANTS, MACHINE (Attach separate sheet if required): INSPECTION/QUALITY ASSURANCE FISO-9000 CERTIFIED IF SO ATTACH NIF STOCKIST, PROVIDE FOLLOWING: 8.1- DETAILS OF STOCKS HELD: 8.2- APPROX. STOCK VALUE 8.3- LOCATION OF STOCKS: ORGANISATIONAL DETAILS. WHETHER THE FIRM IS REGISTERED	CTURED:RY AND MAJOR EQUIPMENTS: FACILITIES: ECESSARY DOCUMENTS
5.2- DETAIL OF PLANTS, MACHINE (Attach separate sheet if required): INSPECTION/QUALITY ASSURANCE FISO-9000 CERTIFIED IF SO ATTACH NIF STOCKIST, PROVIDE FOLLOWING: 8.1- DETAILS OF STOCKS HELD: 8.2- APPROX. STOCK VALUE 8.3- LOCATION OF STOCKS: ORGANISATIONAL DETAILS. WHETHER THE FIRM IS REGISTERED	RY AND MAJOR EQUIPMENTS: FACILITIES: ECESSARY DOCUMENTS
(Attach separate sheet if required): INSPECTION/QUALITY ASSURANCE ISO-9000 CERTIFIED IF SO ATTACH NIF STOCKIST, PROVIDE FOLLOWING: 8.1- DETAILS OF STOCKS HELD: 8.2- APPROX. STOCK VALUE 8.3- LOCATION OF STOCKS: ORGANISATIONAL DETAILS. WHETHER THE FIRM IS REGISTERED	FACILITIES:ECESSARY DOCUMENTS
INSPECTION/QUALITY ASSURANCE ISO-9000 CERTIFIED IF SO ATTACH NIF STOCKIST, PROVIDE FOLLOWING: 8.1- DETAILS OF STOCKS HELD:	ECESSARY DOCUMENTS
ISO-9000 CERTIFIED IF SO ATTACH N IF STOCKIST, PROVIDE FOLLOWING: 8.1- DETAILS OF STOCKS HELD: 8.2- APPROX. STOCK VALUE 8.3- LOCATION OF STOCKS: ORGANISATIONAL DETAILS. WHETHER THE FIRM IS REGISTERED	ECESSARY DOCUMENTS
ISO-9000 CERTIFIED IF SO ATTACH N IF STOCKIST, PROVIDE FOLLOWING: 8.1- DETAILS OF STOCKS HELD: 8.2- APPROX. STOCK VALUE 8.3- LOCATION OF STOCKS: ORGANISATIONAL DETAILS. WHETHER THE FIRM IS REGISTERED	ECESSARY DOCUMENTS
8.1- DETAILS OF STOCKS HELD:	
8.2- APPROX. STOCK VALUE 8.3- LOCATION OF STOCKS: ORGANISATIONAL DETAILS. WHETHER THE FIRM IS REGISTERED	
8.2- APPROX. STOCK VALUE 8.3- LOCATION OF STOCKS: ORGANISATIONAL DETAILS. WHETHER THE FIRM IS REGISTERED	
8.3- LOCATION OF STOCKS: ORGANISATIONAL DETAILS. WHETHER THE FIRM IS REGISTERED	
ORGANISATIONAL DETAILS. WHETHER THE FIRM IS REGISTERED	
(Give registration 100., Date and attach cop.	WITH THE FOLLOWING DEPTTS ies of the necessary documents).
9.1 DP/ARMY OR ANY GOVT./SEM	I GOVT DEPTT:
	PTT:
	
(Bank certificate to be attached)	
	Signature
	Name:
Stamp	



