

GOVERNMENT OF PAKISTAN
PAKISTAN ORDNANCE FACTORIES
TENDER ENQUIRY

To

Dear Sirs,

Reference: **TENDER ENQUIRY NO. 23-LP-Capt-49-Acklift-D&P(M) DATED 09-3-2020**

You are requested to submit sealed quotations for the item(s) noted in the Schedule to the Tender. Offer should be sent duly sealed in an envelope. Please note the following instructions for filling the tender:-

1. **SUBMISSION OF TENDER:**

- 1.1 Tenders will be opened at **1300** hours on **06-4-2020** at Bid Centre adjacent to Rabita Hall, POF Wah Cantt and must reach at below mentioned address before 30 Minutes of opening time. The tender received late will not be entertained. You may witness the opening of the tender if you so desire. If a representative is deputed, he should bring CNIC in original and a letter of authority from you.
- 1.2 Only one tender should be included in one envelope. The outside of the envelope should be inscribed with:-

Tender Enquiry No: **23-LP-Capt-49-Acklift-D&P(M) DATED 09-3-2020**
Tender to be opened on: **06-4-2020**
Address as follows:- **BID CENTER, ADJACENT TO RABITA HALL, POF WAH CANTT,
(DIRECTOR SERVICES),**
Tele: +92-51-9055-21090
Fax: +92-51-9271400, 9314100

- 1.3 If envelope does not indicate reference of T.E or received late the same may be returned un-opened.
- 1.4 Tender "By Hand" can be delivered at Bid Centre, Rabita Hall, POF Wah Cantt.

2. **GENERAL INSTRUCTIONS REGARDING PREPARATION OF QUOTATIONS:**

- 2.1 For materials, the prices should be filled in column 5 and delivery date in column 6 of the schedule to this Tender Enquiry. The undertaking should be signed at the bottom of the Schedule which shall form the Quotation. You may use a separate sheet if necessary.
- 2.2 For plant and machinery, you are required to quote in two parts:-
 - Part-I **"Technical Offer"**: It should exclusively give technical details and literature / brochures of the offered plant, machinery & equipment; validity date; delivery schedule; and signed undertaking given on the schedule to this Tender Enquiry. It must not indicate price, costs etc.
 - Part-II **"Commercial Offer"**: It should indicate the commercial terms e.g price, terms of payment mode of payment made of supply. Each part should be placed in a separate sealed cover. The envelopes should be inscribed with Part-I "Technical Quotation without price" and part-II "Commercial Quotation with price".
- 2.3 The quotation must remain valid for, at least **120 days** from the date of opening of tenders.
- 2.4 The quotation should hold good for any reduced or enhanced quantities without notice.
- 2.5 In the event of non-acceptance of offer, intimation may be given to the Tenderers on their request.
- 2.6 Conditional offers or alternative offers are likely to be ignored.
- 2.7 Quotations should be based on:-

F.O.R. station of Dispatch basis, i.e. delivered free on rail, inclusive of packing and forwarding charges. The stores will be booked under Military Credit Note, to be provided by the purchaser.

and/or

Free delivery at POF's stores at **POF Wah basis**.
In this case Octori duty will be payable by the supplier.

- 2.8 Taxes and Duties etc. where applicable, must be shown separately, quoting reference to Registration No. in cases of Sales Tax and relevant authority in the case of others. Offer without these clarifications and inclusive of Taxes and Duties may be ignored.
- 2.9 Taxes and duties levied on or after Tender opening date or on or after the date offer was signed and dispatched will be allowed to include in the offered rates.
- 2.10 "Suppliers will furnish a certificate, issued by Excise & Taxation Deptt, that he has cleared all Professional Tax payable by him" offers received without this certificate will be rejected.
- 2.11 Suppliers will render necessary information regarding hazardous effects on environment, of the materials / products supplied by them, in their quotations and shipping/dispatch documents.
- 2.12 If the requisite information is not furnished on the T.E forms or offer received is not conformity with the requirement of the T.E such offer shall be ignored.

3. **INSPECTION:**

- 3.1 Supplies shall be subject to the inspection and acceptance by the competent inspection authority nominated by the Purchaser, who will arrange it at his own cost. Inspection facilities such as tools, test equipment, instruments etc will, however, be provided by the Suppliers in accordance with the relevant specifications.
- 3.2 Where considered necessary by the Purchaser, stores may be obtained on Warranty / Guarantee, subject to inspection on receipt. Rejected stores will be removed and replaced with the acceptable stores by the Supplier at his own expense, within a specified time.

4. **TENDER FEE**

The tender must be accompanied by a non-refundable fee by means of a crossed postal order / pay order for Rs 500/- in favour of Director Services POFs Wah Cantt.

4.1 **TENDER SAMPLE**

Where required, offer must a company tender sample, strictly according to the description and specification given in Tender Enquiry. Offer not accompanied by tender sample will NOT be entertained excepting the established and reputable firms who have either previously satisfactorily supplied the same or similar stores or have submitted an acceptable sample thereof against previous T.E.

5. **BID MONEY**

- 5.1 Bid Money at the rate of 2% (for registered firms with POFs) and 5% (for unregistered firms with POFs) of the quoted value should accompany the tender in the shape of Deposit At Call Receipt / PayOrder / Banker's cheque, from a scheduled Bank drawn in favour of Director Services. Moreover, a certificate to this effect must be accompanied in technical offer i.e bid money as per desired shape & percentage is available in the commercial offer. Tenders received without Bid Money will be rejected.
- 5.2 Bid Money of the unsuccessful tenderers will be returned as soon as the scrutiny of the tenders is completed. Bid Money of the successful tenderers will be retained until the contract is finalized. Bid Money will be forfeited in case the quotation is withdrawn before the expiry of its validity date.
- 5.3 State owned organizations are not required to provide Bid Money.

6. **ACCEPTANCE OF OFFERS:**

- 6.1.1 The procuring agency may reject all bids or proposals at any time prior to the acceptance of a bid or proposal. The procuring agency shall upon request communicate to any supplier or contractor who submitted a bid or proposal, the grounds for its rejection of all bids or proposals, but is not required to justify those grounds.
- 6.1.2 Procuring agency shall incur no liability, solely by virtue of its invoking sub-rule (1.1) towards suppliers or contractors who have submitted bids or proposals.
- 6.1.3 Notice of the rejection of all bids or proposals shall be given promptly to all suppliers or contractors that submitted bids or proposals.

6.2 **PERFORMANCE BOND**

- (a) The successful bidders shall provide Performance bond at the rate, prescribed by POF Board according to the value of contract which shall not exceed 10% of contract value, in the form of a Deposit At Call Receipt from a scheduled Bank; or, an un-conditional Bank Guarantee valid for 12 months (03 months extendable to 12 months in case of cloth items required by Clothing Fy.) after receipt of store in POFs on a prescribed format. The Performance Bond will be in favour of C.M.A. POF Wah Cantt. It will be returned on satisfactory completion of the contract.
- (b) If the Supplier fails to furnish the Performance Bond within the specified time, such failure will constitute a breach of the contract and the Purchaser shall be entitled to make other arrangements for purchase of the stores at the risk and expense of the Supplier.

6.3 Performance Bond from State owned organizations may be waived off at the discretion of the Purchaser.

6.4 **FAILURE TO SUPPLY THE STORES:**

All deliveries must be completed by the specified date. If the failure to deliver the stores within the scheduled time should have arisen from "Force Majeure", which the Purchaser may admit as reasonable ground for further time, he will allow such additional time as he may consider to have been required by the circumstances of the case. Otherwise, he will be entitled, at his discretion, to cancel the contract; and / or, claim liquidated damages upto 2% but not less than 1% of the contract price of the items and their quantities for each and every month or part of a month, beyond the specified delivery date, during which these may not be delivered, subject to a maximum of 10% of the total contract value of the particular stores which remained unsupplied either in part or in full: or, to purchase, from elsewhere, the unsupplied stores at the risk and cost of the Supplier.

6.5 **PAYMENT:**

- a. Payment will be made by the C.M.A(POF) through crossed cheque on receipt / acceptance of stores on our prescribed bill form supported by receipt voucher on part / full supply basis.
- b. Payment of duties / Taxes including professional tax(where applicable) must be supported by proof of having paid these to concerned Govt. Taxation Deptt:

7. **SECURITY OF INFORMATION:**

The tenderer and his employees must not communicate any information relating to the sale/purchase of stores under this enquiry to any person other than the manufacturer or to any press or agent not authorized in writing by POFs to receive it.

Please return the Schedule to the Tender duly signed by the specified date, alongwith the specifications drawings etc. if any, enclosed herewith - even if you are unable to quote.

WARNING: In case the firm abstain from making offers or fail to return/acknowledge the tender form by the specified date on three consecutive occasions, no further tender enquiry may be issued to them and their names would be liable to remove from the approved list.

Yours faithfully,

(AAMIR HASSAN)
DIRECTOR SERVICES
Pakistan Ordnance Factories
Wah Cantt
Tele + 92-51-905521090
Fax + 92-51-9271400 & 9314100
e. mail: dirser.pof@gmail.com

PAKISTAN ORDNANCE FACTORIES

SCHEDULE TO TENDER NO. 23-LP-Capt-49-Acklifts-D&P(M) DATED 09-3-2020.

(1) FOR MATERIALS

(1)	(2)	(3)	(4)	(5)		(6)
Item No	Description with spec etc	Unit	Qty	Price per unit FOR or free delivery		Delivery date
				In figure	In words	
i.	Acklifts Truck Mounted Hydraulic Aerial Platform with working height not less than 15 Meter, as per attached specification.	No	03			

(2) **For Plant & Machinery:**

Specification:- attached

(3) **Special Conditions:**

- a. Authorized dealer of OEM having backup services (OEM authorized maintenance workshop and spare parts godown) in Pakistan is eligible to quote.
- b. Manufacturers must have valid international certification regarding equipment & spares i.e CE marked or any equivalent standard.
- c. The model should be out of latest production. Detailed specifications of quoted model should be available on manufacturer official website.
- d. Major components of equipment must be from original source under OEM.
- e. No reconditioned / used part / component will be acceptable. In such case, firm will be responsible to replace it with new one.
- f. Repair / maintenance period (in case of breakdown during warranty / guarantee) will be added in Warranty / Guarantee period.
- g. Compliance sheet (point-to-point comparison) to T.E is essentially required.

(4) Undertaking

Should our offer be accepted, we hereby undertake to supply the stores/render the services contracted on the basis of General Conditions of Contract embodied in Form POF-1281, and to deposit the performance bond within the prescribed time, failing which it will constitute a breach of contract, and POF will have the right to purchase the stores/services elsewhere at our risk and cost.

Place _____

Date _____

Signature of the Tenderer _____

Name _____

Position _____

Address _____

Income Tax G.I.R No. _____

Official stamp.

SPECIFICATION OF ACKLIFTS

-	Description	Acklifts Truck Mounted Hydraulic Aerial Platform with working height not less than 15 Meter
-	Recommended brand	Isuzu, Hino, Fuso or equivalent having manufacturing facility under the license of OEM of Japan, Europe & S. Korea with in Pakistan.
<u>TECHNICAL DETAILS</u>		
•	Engine	04 cylinder, 4 cycle, water cooled inline, OHC, Direct Injection diesel engine
•	Engine capacity	4000-4500 cc.
•	Transmission	4 x 2 Manual, 05 speed
•	Brakes (Front / Rear)	Air assisted hydraulic brake system.
•	Type of Drive	RHD
•	Electric System	24 Volt
•	Colour	White
•	No. of Wheels	06 (02 x front & 04 x Rear)
•	Tyres	As per manufacturer standard specification
•	Overall length	Minimum 6,600-6,800 mm
•	Overall width	Minimum 1,900-2,000 mm
•	Overall height	Minimum 2,200-2,300 mm
<u>ACCESSORIES</u>		
•	Seat belts	
•	Warning light (LED) on cabin roof	
•	Warning buzzer connected with PTO	
•	04 x Plastic safety cones fitted on body platform	
•	Fire extinguisher	
•	Standard tool kit	
•	Spare parts Catalogue	
•	Operation & Maintenance manual	
<u>SPECIFICATIONS OF ACKLIFTS TRUCK MOUNTED HYDRAULIC AERIAL PLATFORM WITH WORKING HEIGHT NOT LESS THAN 15 METER.</u>		
<u>COUNTRY OF ORIGIN OF ALL HYDRAULIC / PNEUMATIC VALVE AND OTHER ACCESSORIES:</u>		
Europe, UK USA, S. Korea or any other country having manufacturing facility under the license of OEM from these origins.		
1.	Capacity	Platform Bucket capacity 200 kg
2.	Height	Working height not less than 15 meter (From ground)
3.	Booms	Telescopic / articulated booms (03 sates) which give a wide range of movement and 12-15ft horizontal our – reach from rear center of vehicle.
4.	Base & Turntable	Heavy duty slewing ring on rigid base with built-in gear unit provides safe, smooth 360 degree continuous rotation in both directions. Hydraulic Motors should be of 250cc /rev & inertial control valve should be directly mounted on motor port. Hydraulic Motor & Valve shall be of
5.	Stability	04 x Nos independently controlled outriggers / stabilizers for solid and sure stabilization with Imported honed tubes & Imported chrome plated shafts. Single pilot operated valve on each outrigger.
6.	Boom Cylinder	All high performance hydraulic with industrial hard chromed rods, protected and sealed with 'O' rings heat and oil resistant, double acting for safety and smooth operation. Pilot operated holding and check valves are equipped direct on articulated booms cylinders to prevent cylinder

			retraction load and hold each cylinder in position in case hydraulic failure occurs.
	7.	Outriggers Controls	4-spool mono-block double actions control valve with built-in relief valve to be provided for vertical lifting & lowering of outriggers. Each outrigger to be operated by independent control lever.
	8.	Platform Bed	Chequered plate sheet (3 mm thick minimum).
	9.	Platform Controls	3-spool mono-block double action control valve with built in relief valve to be provided in the base to control the lifting and lowering of articulated booms & 360 degree clockwise & counter clockwise rotations. The control should be suitable for 30-40 lit/min flow & 250-300 bar pressure (control valve of European origin)
	10.	Bucket	Steel cage type bucket for greater protection size W 787 mm L 1220 mm, H 1200 mm, having rated load of 200 to 250 kg.
	11.	Power	Through Power Take Off of transmission. The power take off should be electronic control shift type (24 volt DC Operated) with its control switch located in driver's cabin.
	12.	Pump	Closed coupled with PTO, Gear / Piston type with 30-40 lit/min flow & 250-300 bar pressure. Pump should be European / UK / USA origin.
	13.	Hydraulic Oil tank	50 temperature gauge. 60 liter capacity with breather cap and oil level & temperature gauge.
	14.	Safety grill	Safety grill of 3 ft height is required to be provided on all around the cassis platform with provisioning of 02 x side entry.

NOTE:	The offer should also include:
i.	Confirmation regarding supply of spare parts for at least 10 years period on as and when required basis.
ii.	Operation & maintenance manuals and spare parts catalogue in English is required free of cost.
iii.	Test & trial of Acklifts shall be carried out after receipt in POF under the supervision of supplier.
iv.	01 x week training of operators and mechanics at POF Wah Cantt.
v.	Machine Will be accepted on firm warrantee / guarantee certificate valid for 01 year.
vi.	Electrical / Electronic schematic diagrams with components values in English (03 set each)