



POF 1262-A
(INDIGENOUS SUPPLIES)

Government of Pakistan
PAKISTAN ORDNANCE FACTORIES
TENDER ENQUIRY
(Therapeutic Goods / Pharmaceuticals)

To

M/s

Dear Sirs,

Reference : TENDER ENQUIRY NO. 0006/HOSP/LP/54/LAB ITEMS DATED 12-02-2025

You are requested to submit sealed quotations for the item(s) noted in the Schedule to the Tender. Offer should be sent duly sealed in a single stage two envelopes. Fax offer received before opening of Tender is acceptable. Please note the following instructions for filling the tender:-

1. SUBMISSION OF TENDER

1.1 Tenders will be opened at 10:00 hours on 13-03-2025 in Bid Centre adjacent to Rabita Hall POF Wah Cantt. Quotation must be submitted electronically on www.ebidding.pof.gov.pk (otherwise offer will not even be entertained) as well as in hard form (duly sealed in envelopes) before 30 minutes of opening time. The tender received late will not be entertained. You may witness the opening of the tender if you so desire. If a representative is deputed, he should bring a letter of authority from you.

1.2 Only one tender should be included in one envelope. The outside of the envelope should be inscribed with:-

Tender Enquiry No: 0006/HOSP/LP/54/LAB ITEMS DT. 12-02-2025
Tender to be opened on: 13-03-2025
Address as follows:-

(www.ebidding.pof.gov.pk) BID CENTER
ADJACENT TO RABITA HALL
POFs, WAH CANTT.

1.3 If envelope does not indicate reference of T.E or received late the same may be returned un-opened.

2. GENERAL INSTRUCTIONS REGARDING PREPARATION OF QUOTATIONS (THERAPEUTIC GOODS)

2.1 For LAB ITEMS, the prices should be filled in column 6 and delivery date in relevant column of the schedule to this Tender Enquiry. The undertaking should be signed at the bottom of the Schedule which shall form the Quotation. You may use a separate sheet if necessary.

2.2 For LAB ITEMS, the bid shall comprise a single package containing two separate envelopes. Each envelope shall contain separately the Technical offer and the Commercial offer:-

Part I "Technical Offer": It should exclusively give technical details and literatures/brochures of the LAB ITEMS; validity date; delivery schedule;

Cont....P-2

and signed undertaking given on the schedule to this Tender Enquiry. It must not indicate price, costs etc.

Part II "Commercial Offer": It should indicate the commercial terms e.g. price, terms of payment, mode of payment, mode of supply.

Each part should be placed in a separate sealed cover. The envelopes should be inscribed with Part I "Technical Quotation without Price" and Part II "Commercial Quotation with Price".

2.3 The technical quotation must remain valid for, at least 90 days from the date of opening of tenders.

2.4 The quotation should hold good for any reduced or enhanced quantities without notice.

2.5 In the event of non-acceptance of offer, intimation may be given to the tenders on their request.

2.6 Conditional offers or alternative offers are likely to be ignored.

2.7 Quotations should be based on:-

F.O.R. station of despatch basis, i.e. delivered free on rail, inclusive of packing and forwarding charges. The stores will be booked under Military Credit Note, to be provided by the purchaser.

Free delivery at POF's hospital at **WAH CANTT**

In this case Octroi duty if any, will be payable by the supplier.

2.8 Taxes and Duties etc. where applicable, must be shown separately, quoting references to Registration No. in cases of Sales Tax and relevant authority in the case of others. Offers without these clarifications and inclusive of Taxes and Duties may be ignored.

2.9 Taxes and duties levied on or after Tender opening date or on or after the date offer was signed and despatched will be allowed to include in the offered rates.

2.10 "Suppliers will furnish a certificate, issued by Excise & Taxation deptt., that he has cleared all Professional Tax payable by him" offers received without this certificate will be rejected.

2.11 If the requisite information is not furnished on the T.E forms or offer received is not conformity with the requirement of T.E such offer shall be ignored.

2.12 The supplier will render necessary information regarding hazardous effects on environment of the material/products supplied by them, in their quotations and shipping/despatch documents.

3. INSPECTION

3.1 Supplies shall be subject to the inspection and acceptance by the competent inspection authority nominated by the Purchaser, who will arrange it at his own cost. Inspection facilities such as tools, test equipment, instruments etc will, however, be provided by the Suppliers in accordance with the relevant specifications.

3.2 Where considered necessary by the Purchaser, the stores may be obtained on Warranty/Guarantee subject to inspection on receipt. Rejected stores will be removed and replaced with the acceptable stores by the Supplier at his own expense, within a specified time.

Contd...P-3

4. TENDER FEE

The tender must be accompanied with a non-refundable tender fee Rs 500/- by means of a crossed postal order / pay order in favour of: **Director Admin POF WAH CANTT.**

4.1 TENDER SAMPLE

Where required, offer must accompany tender sample., strictly according to the description and specification given in Tender Enquiry. Offer not accompanied by tender sample will NOT be entertained excepting the established and reputable firms who have either previously satisfactorily supplied the same or similar stores or have submitted an acceptable sample thereof against previous T.E.

5. BID MONEY

Bid Money as per following detail, should accompany the tender in the shape of Deposit at Call Receipt / Pay Order / Banker's Cheque, from a scheduled Bank drawn in favour of:- **DY COMMANDANT. POF HOSPITAL WAH CANTT.**

- 5.1 Registered / indexed firms incl foreign firms - 2% of quoted value subject to max ceiling of Rs. 0.50 M.
- 5.2 Registered / un-indexed firms incl foreign firms - 03% of quoted value subject to max ceiling of Rs. 0.75 M.
- 5.3 Unregistered Firms incl foreign firms - 5% of quoted value subject to max ceiling of Rs. 1.00 M.
- 5.4 Govt. organization/ production units/state owned enterprises/ welfare projects of Svcs HQ - Rs. 0.50 M.
- 5.5 Earnest money will be returned to un successful (less first three lowest quote firms) bidders on opening of commercial offer.
- 5.6 Earnest / bid money will be returned to successful bidder on submission of unconditional BG.

6. ACCEPTANCE OF OFFERS.

6.1 POF Hospital may reject all bids or proposals at any time period to the acceptance of the bid or proposals, but is not required to justify grounds for its rejection. POF shall incur no liability towards suppliers or contractors who have submitted bids or proposals.

6.2 PERFORMANCE BOND

(a) The successful bidders shall provide performance bond at the rate of upto 10% of the total value of contract, in the form of Deposit At Call Receipt from a scheduled Bank within 07 working days from issuance of LOI strictly. The performance Bond will be in favour of CMA(POF) Wah Cantt. It will be returned on satisfactory completion of contract.

(b) If the Supplier fails to furnish the Performance Bond within the specified time, such failure will constitute a breach of the contract and the Purchaser shall be entitled to make other arrangements for purchase of the stores at the risk and expense of the Supplier.

Contd....p-4

6.3 Performance Bond from State owned organizations may be waived off at the discretion of the Purchaser.

6.4 FAILURE TO SUPPLY THE STORES

All deliveries must be completed by the specified date. In case of failure to deliver the stores within the scheduled time should have arisen from "Force Majeure", which the purchaser may admit as reasonable ground for further time, he will allow such additional time as he may consider to have been required by the circumstances of the case. Otherwise, he will be entitled, at his discretion, to cancel the contract; and/or claim liquidated damages upto 2% but not less than 1% of the contract price of the items and their quantities for each and every month or part of a month, beyond the specified delivery date, during which these may not be delivered, subject to a maximum of 10% of the total contract value of the particular stores which remained unsupplied either in part or in full; or, to purchase, from elsewhere, the unsupplied stores at the risk and cost of the supplier.

6.5 PAYMENT

Payment will be made by the CMA(POF) through crossed cheques on receipt/ acceptance of stores on our prescribed bill form supported by receipt voucher on part/full supply basis.

(a) Payment of duties/Taxes including professional tax (where applicable) must be supported by proof of having paid these to concerned Govt. Taxation Deptt.

7. SECURITY OF INFORMATION

The tenderer and his employees must not communicate any information relating to the sale/purchase of stores under this enquiry to any person other than the manufacturer or to any press or agent not authorised in writing by POFs to receive it.


Please return the Schedule to the Tender duly signed by the specified date, alongwith the specifications, drawings etc. if any, enclosed herewith - if you are unable to quote.

WARNING In case the firm abstain from making offers or fail to return/ acknowledge the tender form by the specified date on three consecutive occasions, no further tender enquiry may be issued to them and their names would liable to be removed from the approved list.

Yours faithfully


LT COL SALMAN HYAT KHAN
DY. COMMANDANT

for PAKISTAN ORDNANCE FACTORIES


1/13/02 13/13/02
o/c
13/2

Tele 051-9314101-2 /25042

Fax 051-9271400

PAKISTAN ORDNANCE FACTORIES

SCHEDULE TO TENDER NO. 0006/HOSP/LP/54/LAB ITEMS

12-FEB-25

(1) FOR MATERIALS

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
Item No.	Description with Specs. etc.	Manufacturer	Unit	Qty	Quoted Rate (Rs.)	GST (Rs.)	Total Price (Rs.)
Indent No. 0006/LP/HOSP/54 Dated 02-10-2024							
001	AMIKIN SENSITIVITY DISC (PKT 5X50 DISC) Spec: AMIKIN SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	8			
002	AMONIA AUROMATIC (AMMONIA SOLUTION 32% EXTRA PURE) (BTL OF 2.5 LTR) Spec: AMONIA AUROMATIC	SHARLAU OR EQUIVALENT	LTR	1			
003	AMOXIL SENSITIVITY DISC (PKT 5X50 DISC) Spec: AMOXIL SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	4			
004	AMPICILLINE SENSITIVITY DISC (PKT 5X50 DISC) Spec: AMPICILLINE SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	6			
005	ANAEROCULT A FOR MICROBIOLOGY REAGENT FOR GENERATION OF AN ANAEROBIC MEDIUM IN A (MICROBIOLOGY)/GAS GENERATING KIT OF AEROBIC JAR WITH INDICATOR Spec: ANAEROCULT A FOR MICROBIOLOGY REAGENT FOR GENERATION OF AN ANAEROBIC MEDIUM IN A (MICROBIOLOGY)	MERICK/OXIDE UK OR EQUIVALENT	PKT	5			
006	ANTI SALMONELLA PARA TYPHI A (I) 0: 1, 2, (II) HA (1VIAL EACH)/ANTI SALMONELLA PARA TYPHI A (I) 0: 1, 2, (II) HA (1VIAL EACH) Spec: ANTI SALMONELLA PARA TYPHI A (I) 0: 1, 2, (II) HA (1VIAL EACH)	BIO-RAD LAB/OXIDE UK OR EQUIVALENT	SET	2			
007	ANTI SALMONELA SERA TYPHI 'O' (I) 0:9 HD (01 VIAL EACH)/ANTI SALMONELA SERA TYPHI 'O' (I) 0:9 HD (01 VIAL EACH) Spec: ANTI SALMONELA SERA TYPHI 'O' (I) 0:9 HD (01 VIAL EACH)	OXIDE UK/BIO-RAD LAB OR EQUIVALENT	SET	1			
008	API 10 S WITH REAGENT SET Spec: API IOS WITH REAGENT SET	BIOMERX OR EQUIVALENT	KIT	12			
009	API 20E MICRO BACT CODE 20100/API 20E MICRO BACT CODE 20100 Spec: APL 20E MICRO BACT	BIOMERIEUX/OXIDE UK OR EQUIVALENT	PKT	7			
010	AUGMENTIN SENSITIVITY DISC (PKT 5X50 DISC) Spec: AUGMENTIN SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	8			
011	AUTO CLICK LANCENT PRICKER (PKT OF 200)/AUTO CLICK LANCENT PRICKER (PKT OF 200)/AUTO CLICK LANCENT PRICKER (PKT OF 200) Spec: AUTO CLICK LANCENT PRICKER (PKT OF 200)	BIO TECH/LIFECARE / BIOCARE / SAFETY/MERCK OR EQUIVALENT	PKT	230			
012	AZACTUM SENSITIVITY DISC (PKT 5X50 DISC) Spec: AZACTUM SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	2			

PAKISTAN ORDNANCE FACTORIES

SCHEDULE TO TENDER NO. 0006/HOSP/LP/54/LAB ITEMS

12-FEB-25

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
Item No.	Description with Specs. etc.	Manufacturer	Unit	Qty	Quoted Rate (Rs.)	GST (Rs.)	Total Price (Rs.)
013	AZITHROMYCIN SENSITIVITY DISC (PKT OF 5 X 50 DISC) Spec: AZITHROMYCIN	OXIDE UK OR EQUIVALENT	PKT	6			
014	BACTEC PEADS PLUS / F CULTURE VIAL 40 ML WITH BEADS AND INDICATOR/BACTEC PEADS PLUS / F CULTURE VIAL 40 ML WITH BEADS AND INDICATOR Spec: BACTEC PEADS PLUS / F CULTURE VIAL 40 ML	THERMO SCIENTIFIC/BD USA OR EQUIVALENT	VIAL	2000			
015	BACTEC PLUS AEROBIC / F CULTURE VIAL 30 ML WITH BEADS AND INDICATOR/BACTEC PLUS AEROBIC / F CULTURE VIAL 30 ML WITH BEADS AND INDICATOR Spec: BACTEC PLUS AEROBIC / F CULTURE VIAL 30 ML	THERMO SCIENTIFIC/BD USA OR EQUIVALENT	VIAL	700			
016	BACTER URI STRIPS (200 STRIPS PER BOTT)/BACTER URI STRIPS (200 STRIPS PER BOTT) Spec: BACTER URI STRIPS (200 STRIPS PER BOTT)	MASTER/MAST UK/OXIDE UK OR EQUIVALENT	BOTTLE	30			
017	BACTRACIN SENSITIVITY DISC (PKT 5X50 DISC) Spec: BACTRACIN SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	4			
018	BILE ASCULINE AGAR 500 GMS Spec: BILE ASCULINE AGAR 500 GMS	OXIDE UK OR EQUIVALENT	KG	1			
019	BLOOD AGAR BASE Spec: BLOOD AGAR	OXIDE UK OR EQUIVALENT	KG	9.5			
020	BLOOD BAG 500 ML SINGLE WITH GIVING SET/BLOOD BAG 500 ML SINGLE WITH GIVING SET/BLOOD BAG 500 ML SINGLE WITH GIVING SET Spec: BLOOD BAG 500 ML SINGLE WITH GIVING SET	JMS/DEMOTEK/WEGO CHINA/TERUMO OR EQUIVALENT	NO	100			
021	BLOOD BAG 500 ML TRIPPLE WITH GIVING SET/BLOOD BAG 500 ML TRIPPLE WITH GIVING SET/BLOOD BAG 500 ML TRIPPLE WITH GIVING SET Spec: BLOOD BAG 500 ML TRIPPLE WITH GIVING SET	TERUMO/CHINA/WEGO CHINA/JMS OR EQUIVALENT	NO	1970			
022	BLOOD GIVING SET/BLOOD GIVING SET/BLOOD GIVING SET/BLOOD GIVING SET Spec: BLOOD GIVING SET	JMS/CHINA/WEGO CHINA/TERUMO OR EQUIVALENT	NO	2200			
023	BLOOD GROUPING SERA SET (ANTI A, ANIT B, ANTI D) 10 ML EACH/BLOOD GROUPING SERA SET (ANTI A, ANIT B, ANTI D) 10 ML EACH/BLOOD GROUPING SERA SET (ANTI A, ANIT B, ANTI D) 10 ML EACH Spec: BLOOD GROUPING SERA SET	CHEMELAX/ IMMUMED/ LORNE OR EQUIVALENT	SET	191			
024	BONE MARROW TREPINE NEEDLE 11 G/BONE MARROW TREPINE NEEDLE 11 G Spec: BONE MARROW TREPINE NEEDLE	TSUNAMI/TSK JAPAN OR EQUIVALENT	NO	50			

PAKISTAN ORDNANCE FACTORIES

SCHEDULE TO TENDER NO. 0006/HOSP/LP/54/LAB ITEMS

12-FEB-25

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
Item No.	Description with Specs. etc.	Manufacturer	Unit	Qty	Quoted Rate (Rs.)	GST (Rs.)	Total Price (Rs.)
025	CANADA BALSOM (BOTT OF 500 ML)/CANADA BALSOM (BOTT OF 500 ML)/CANADA BALSOM (BOTT OF 500 ML) Spec: CANADA BALSOM (BOTT OF 500 ML)	MERCK/MEDILINES/A LPHA OR EQUIVALENT	BOTTLE	2			
026	CAPILLIRIES TUBES 1.8 X75 MM(PKT OF 200)/CAPILLIRIES TUBES 1.8 X 75 MM (PKT OF 200)/CAPILLIRIES TUBES 1.8 X 75 MM (PKT OF 200) Spec: CAPILLIRIES TUBES (PKT OF 200)	USA/GERMANY/VIRTE X OR EQUIVALENT	PKT	5			
027	CARBENCILINE SENSITIVITY DISC (PKT 5X50 DISC) Spec: CARBENCILINE SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	2			
028	CECLOR SENSITIVITY DISC (PKT 5X50 DISC) Spec: CECLOR SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	2			
029	CEDAR WOOD OIL EMEISION (BOTTLE OF 500 ML)/CEDAR WOOD OIL EMEISION (BOTTLE OF 500 ML)/CEDAR WOOD OIL EMEISION (BOTTLE OF 500 ML) Spec: LAB ITEMS	GURR/MERCK/BDH UK OR EQUIVALENT	BTL	3			
030	CEFIXIME SENSITIVITY DISC (PKT 5X50 DISC) Spec: CEFIXIME SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	6			
031	CEFIZOX SENSITIVITY DISC (PKT 5X50 DISC) Spec: CEFIZOX SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	4			
032	CEFOBID SENSITIVITY DISC (PKT 5X50 DISC) Spec: CEFQBID SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	4			
033	CEFOTEXIME SENSITIVITY DISC (PKT 5X50 DISC) Spec: CEFOTEXIME SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	8			
034	CEFOXITIN SENSITIVITY DISC (PKT 5X50 DISC) Spec: CEFOXITIN SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	4			
035	CEFTAZIDIME SENSITIVITY DISC (PKT 5X50 DISC) Spec: CEFTAZIDIME SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	4			
036	CEFTIZOXIME SENSITIVITY DISC (PKT 5X50 DISC) Spec: CEFTIZOXIME SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	6			
037	CEFTRIAZONE SENSITIVITY DISC (PKT 5X50 DISC) Spec: CEFTRIAZONE SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	8			
038	CEFUROXIME SENSITIVITY DISC (PKT 5X50 DISC) Spec: CEFUROXIME SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	6			

PAKISTAN ORDNANCE FACTORIES

SCHEDULE TO TENDER NO. 0006/HOSP/LP/54/LAB ITEMS

12-FEB-25

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
Item No.	Description with Specs. etc.	Manufacturer	Unit	Qty	Quoted Rate (Rs.)	GST (Rs.)	Total Price (Rs.)
039	CEPHRADIN SENSITIVITY DISC (PKT 5X50 DISC) Spec: CEPHRADIN SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	2			
040	CHLOROPHENOCOL SENSITIVITY DISC (PKT 5X50 DISC) Spec: CHLOROPHENOCOL SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	4			
041	CHROME AGAR WITH SUPPLEMENT Spec: CHROME AGAR	OXIDE UK OR EQUIVALENT	KG	2			
042	CIPROXIN SENSITIVITY DISC (PKT 5X50 DISC) Spec: CIPROXIN SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	8			
043	CLED AGAR (BOTTLE OF 500 G) Spec: CLED AGAR	OXIDE UK OR EQUIVALENT	KG	5			
044	CLINDAMYCINE ACID SENSITIVITY DISC (PKT 5X50 DISC) Spec: CLINDAMYCINE ACID SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	4			
045	COAGULATION CUP WITH MAGNETIC BALL (PKT OF 800) Spec: MEGNATIC BALL PKT OF 800)	MERUX OR EQUIVALENT	PKT	2			
046	COLISTIN E STRIPS/COLISTIN E STRIPS Spec: COLISTIN E STRIPS	PIOMERIX/OXIDE UK OR EQUIVALENT	STRIP	30			
047	COSTUM CUTTI LOOPS E.COLI (25922) 5 LOOPS EACH Spec: COSTUM CUTTI LOOPS E.COLI	OXIDE UK OR EQUIVALENT	SET	3			
048	COSTUM CUTTI LOOPS G+IV PANEL STEPH AUREUS (29213) 5 LOOPS EACH Spec: COSTUM CUTTI LOOPS G+IV PANEL STEPH AUREE 29213 5 LOOPS EACH	OXIDE UK OR EQUIVALENT	SET	3			
049	COSTUM CUTTI LOOPS G-IV PANEL PSEUDOMONAS (27853) 5 LOOPS EACH Spec: COSTUM CUTTI LOOPS G-IV PANEL E-LOG 25922 PSEUDOMONAS 5 LOOPS EACH	OXIDE UK OR EQUIVALENT	SET	3			
050	COVER SLIPS 24 X 50 (PKT OF 100)/COVER SLIPS 24 X 50 (PKT OF 100) Spec: COVER SLIPS 24 X 50 (PKT OF 100)	USA/GERMANY OR EQUIVALENT	PKT	150			
051	DISPOSABLE PETRI DISHES WITH VENTS (16 X 94)/DISPOSABLE PETRI DISHES WITH VENTS (16 X 94)/DISPOSABLE PETRI DISHES WITH VENTS (16 X 94) Spec: DISPOSABLE PETRI DISHES DOUBLE COMPARTMENT (16 X 94)	LOCAL/ULTRA/GRIENER BIOONE/KARTEL OR EQUIVALENT	PAIR	17500			

PAKISTAN ORDNANCE FACTORIES

SCHEDULE TO TENDER NO. 0006/HOSP/LP/54/LAB ITEMS

12-FEB-25

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
Item No.	Description with Specs. etc.	Manufacturer	Unit	Qty	Quoted Rate (Rs.)	GST (Rs.)	Total Price (Rs.)
052	DISPOSABLE STICK SWAB Spec: DISPOSABLE STICK SWAB	LOCAL OR EQUIVALENT	NO	6000			
053	DISPOSABLE STICK SWAB WITH GEL Spec: DISPOSABLE STICK SWAB WITH GEL	LOCAL OR EQUIVALENT	NO	4000			
054	DNASE AGAR 500 GM Spec: DNASE AGAR 500 GM	OXIDE UK OR EQUIVALENT	BTL	1			
055	EOSIN YELLOW Spec: EOSIN YELLOW	SHARLU OR EQUIVALENT	GRAM	250			
056	ERYTHROMYCIN SENSITIVITY DISC (PKT 5X50 DISC) Spec: ERYTHROMYCIN SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	5			
057	ESR DISPOSABLE TUBES (PKT OF 200) Spec: ESR DISPOSABLE TUBES (PKT OF 200)	GRIENER OR EQUIVALENT	PKT	10			
058	ESR SEDRATE AUSTRIA AUTOMATED SYSTEM (PKT OF 800)/ESR SEDRATE AUSTRIA AUTOMATED SYSTEM (PKT OF 800) Spec: ESR SEDRATE AUSTRIA AUTOMATED SYSTEM (PKT OF 800)	VANTAGE/SYSMEX OR EQUIVALENT	PACK	9			
059	FECAL ACCULT BLOOD KIT ON SLIDE MONITOR/STOOL ACCULT BLOOD (100 TEST) Spec: FECAL ACCULT BLOOD KIT ON SLIDE MONITOR	STANBIO LAB/HAEMA COLOUR OR EQUIVALENT	KIT	6			
060	FILTER PAPER SMALL 70 MM (PKT OF 100)/FILTER PAPER SMALL 70 MM (PKT OF 100) Spec: FILTER PAPER SMALL (PKT OF 100)	USA/WATMAN OR EQUIVALENT	PKT	10			
061	FORMALINE 37%/FORMALINE 37% Spec: FORMALINE	SHARLAU SPAIN/MERCK OR EQUIVALENT	LTR	175			
062	FOSFOMYCIN SENSITIVITY DISC (PKT 5X50 DISC) Spec: FOSFOMYCIN SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	5			
063	FREEZING MICRPTOME BLADE PKT OF 10 BLADE (DISPOSABLE MAGNACUT EXTRA 52727) Spec: FREEZING MICRPTOME BLADE	BRIGHT OR EQUIVALENT	PKT	5			
064	FUSIDIC ACID SENSITIVITY DISC (PKT 5X50 DISC) Spec: FUSIDIC ACID SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	7			
065	G6 PD KIT OF 40 TEST SCREENING Spec: G6 PD KIT OF 40 TEST	BIONAXNOW OR EQUIVALENT	KIT	6			

PAKISTAN ORDNANCE FACTORIES

SCHEDULE TO TENDER NO. 0006/HOSP/LP/54/LAB ITEMS

12-FEB-25

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
Item No.	Description with Specs. etc.	Manufacturer	Unit	Qty	Quoted Rate (Rs.)	GST (Rs.)	Total Price (Rs.)
066	GENTACIN SENSITIVITY DISC (PKT OF 5X50) 120 UG Spec: GENTACIN SENSITIVITY DISC	OXIDE UK OR EQUIVALENT	PKT	4			
067	GENTAMYCIN SENSITIVITY DISC (PKT 5X50 DISC) 10 UG Spec: GENTAMYCIN SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	4			
068	GLASS SLIDE MICROSCOPE (FROSTED) 25 X 75 MM (PKT OF 72 SLIDES)/GLASS SLIDE MICROSCOPE (FROSTED) 25 X 75 MM (PKT OF 72 SLIDES) Spec: LAB ITEM	USA/CHINA OR EQUIVALENT	PKT	600			
069	GOMERI METHANIN SILVER STAIN Spec: GOMERI METHANIN SILVER STAIN	MERCK OR EQUIVALENT	KIT	1			
070	GRAM STAINING READY TO USE 4 X 1 LTR/GRAM STAINING READY TO USE 4 X 1 LTR Spec: GRAM STAINING	MERCK/SIGMA OR EQUIVALENT	KIT	10			
071	HAEMATOGNOST FE/HAEMATOGNOST FE Spec: HAEMATOGNOST FE	MERCK/SIGMA OR EQUIVALENT	KIT	3			
072	HAEMOTOXILINE POWDER/HAEMOTOXILINE POWDER Spec: HAEMOTOXILINE POWDER	SHARLAU/MERCK OR EQUIVALENT	GRAM	600			
073	HISTOLOGICAL WAX/HISTOLOGICAL WAX Spec: HISTOLOGICAL WAX	SHARLAU/MERCK OR EQUIVALENT	KG	50			
074	ICT MALARIA/ICT MALARIA/MALARIA ICT Spec: ICT MALARIA	SD/ALLERE/BIO CHECK OR EQUIVALENT	NO	6000			
075	IMEPNEM SENSITIVITY DISC (PKT 5X50 DISC) Spec: IMEPNEM SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	6			
076	ISO PROPANOL ALCOHOL/ISO PROPANOL ALCOHOL Spec: ISO PROPANOL ALCOHOL	SHARLAU SPAIN/MERCK OR EQUIVALENT	LTR	219			
077	KEFZOLE SENSITIVITY DISC (PKT 5X50 DISC) Spec: KEFZOLE SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	4			
078	KLARACID SENSITIVITY DISC (PKT 5X50 DISC) Spec: KLARACID SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	4			
079	LACTO PHENOL BLUE 100 ML/LACTO PHENOL BLUE 100 ML Spec: LACTO PHENOL BLUE	SIGMA/MERCK OR EQUIVALENT	KIT	1			
080	LEUCOGNOST P&S Spec: LEUCOGNOST P&S	MERCK OR EQUIVALENT	KIT	2			

PAKISTAN ORDNANCE FACTORIES

SCHEDULE TO TENDER NO. 0006/HOSP/LP/54/LAB ITEMS

12-FEB-25

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
Item No.	Description with Specs. etc.	Manufacturer	Unit	Qty	Quoted Rate (Rs.)	GST (Rs.)	Total Price (Rs.)
081	LEUCOGNOST SAUDAN BLACK/LEUCOGNOST SAUDAN BLACK/LEUCOGNOST SAUDAN BLACK (3X200) Spec: LEUCOGNOST SAUDAN BLACK	MERCK/SIGMA/MEDILINES OR EQUIVALENT	KIT	1			
082	LIESHMAN STAIN POWDER/LIESHMAN STAIN POWDER Spec: LIESHMAN STAIN POWDER	SIGMA/MERCK OR EQUIVALENT	GRAM	100			
083	LINCOCIN SENSITIVITY DISC (PKT 5X50 DISC) Spec: LINCOCIN SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	4			
084	LINEZOLID SENSITIVITY DISC (PKT 5X50 DISC) Spec: LINEZOLID SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	8			
085	LISS BLOOD BANK PRODUCT (PACK OF 250 ML)/LISS BLOOD BANK PRODUCT (PACK OF 250 ML) Spec: LISS BLOOD BANK PRODUCT	CHEMILEX/LORNE OR EQUIVALENT	VIAL	20			
086	LISS COOMBS CARDS/LISS COOMBS CARDS WITH LISS SOLUTION (8064 TEST) Spec: LAB ITEM	BIO-RAD LAB/GRIFOLS OR EQUIVALENT	PACK	1			
087	MAC CONKEY AGAR Spec: MAC CONKEY AGAR	OXIDE UK OR EQUIVALENT	KG	8			
088	MERCURIC OXIDE RED Spec: MERCURIC OXIDE RED	OXIDE OR EQUIVALENT	GRAM	100			
089	MEROPENEN SENSITIVITY DISC (PKT 5X50 DISC) Spec: MEROPENEN SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	8			
090	METHANOL (ABSOLUTE ALCOHOL)/METHANOL (ABSOLUTE ALCOHOL) Spec: METHANOL (ABSOLUTE ALCOHOL)	SIGMA/MERCK OR EQUIVALENT	LTR	30			
091	METRONIDAZOLE SENSITIVITY DISC (PKT 5X50 DISC) Spec: METRONIDAZOLE SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	4			
092	MICROBACT GNB 24 E 40 TEST KIT Spec: MICROBACT GNB 24 E 40 TEST KIT	OXIDE UK OR EQUIVALENT	KIT	7			
093	MICROBACT MINERAL OIL (50 ML BOTT) Spec: MICROBACT MINERAL OIL (50 ML BOTT)	OXIDE UK OR EQUIVALENT	BOTTLE	9			
094	MICROBACT REAGENT SET D (6 VIAL SET) COD MM 1093/MICROBACT REAGENT SET D (6 VIAL SET) COD MM 1093 Spec: MICROBACT REAGENT SET D (6 SET) COD MM 1093	BIOMERIUX FRANCE/OXIDE UK OR EQUIVALENT	PKT	5			

PAKISTAN ORDNANCE FACTORIES

SCHEDULE TO TENDER NO. 0006/HOSP/LP/54/LAB ITEMS

12-FEB-25

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
Item No.	Description with Specs. etc.	Manufacturer	Unit	Qty	Quoted Rate (Rs.)	GST (Rs.)	Total Price (Rs.)
095	MICROTIP YELLOW (5-200 UL) (PKT OF 1000)/MICROTIP YELLOW (5-200 UL) (PKT OF 1000) Spec: MICROTIP YELLOW (5-200) (PKT OF 1000)	CHINA/LOCAL OR EQUIVALENT	PKT	80			
096	MICROTOME BLADE (PKT OF 50) DISPOSABLE Spec: MICROTOME BLADE (PKT OF 50) DISPOSABLE	FEATHER JAPAN OR EQUIVALENT	PKT	40			
097	MILLIPORE FILTER PAPER FOR WATER TESTING (100 EACH) 0.2UM, WHITE GRIDED 47 MM Spec: LAB ITEM	MILLIPORE OR EQUIVALENT	PKT	8			
098	MINOCYCLINE SENSITIVITY DISC (PKT 5X50 DISC) Spec: MINOCYCLINE SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	4			
099	MOXIFLOXACIN SENSITIVITY DISC (PKT OF 5X50) Spec: MOXIFLOXACIN SENSITIVITY DISC	OXIDE UK OR EQUIVALENT	PKT	6			
100	N-ACETYLE-L CYSTEIN, 98+% CAT NO. A 15409/N-ACETYLE-L CYSTEIN, 98+% CAT NO. A 15409 Spec: N-ACETYLE-L CYSTEIN, 98+% CAT NO. A 15409	ALFA AESAR/OXIDE UK OR EQUIVALENT	GRAM	50			
101	NEGRAM SENSITIVITY DISC (PKT 5X50 DISC) Spec: NEGRAM SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	4			
102	NITROFURANTIN SENSITIVITY DISC (PKT 5X50 DISC) Spec: NITROFURANTIN SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	8			
103	NNN OXIDASE REAGENT Spec: NNN OXIDASE REAGENT	SHARLAU OR EQUIVALENT	GRAM	100			
104	NOROXIN SENSITIVITY DISC (PKT 5X50 DISC) Spec: NOROXIN SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	6			
105	NOVOBIOCIN SENSITIVITY DISC (PKT 5X50 DISC) Spec: NOVOBIOCIN SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	4			
106	OCT COMPOUND 118 ML/OCT COMPOUND 118 ML Spec: OCT COMPOUND	JAPAN/SAKURA OR EQUIVALENT	BOTTLE	6			
107	OPTOCHIN SENSITIVITY DISC (PKT 5X50 DISC) Spec: OPTOCHIN SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE OR EQUIVALENT	PKT	2			
108	OXACILLINE SENSITIVITY DISC (PKT 5X50 DISC) Spec: OXACILLINE SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	4			

PAKISTAN ORDNANCE FACTORIES

SCHEDULE TO TENDER NO. 0006/HOSP/LP/54/LAB ITEMS

12-FEB-25

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
Item No.	Description with Specs. etc.	Manufacturer	Unit	Qty	Quoted Rate (Rs.)	GST (Rs.)	Total Price (Rs.)
109	P&S STAIN (2 X 5 ML)/P&S STAIN (2 X 5 ML) Spec: P&S STAIN	SHARLAU/MERCK OR EQUIVALENT	KIT	2			
110	PAP STAIN (PAPANICOLAOUS OG6EA 50/PAP STAIN (PAPANICOLAOUS OG6EA 50) Spec: PAP STAIN (PAPANICOLAOUS OG6EA 50	SHARLAU SPAIN/MERCK OR EQUIVALENT	KIT	1			
111	PAPTONE WATER (POWDER) Spec: PAPTONE WATER	OXIDE UK OR EQUIVALENT	KG	2			
112	PBS TABLETS Spec: PBS TABLETS	OXIDE UK OR EQUIVALENT	NO	100			
113	PENCILLINE SENSITIVITY DISC (PKT 5X50 DISC) Spec: PENCILLINE SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	5			
114	PETRI DISHES FOR AIR SAMPLER (65 MM WITH GRAPH) PACK OF 20 DISHES/PETRI DISHES FOR AIR SAMPLER (65 MM WITH GRAPH) PACK OF 20 DISHES Spec: PETRI DISHES FOR AIR SAMPLER	CHINA/ITALY OR EQUIVALENT	PKT	30			
115	PHENOL RED INDICATOR/PHENOL RED INDICATOR Spec: PHENOL RED INDICATOR	OXIDE UK/SIGMA USA OR EQUIVALENT	GRAM	500			
116	POLYMXIN B SENSITIVITY DISC (PKT 5X50 DISC) Spec: POLYMXIN B SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	6			
117	POTASSIUM ALUM/POTASSIUM ALUM Spec: LAB ITEM	DAEJUNG KOREA/OXIDE OR EQUIVALENT	KG	2			
118	QUINOPRISTIN DALFOPRISTIN SENSITIVITY DISC (PKT 5X50 DISC) Spec: QUINOPRISTIN DALFOPRISTIN SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	1			
119	REACTIFIED SPIRIT Spec: REACTIFIED SPIRIT	SHARLAU SPAIN OR EQUIVALENT	LTR	225			
120	REACTION TUBE CA 550 COAGULATION PACK OF 1000/REACTION TUBE CA 550 COAGULATION PACK OF 1000 Spec: REACTION TUBE	CHINA/LOCAL OR EQUIVALENT	PKT	10			
121	RETICULINE SILVER PLATING KIT (LOT# 100251) Spec: RETICULINE SILVER PLATING KIT (LOT# 100251)	MERCK OR EQUIVALENT	KIT	2			
122	SABOURAD AGAR/SABOURAD AGAR Spec: SABOURAD AGAR	MERCK/OXIDE UK OR EQUIVALENT	KG	1			

PAKISTAN ORDNANCE FACTORIES

SCHEDULE TO TENDER NO. 0006/HOSP/LP/54/LAB ITEMS

12-FEB-25

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
Item No.	Description with Specs. etc.	Manufacturer	Unit	Qty	Quoted Rate (Rs.)	GST (Rs.)	Total Price (Rs.)
123	SCREENING CELL I,II,III BLOOD PRODUCTS 10 ML EACH VIAL/SCREENING CELL I,II,III BLOOD PRODUCTS 10 ML EACH VIAL Spec: SCREENING CELL	BIO-RAD/LORNE OR EQUIVALENT	SET	8			
124	SENSITIVITY AGAR Spec: SENSITIVITY AGAR	OXIDE UK OR EQUIVALENT	KG	6			
125	SEPTRAN SENSITIVITY DISC (PKT 5X50 DISC) Spec: SEPTRAN SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	5			
126	SERUM STORAGE CUP 1500 UL (PKT OF 1000)/SERUM STORAGE CUP 1500 UL (PKT OF 1000) Spec: SERUM STORAGE CUP PKT OF 1000	LOCAL/KARTEL OR EQUIVALENT	PKT	80			
127	SINGLE BLOOD CULTURE PKT OF 20 WITH INDICATOR Spec: SINGLE BLOOD CULTURE PKT OF 20 WITH INDICATOR	OXIDE UK OR EQUIVALENT	PACK	10			
128	SODIUM CITRATE DIHYDRATE 99% EP CAT NO. 7555-4400/SODIUM CITRATE DIHYDRATE 99% EP CAT NO. 7555-4400 Spec: SODIUM CITRATE DIHYDRATE 99% EP CAT NO. 7555-4400	DAEJUNG KOREA/OXIDE UK OR EQUIVALENT	KG	1			
129	STEEL WIRE LOOP BACTERIAL Spec: LAB ITEM	LOCAL OR EQUIVALENT	NO	100			
130	STOOL STERILIZE CONTAINER WITH PLASTIC COVER Spec: STOOL STERILIZE CONTAINER WITH PLASTIC COVER	LOCAL OR EQUIVALENT	NO	20000			
131	SULZONE SENSITIVITY DISC (PKT 5X50 DISC) Spec: SULZONE SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	5			
132	T B COLOUR (Z. N STAIN) 3 X 250 ML/T B COLOUR (Z. N STAIN) 4 X 1000 ML/T B COLOUR FOR INVESTIGATION OF MYCOBACTERIA (AFB COLOR STAINING COLD METHOD) 4 X 500 ML Spec: T B COLOUR	LIEOFILCHEM ITALY/SIGMA/MERCK OR EQUIVALENT	KIT	15			
133	TARIVID SENSITIVITY DISC (PKT 5X50 DISC) Spec: TARIVID SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	5			
134	TAZOBACTAM SENSITIVITY DISC (PKT OF 5 X 50 DISC) Spec: TAZOBACTAM SENSITIVITY DISC	OXIDE UK OR EQUIVALENT	PKT	4			
135	TAZOCIN SENSITIVITY DISC (5X50 DISC) Spec: TAZOCIN SENSITIVITY DISC (5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	8			

PAKISTAN ORDNANCE FACTORIES

SCHEDULE TO TENDER NO. 0006/HOSP/LP/54/LAB ITEMS

12-FEB-25

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
Item No.	Description with Specs. etc.	Manufacturer	Unit	Qty	Quoted Rate (Rs.)	GST (Rs.)	Total Price (Rs.)
136	TEICOPLANIN SENSITIVITY DISC (PKT 5X50 DISC) Spec: TEICOPLANIN SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	2			
137	TETRACYCLINE SENSITIVITY DISC (PKT 5X50 DISC) Spec: TETRACYCLINE SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	5			
138	THERMAL PAPER ROLL Spec: THERMAL PAPER ROLL	LOCAL OR EQUIVALENT	NO	300			
139	TICKET ROLL BLACK TP 2000/TICKET ROLL BLACK TP 2000 Spec: TICKET ROLL	PAKISTAN/S.TECH OR EQUIVALENT	ROLL	60			
140	TIGECYCLINE SENSITIVITY DISC (PKT OF 5X50) Spec: MOXIFLOXACIN SENSITIVITY DISC	OXIDE UK OR EQUIVALENT	NO	8			
141	TISSUE TEK UNI CASSETTE WITH INTERNAL LIDS EC 02-0116 45° SLANTED WRITING SURFACE Spec: TISSUE TEK UNI CASSETTE	KARTEL OR EQUIVALENT	NO	8000			
142	TOBRAMYCIN SENSITIVITY DISC (PKT 5X50 DISC) Spec: TOBRAMYCIN SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	4			
143	TUBER CULINE DILUTED PPD VIAL (50 TEST) Spec: TUBER CULINE DILUTED PPD VIAL (50 TEST)	BELJIUM OR EQUIVALENT	VIAL	12			
144	URINE FDP/URINE FDP Spec: URINE FDP	SIGMA/BIOPOOL OR EQUIVALENT	KIT	5			
145	URINE STERILIZE CONTAINER 120 ML WITH PLASTIC COVER Spec: URINE STERILIZE CONTAINER 120 ML WITH PLASTIC COVER	LOCAL OR EQUIVALENT	NO	74400			
146	URIXIN SENSITIVITY DISC (PKT OF 5X50 DISC) Spec: URIXIN SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	5			
147	VACUTE BLOOD CP 3 ML TUBE K2 EDTA/, LAVENDER CAP/VACUTE EDTA 3ML/VACUTE EDTA 3ML Spec: BLOOD CP 3 ML TUBE K2EDTA/, LAVENDER CAP BRAND V-TUBE	KOREA/GRIENER/BD OR EQUIVALENT	NO	286700			
148	VACUTE PLAN TUBE 4 ML 100/PACK RED CAP/VACUTE PLANE 4 ML/VACUTE PLANE 4 ML/VACUTE PLANE 4 ML Spec: PLAN TUBE 4 ML 100/PACK RED CAP BRAND V-TUBE	KOREA/KIMA-S.R.L VACUTEST ITALY/BD/GRIENER OR EQUIVALENT	NO	133000			
149	VACUTE PT TUBE 2.7 ML / BLUE CAP/VACUTE TRI SODIUM CITRATE 2 ML/VACUTE TRI SODIUM CITRATE 2 ML Spec: PT TUBE 2.7 ML / BULE CAP BRAND V-TUBE	AB MEDICAL KOREA/GRIENER/BD OR EQUIVALENT	NO	31000			

PAKISTAN ORDNANCE FACTORIES

SCHEDULE TO TENDER NO. 0006/HOSP/LP/54/LAB ITEMS

12-FEB-25

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
Item No.	Description with Specs. etc.	Manufacturer	Unit	Qty	Quoted Rate (Rs.)	GST (Rs.)	Total Price (Rs.)
150	VACUTE TUBE PLANE WITH GEL 3.5 ML/VACUTE TUBE PLANE WITH GEL 4 ML/VACUTE TUBE PLANE WITH GEL 4 ML Spec: VACUTE TUBE PLANE WITH GEL 4 ML	KOREA/BQ PHARMA & MEDICAL PAKISTAN/BD/GRIENER OR EQUIVALENT	NO	148800			
151	VACUTE TUBE SODIUM FLOURIDE 3 ML/VACUTE TUBE SODIUM FLOURIDE 3 ML/VACUTE TUBE SODIUM FLOURIDE 3 ML Spec: VACUTE TUBE SODIUM FLOURIDE 3 ML	KOREA/BD/GRIENER OR EQUIVALENT	NO	2000			
152	VANCOMYCIN E STRIPS Spec: VANCOMYCIN E STRIPS	OXIDE UK OR EQUIVALENT	STRIP	50			
153	VANCOMYCIN SENSITIVITY DISC (PKT OF 5X50 DISC) Spec: VANCOMYCIN SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	8			
154	VIBRAMYCIN SENSITIVITY DISC (PKT OF 5X50 DISC) Spec: VIBRAMYCIN SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	5			
155	XYLENE PURE/XYLENE PURE Spec: XYLENE PURE	SHARLAU/SIGMA OR EQUIVALENT	LTR	244			
156	ZINACEF SENSITIVITY DISC (PKT 5X50 DISC) Spec: ZINACEF SENSITIVITY DISC (PKT 5X50 DISC)	OXIDE UK OR EQUIVALENT	PKT	6			
157	BD ABG A LINE SYRINGE WITH SMD/BM NEEDLE Spec:	BD OR EQUIVALENT	NO	16000			

GRAND TOTAL (Rs):(2) For Plant & Machinery:
Specification:-

(3) Special Conditions

- 01 Only one rate should be quoted in local currency i.e, Rs / Unit.
- 02 The delivered medicines/store which are subsequently found un-registered or nearing the expiry date at any stage during the currency of the contract, shall have to be replaced by the supplier at its on expense.
- 03 Quotation must remain valid for 90 days from commercial opening.
- 04 Sample are mandatory required for alternate brands alongwith tech. quotation otherwise offer will not be considered.
- 05 Each delivery challan must bear batch No, Date of manufacture and date of expiry of delivered Store alongwith mandatory information to Purchase Section.
- 06 Sales Tax Registration No. issued by Excise & Taxation Department must be given in quotation.
- 07 The supplier is responsible to deliver the medicines as and when required by the purchaser.
- 08 The supplies must be of fresh manufacture and must possess at least 85% to 90% of the labeled life on receipt by the consignee.
- 09 The supplier will make sure that the medicines/Store are not sub-standard and have

PAKISTAN ORDNANCE FACTORIES

SCHEDULE TO TENDER NO. 0006/HOSP/LP/54/LAB ITEMS

12-FEB-25

- prescribed life printed on packing. The medicines shall be delivered in original sealed packing/containers from the manufacturers.
- 10 The delivery is required immediately .The supplier will be bound to supply the store within said period.D.P will not be extended in any case.
 - 11 Brand name must clearly be Mentioned against which the rate is quoted.
 - 12 Supplier must assure the quality of items supplied. In case of any complaint from end user, the supplier will replace the item on his own expense.
 - 13 Only registered suppliers (with Sales Tax & Income Tax Deptt) who are on Active Taxpayer List (ATL) of FBR are eligible to supply goods/services to Government departments.
 - 14 The payment to the registered persons may be linked with the active taxpayer status of the suppliers as per FBR database. If any registered suppliers is not in ATL his payment should be stopped till the mandatory returns and appers on ATL of FBR.
 - 15 Supplier will ensure / provide documentary evidence at the time of payment that he had paid stamp duty @ 0.25% of total value of contract.
 - 16 Therapeutic Goods requiring refrigeration or freezing or those that should not fall below a certain minimum temperature for stability must specifically indicate storage requirements on labels and containers and be shipped in special containers to ensure stability in transit from point of shipment to port of entry.
 - 17 The supplier shall provide such packing of the therapeutic goods as required in the Technical Specification of the Bidding Documents to prevent their damage or deterioration during transit to their final destination as indicated in the contract.The packing shall be sufficient to withstand,without limitation rough handling during transit and exposure to extreme temperatures salt and precipitation during transit and open storage packing case size and weights shall take into considration,where appropriate, the remoteness of the Therapeutic Goods final destination and the absence of heavy handling facilites at all points in transit.
 - 18 The packing ,marking,and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the contract,including additional requirements,if any,specified in SCC, and any subsequent instructions ordered by the procuring Agency.
 - 19 The firm will submit their quotation stricly in complaince with PPRA Rule 2004 and pharmaceutical rule 2006 issued in the gazetted of Pakistan, Extra, July 20, 2022.
 - 20 An Analyzer to be placed in Pathology department FOC till last test for itemNo.58
 - 21 Not only the pharmaceutical item, but also packaging and labeling components (e.g., bottles, closures, and labeling) should also. meet specifications suitable for distribution, storage, and use in a climate similar to that prevailing in the Pakistan. All packaging must be properly sealed and tamper-proof and packaging components must meet the latest compendium standards and be approved for pharmaceutical packaging by the Drug Regulatory Authority of Pakistan (DRAP). The Procuring agency should specify any additional special requirements>
 - 22 The supplier is required to furnish warranty certificate with regard to potency and stability (including coloration of medicine) of the drug for human consumption etc. in accordance with the Drug Act, 1976 and DRAP Act, 2012 and Rules framed thereunder.
 - 23 Therapeutic Goods must have long shelf life/expiry more than 12 months or 70% in case of imported product and 85% in case of locally manufactured product, but not less than 12 months in any case. Procuring agency shall make decision regarding any relaxation in shelf life/ expiry date.
 - 24 After delivery of, drug Medicine at Procuring Agency Premises, PA may send sample from each batch to Central Drug Testing Laboratory (CTDL) or Drug Testing Laboratory for testing.
 - 25 The successful supplier will be required to furnish to the procuring agency:(a) with each consignment, and for each item a DRAP certificate of quality control test result concerning quantitative assay, chemical analysis, sterility, pyrogen content uniformity microbial limit, and other tests, as applicable to the Therapeutic Goods being supplied and the manufacturer's certificate of analysis; (b) Assay methodology of any or all test if requested; (c) Evidence of bioavailability and /or bio-equivalence for

PAKISTAN ORDNANCE FACTORIES

SCHEDULE TO TENDER NO. 0006/HOSP/LP/54/LAB ITEMS

12-FEB-25

certain critical Therapeutic Goods on request. This information would be supplied on a strictly confidential basis only; and (d) Evidence of basis for expiration dating and other stabil

26 For procurement of pharmaceuticals which are to be stored at specific temperature shall require controlled temperatures during transportation. Sufficient arrangement shall be made to transport the required Therapeutic Goods in specific temperature.

(4) Undertaking

Should our offer be accepted, we hereby undertake to supply the stores/render the services contracted on the basis of General Conditions of Contract embodied in Form POF 1281, and to deposit the performance bond within the prescribed time, failing which it will constitute a breach of contract, and POF will have the right to purchase the stores/services elsewhere at our risk and cost.

Place _____	Signature of the Tenderer _____
Date _____	Name _____
_____	Position _____
_____	Address _____
	Income Tax G.I.R. No _____
	Official Stamp _____

**SECTION VI- EVALUATION AND QUALIFICATION CRITERIA
(SAMPLE)**



Sample Qualification and Technical Evaluation criteria

	Parameters	Detail	Total marks	Remarks																		
1	Market experience in quoted items	<table border="1"> <tr> <td>i.</td> <td>Above 5 years</td> <td>5</td> </tr> <tr> <td>ii.</td> <td>3-5 yrs</td> <td>3</td> </tr> <tr> <td>iii.</td> <td>1-2 yrs</td> <td>1</td> </tr> </table>	i.	Above 5 years	5	ii.	3-5 yrs	3	iii.	1-2 yrs	1	5	In case of authorize supplier, original manufacturer experience shall be attached. Experience less than 1 year are not eligible									
i.	Above 5 years	5																				
ii.	3-5 yrs	3																				
iii.	1-2 yrs	1																				
2	Past performance	<p>Major institution served</p> <table border="1"> <tr> <td>i.</td> <td>Above 10</td> <td>10</td> </tr> <tr> <td>ii.</td> <td>8 to 10</td> <td>8</td> </tr> <tr> <td>iii.</td> <td>5 to 7</td> <td>6</td> </tr> <tr> <td>iv.</td> <td>2 to 4</td> <td>4</td> </tr> <tr> <td>v.</td> <td>1</td> <td>2</td> </tr> <tr> <td>vi.</td> <td>No institution served</td> <td>0</td> </tr> </table>	i.	Above 10	10	ii.	8 to 10	8	iii.	5 to 7	6	iv.	2 to 4	4	v.	1	2	vi.	No institution served	0	10	Institution include Government department, hospitals and private hospitals
i.	Above 10	10																				
ii.	8 to 10	8																				
iii.	5 to 7	6																				
iv.	2 to 4	4																				
v.	1	2																				
vi.	No institution served	0																				
3	Credibility and certification	<table border="1"> <tr> <td>i.</td> <td>Valid GMP certificate</td> <td>5</td> </tr> <tr> <td>ii.</td> <td>Valid ISO certification</td> <td>3</td> </tr> <tr> <td>iii.</td> <td>Any other relevant certification</td> <td>2</td> </tr> </table>	i.	Valid GMP certificate	5	ii.	Valid ISO certification	3	iii.	Any other relevant certification	2	10	GMP issued by Drug Regulator Authority of Pakistan is required. Therapeutic goods which are not Registered with DRAP are not eligible.									
i.	Valid GMP certificate	5																				
ii.	Valid ISO certification	3																				
iii.	Any other relevant certification	2																				
4	Financial Status	<table border="1"> <tr> <td>i.</td> <td>Last year audited balance sheet</td> <td>5</td> </tr> <tr> <td>ii.</td> <td>Tax returns last 3 years</td> <td>3</td> </tr> <tr> <td>iii.</td> <td>Bank certificates about wealth, reputation and liquidity status that bidders have never defaulted</td> <td>2</td> </tr> </table>	i.	Last year audited balance sheet	5	ii.	Tax returns last 3 years	3	iii.	Bank certificates about wealth, reputation and liquidity status that bidders have never defaulted	2	10	Bidder can provide more than one certificate which indicates about bidder's financial wealth, liquidity status, reputation that they have never defaulted in financial transactions and letter									
i.	Last year audited balance sheet	5																				
ii.	Tax returns last 3 years	3																				
iii.	Bank certificates about wealth, reputation and liquidity status that bidders have never defaulted	2																				

				of credits.																				
5	Production capacity	Per day production capacity against the quoted items against total advertised quantity <table border="1"> <tr> <td>i</td> <td>1.6-2%</td> <td>5</td> </tr> <tr> <td>ii</td> <td>1.1-1.5%</td> <td>3</td> </tr> <tr> <td>iii</td> <td>1%</td> <td>2</td> </tr> <tr> <td>iv</td> <td>Less</td> <td>0</td> </tr> </table>	i	1.6-2%	5	ii	1.1-1.5%	3	iii	1%	2	iv	Less	0	5									
i	1.6-2%	5																						
ii	1.1-1.5%	3																						
iii	1%	2																						
iv	Less	0																						
6	Product sample	Sample will be examine per following parameters a) Labeling and packing rule 1986 b) Outer packing c) Inner packing d) Physical appearance <table border="1"> <tr> <td>i</td> <td>Excellent</td> <td>5</td> </tr> <tr> <td>ii</td> <td>Good</td> <td>3</td> </tr> <tr> <td>iii</td> <td>Satisfactory</td> <td>2</td> </tr> <tr> <td>iv</td> <td>Unsatisfactory</td> <td>0</td> </tr> </table>	i	Excellent	5	ii	Good	3	iii	Satisfactory	2	iv	Unsatisfactory	0	5	Products that 100% comply with the advertised specification shall be considered for evaluation								
i	Excellent	5																						
ii	Good	3																						
iii	Satisfactory	2																						
iv	Unsatisfactory	0																						
7	Technical staff	<table border="1"> <tr> <td rowspan="2">i</td> <td rowspan="2">Plant manager</td> <td>PHD/ IPHIL</td> <td>2</td> </tr> <tr> <td>Pharm</td> <td>1</td> </tr> <tr> <td rowspan="2">i</td> <td rowspan="2">Production manger</td> <td>PHD/ IPHIL</td> <td>2</td> </tr> <tr> <td>2</td> <td>1</td> </tr> <tr> <td>i</td> <td>Quality surance manger</td> <td>Pharm / MSc hemistry</td> <td>1</td> </tr> <tr> <td>i</td> <td>Quality control manager</td> <td>Pharm / MSc hemistry</td> <td>1</td> </tr> </table>	i	Plant manager	PHD/ IPHIL	2	Pharm	1	i	Production manger	PHD/ IPHIL	2	2	1	i	Quality surance manger	Pharm / MSc hemistry	1	i	Quality control manager	Pharm / MSc hemistry	1	6	Bidder is required to attach relevant attested degree and appointment letter of the concerned staff
i	Plant manager	PHD/ IPHIL			2																			
		Pharm	1																					
i	Production manger	PHD/ IPHIL	2																					
		2	1																					
i	Quality surance manger	Pharm / MSc hemistry	1																					
i	Quality control manager	Pharm / MSc hemistry	1																					

8	Bioequivalence study of the quoted products	Availability of bioequivalence study	3													
9	Ranking of firm	Current ranking according to Sales (pharmaceutical sales index)	6	Attach certificate of current ranking												
		<table border="1"> <tr> <td>i</td> <td>Above 100</td> <td>1</td> </tr> <tr> <td>ii</td> <td>60-99</td> <td>3</td> </tr> <tr> <td>iii</td> <td>30-59</td> <td>5</td> </tr> <tr> <td>iv</td> <td>1-29</td> <td>6</td> </tr> </table>	i	Above 100	1	ii	60-99	3	iii	30-59	5	iv	1-29	6		
i	Above 100	1														
ii	60-99	3														
iii	30-59	5														
iv	1-29	6														
10	Source of Raw Material	<table border="1"> <tr> <td rowspan="2">i</td> <td rowspan="2">Active ingredient</td> <td>Original Manufacture/research molecule /FDA approved</td> <td>5</td> </tr> <tr> <td>Others</td> <td>3</td> </tr> <tr> <td rowspan="2">ii</td> <td rowspan="2">Excipient</td> <td>Original Manufacture/research molecule /FDA approved</td> <td>5</td> </tr> <tr> <td>Others</td> <td>3</td> </tr> </table>	i	Active ingredient	Original Manufacture/research molecule /FDA approved	5	Others	3	ii	Excipient	Original Manufacture/research molecule /FDA approved	5	Others	3	10	Attach certificate
i	Active ingredient	Original Manufacture/research molecule /FDA approved			5											
		Others	3													
ii	Excipient	Original Manufacture/research molecule /FDA approved	5													
		Others	3													
11		Obtained marks=	Total = 70													