

POF 1262-A (INDIGENOUS SUPPLIES)

Government of Pakistan PAKISTAN ORDNANCE FACTORIES TENDER ENQUIRY

To M/s

Dear Sirs,

Reference : TENDER ENQUIRY NO. <u>0069/LP/CMC/54/P-F</u> DATED <u>19-NOV-24</u> You are requested to submit quotations for the item(s) noted in the Schedule to the Tender. Please note the following instructions for filling the tender:-

1. SUBMISSION OF TENDER

1.1 Tenders will be opened at 12:00 hours on 06-JAN-25 at Bid Centre adjacent to Rabita Hall, POf Wah Cantt. Quotation must be submitted electronically on www.ebidding.pof.gov.pk as well as in hard form (duly sealed in envelope) before 30 minutes of opening time. The tender received late will not be entertained. You may witness the opening of the tender if you so desire. If a representative is deputed, he should bring a letter of authority from you.

Tender Enquiry No: 0069/LP/CMC/54/P-F Tender to be opened on: 06-JAN-25 Address as follows:-

(www.ebidding.pof.gov.pk) BID CENTER

ADJACENT TO RABITA HALL

POFs, WAH CANTT.

2. <u>GENERAL INSTRUCTIONS REGARDING PREPARATION OF QUO</u>TATIONS

- 2.1 For Materials, the prices should be filled in column 5 and delivery date in column 7 of the schedule to this Tender Enquiry. As per PPRA Rule 36(b), Single Stage two envelope method will be utilized for "Open competitive bidding." Moreover, technical & commercial evaluation of Bids will be carried out strictly as per PPRA rules and contract(s) will be awarded to the most advantageous bidder(s).
- 2.2 For Plant and Machinery, you are required to quote in two parts:-

Part I "Technical Offer": It should exclusively give technical details and literatures/brochures of the offered plant, machinery and equipment; validity date; delivery schedule; and signed undertaking given on the schedule to this Tender Enquiry. It must not indicate price, costs etc.

Cont...P-2

Part II "Commercial Offer": It should indicate the commercial terms e.g.price, terms of payment, mode of payment, mode of supply.

- 2.3 The quotation must remain valid for, at least 90 days from the date of opening of commercial tenders, extendable if so desired.
- 2.4 The quotation should hold good for any reduced or enhanced quantities without notice.
- 2.5 In the event of non-acceptance of offer, intimation may be given to the Tenderers on their request.
- 2.6 Conditional offers or alternative offers are likely to be ignored.
- 2.7 Quotations should be based on:-

F.O.R. station of dispatch basis, i.e. delivered free on rail, inclusive of packing and forwarding charges. The stores will be booked under Military Credit Note, to be provided by the purchaser.

and/or

Free delivery at POF's stores at **WAH CANTT** In this case Octroi duty, will be payable by the supplier.

- 2.8 Taxes and Duties etc. where applicable, must be shown separately, quoting refrences to Registration No. in cases of Sales Tax and relevent authority in the case of others. Offers without these clarifications and inclusive of Taxes and Duties may be ignored.
- 2.9 Taxes and duties levied on or after Tender opening date or on or after the date offer was signed and dispatched will be allowed to include in the offered rates.
- 2.10 "Suppliers will furnish a certificate, issued by Excise & Taxation deptt:, that he has cleared all Proffessional Tax payable by him" offers recieved without this certificate will be rejected.
- 2.11 Suppliers will render necessary information regarding hazardous effects on environment, of the material/products supplied by them, in their quotations and shipping/dispatch documents.
- 2.12 If the requisite information is not furnished on the T.E forms or offer received is not conformity with the requirement of the T.E such offer shall be ignored.

3. INSPECTION

- 3.1 Supplies shall be subject to the inspection and acceptance by the competent inspection authority nominated by the Purchaser, who will arrange it at his own cost. Inspection facilities such as tools, test equipment, instruments etc will, however, be provided by the Suppliers in accordance with the relevant specifications.
- 3.2 Where considered necessary by the Purchaser, stores may be obtained on Warranty/Guarantee subject to inspection on receipt. Rejected stores will be removed and replaced with the acceptable stores by the Supplier at his own expense, within a specified time.

Contd...P-3

4. TENDER FEE

The tender must be accompanied by a copy of non-refundable fee by means of a crossed postal order/pay order for Rs. 500/- in favour of: **Director-Admin-POFs, Wah Cantt.** The tender fee instrument in original must be provided on day/date of tender opening in the Bid Center.

4.1 <u>TENDER SAMPLE</u>

Where required, offer must accompany tender sample., strictly according to the description and specification given in Tender Enquiry. Offer not accompanied by tender sample will NOT be entertained excepting the established and reputable firms who have either previously satisfactorily supplied the same or similar stores or have submitted an acceptable sample thereof against previous T.E.

5. BID Security

5.1 A copy of Bid Security should accompany the tender in shape of deposit at call receipt/Pay Order/Banker Cheque from scheduled bank drawn in favour of :-

GM-Sourcing Indirect Materials, POFs WAH CANTT.

- 5.2 Bid security instrument in original must be provided on the day/date of tender opeining in the Bid Center as under:
 - a. Registered/indexed firms including foreign firms 2% of quoted value subject to the maximum ceiling of Rs. 0.5 Mn.
 - b. Registered/un-indexed firms including foreign firms 3% of quoted value subject to the maximum ceiling of Rs. 0.75 Mn.
 - c. Unregistered Firms including foreign firms 5% of quoted value subject to the maximum ceiling of Rs. 1.00 Mn.
 - d. Govt organization/production units/state owned enterprises/welfare projects of Svcs HQ Rs 0.50 M. can be waived off on request by DG(C)
 - e. Bid money will be returned to unsuccessful (less first three lowest quotee firms) bidders on opening of commercial offers
 - f. Bid money will be returned to successful bidders on submission of performance bond/unconditional B.G.
 - g. Quotation accompanied with less bid money will be accepted on provisional basis for 10 x days after opening of bids. However the firms are bound to provide/furnish the balance bid money within 10 x days after opening of bid otherwise such quotations will be ignored or rejected
 - h. Offers received without Bid Security will not be entertained.
 - i. Bid money will be forfeited in case the quotation is withdrawn before the expiry of its validity date.

6. ACCEPTANCE OF OFFERS

6.1 POF may reject all bids or proposals at any time prior to the acceptance of bid(s) or proposal, but is not required to justify grounds for its rejection. POF shall incur no liability towards supplier or contractor who have submitted bids or proposals.

6.2 PERFORMANCE BOND

- (a) The successful bidders shall provide performance bond which shall not exceed 10% of contract value, in the form of Deposit At Call Receipt from a scheduled Bank; or, an un-conditional Bank Guarantee on a prescribed format. The performance Bond will be in favour of C.M.A.(POF) Wah Cantt. It will be returned on satisfactory completion of contract.
- (b) If the Supplier fails to furnish the Performance Bond within the specified time, such failure will constitute a breach of the contract and the Purchaser shall be entitled to make other arrangements for purchase of the stores at the risk and expense of the Supplier.

6.4 FAILURE TO SUPPLY THE STORES

All deliveries must be completed by the specified date. In case of failure to deliver the stores within the scheduled time should have arisen from "Force Majeure", which the purchaser may admit as reasonable ground for further time, he will allow such additional time as he may consider to have been required by the circumantances of the case.Otherwise, he will be entitled, at his discretion, to cancel the contract; and/or claim liquidated damages upto 2% but not less than 1% of the contract price of the items and their quantities for each and every month or part of a month, beyond the specified delivery date, during which these may not be delivered, subject to a maximum of 10% of the total contract value of the particular stores which remained unsupplied either in part or in full: or, to purchase from elsewhere, the unsupplied stores at the risk and cost of the supplier.

6.5 PAYMENT

Payment will be made by the CMA(POF) through crossed cheque on receipt/ acceptance of stores on our prescribed bill form supported by receipt voucher on part/full supply basis.

(a) Payment of duties/Taxes including professional tax (where applicable) must be supported by proof of having paid these to concerned Govt. Taxation Deptt.

7. SECURITY OF INFORMATION

The tenderer and his employees must not communicate any information relating to the sale/purchase of stores under this enquiry to any person other than the manufacturer or to any press or agent not authorised in writing by POFs to receive it.

Please return the Schedule to the Tender duly signed by the specified date, alongwith the specifications, drawings etc.if any, enclosed herewith - even if you are unable to quote.

WARNING In case the firm abstain from making offers or fail to return/acknowledge the tender form by the specified date on three consecutive occasions, no further tender enquiry may be issued to them and their names would liable to removed from the approved list.

Yours faithfully

AYESHA BANO MANAGER PURCHASE - II for PAKISTAN ORDNANCE FACTORIES

PAKISTAN ORDNANCE FACTORIES

SCHEDULE TO TENDER NO. <u>0069/LP/CMC/54/P-F</u> <u>19-NOV-24</u>

(1) FOR MATERIALS

(1)	(2)	(3)	(4)	(5)	(6)	(7)
Item No.	Description with Specs. etc.	Unit	Qty	Quoted Value	Price Per Unit FOR or free delivery	Delivery Date
					In Figures In Words	

1	APRON LEATHER 48"X24" (1200 MM X 600 MM) AS PER ATTACHED SPEC. / TECHNICAL DETAIL SIZE AS PER USER REQUIREMENT	NO	94		
2	APRON PVC ACID & OIL PROOF 40"X36" (1000 MM X 900 MM) AS PER ATTACHED SPEC. / TECHNICAL DETAIL SIZE AS PER USER REQUIREMENT	NO	152		
3	APRON PVC ACID & OIL PROOF 1200 MM X 900 MM (48" X 36") AS PER ATTACHED SPEC. / TECHNICAL DETAIL	NO	172		
4	GLOVES RUBBER ACID RESISTANCE 16" B.S - 1651 - 1986 TABLE - 1 K	PAIR	340		
5	SURGICAL GLOVES 7.50" BAIRD & TATLOCK CAT. NO. 222/0620/02. 1987	PAIR	60		
6	GOGGLE ALUMINIUM FRAME TRIPLEX VENTILATED CLEAR GLASSES NO.45 LENCES (FOR USE IN GRINDING WORK) BS-2092/1987	NO	150		
7	GOGGLES DARK BLUE GLASSES FOR STEEL MELTERS BS-2092/1987	NO	174		

Total Rs =
+ GST =
Total value Rs =

(2) For Plant & Machinery: Specification:-

(3) Special Conditions

01. Validity of offer will be considered upto 90 days from the date of opening of commercial offer. 02. Firm will deposit stamp duty 0.25% of total contracted value to concerned revenue office and provide documentary evidence of same at the time of submission of bills.

03. Undertaking of TE duly signed / stamped and Tender Fee both attached with Technical offer must reach in hard form in Bid Center POF Wah Cantt., however soft copy of same should be attached with online Technical offer. Bid Money attached with Commercial offer must reach in hard form, however soft copy of same should be attached with online Commercial offer.

04. The delivery of stores will be required within 03 \mathbf{x} months after issue of contract.

05. The store will be obtained on firm's Warranty / Guarantee. The Manufacturer's Quality and Test Certificate / Report from renowned and Govt. Accredited Lab (S) must be provided for ready reference at the time of bulk supply.

06. Advance sample against item Nos. 01, 02 & 03 are required for test and trial on free of cost basis, within a week after Technical opening at consignee i.e. Dy Director Central Stores & CMC POF Wah Cantt.

- 07 Only one rate should be quoted against description of store on the Tender Schedule and Grand total of offer must be mentioned in your quotation.
- 08 Sales Tax must be shown separately, otherwise, quoted rate will be considered as inclusive of Sales Tax And the same will be deducted from Payment Bills.
- 09 Sales Tax Registration No. issued by Excise & Taxation Department And NTN must be given in Quotation

POF 1262-A

PAKISTAN ORDNANCE FACTORIES

SCHEDULE TO TENDER NO. <u>0069/LP/CMC/54/P-F</u> <u>19-NOV-24</u>

(1)	(2)	(3)	(4)	(5)	(6)	(7)
Item No.	Description with Specs. etc.	Unit	Qty	Quoted Value	Price Per UnitDeliveryFOR or free deliveryDate	
					In Figures In Words	

- 10 Only Registered Suppliers (with Sales Tax & Income Tax Deptt) who are on Active Taxpayers List (ATL) of FBR are eligible to supply Goods/Services to Govt. Deptts.
- 11 The firm is responsible to supply the store according to the Description and Specification as mentioned in the Tender Enquiry.
- 12 All the interested firms are required to submit the doucmentary evidence of their professional, technical, financial, legal & managerial competency of bid evalutaion.
- 13 In case of failure to supply the store within DP, LD will be imposed as per procedure.
- 14 PTC issued by Relevant Province must be provided.
- 15 Firms registered with Securities & Exchange Commission of Pakistan (SECP) will be preferred. However, such firms are required to provide/attach the registration certificate/evidence their of with the quotation for evaluation.
- 16 Un-registerd firms provide 01x year bank statement.
- 17 Tender will be opened online in the presence of the bidders or his / their representative who may choose to be present.
- 18 NTN, PTC, SALE TAX REGISTERATION CERTIFICATE, ATL & UNDERTAKING MUST BE ATTACHED WITH THE QUOTATION.
- 19 Date of receipt of store in POFs will be considered as date of delivery.
- 20 ANY QUANTITY OF STORE, IF FOUND DEFECTIVE WILL ESSENTIALLY BE REPLACED BY THE SUPPLIERS FREE OF COST UNDER HIS OWN ARRANGEMENT
- 21 Inspection Authority: Dir-QA Concerned Or His Authorised Rep
- 22 Material Safety Data Sheet (MSDS) may be provided along with each consignment.
- 23 THE STORE WHERE WARRANTY / GUARANTEE IS APPLICABLE, PERFORMANCE BOND / CDR WILL BE WITHHELD TILL COMPLETION OF WARRANTY / GUARANTEE PERIOD i.e. 12 MONTHS WHICH WILL EFFECTIVE AFTER THE RECEIPT/ACCEPTANCE OF STORES BY THE CONSIGNEE.
- 24 In case of registration with POFs, registration certificate may be enclosed.
- 25 Reputable firms having relevant experience and good performance are eligible to participate in the bid /Tender.

Undertaking

Should our offer be accepted, we hereby undertake to supply the stores/render the services contracted on the basis of General Conditions of Contract embodied in Form POF 1281, and to deposit the performance bond within the prescribed time, failing which it will constitute a breach of contract, and POF will have the right to purchase the stores/services elsewhere at our risk and cost.

Place	Signature of the Tenderer	
Date	Name	
	Position	
	Address	
	Income Tax G.I.R. No	
	Official Stamp	

Sr#	Stock Code	Nomenclature	Specification
01	54-0002-001-11	Apron leather 48''x24'' (1200 mm x 600 mm)	Cow Split Leather. Size: 1.35mm-1.45mm Neck and Waist Straps: 25MM in length (1.35mm-1.45mm thick) Thread: Cotton



Laboratory Apparatus and Scientific Instruments





BAIRD & TATLOCK

CLOTHING (Protective)



222/0530





222/0534

CLOCKS - see TIMERS

CLOTHING (PROTECTIVE)

APRONS, White. PVC proofed and impregnated fabric with polished finish, standard weight, protective and resistant to chemical action, complete with tying tapes. Length overall. mm 915 1065 1067

Length overall, mm	915	1005	1067
Width, mm	610	865	914
Cat. No. 222/0510	/01	/02	/03

APRON, Rubber. Acid resisting, industrial quality, 1067 × 914mm.

.

Cat. No. 222/0530/00

APRON, White. Disposable plastics, pack of 100. Cat. No. 222/0534/00

COATS, Laboratory. and buttoning at fro		drill with	three po	ckets, collar,
Size (chest), cm	92	100	108	116
Cat. No. 222/0550	/01	/02	/03	/04
COATS, Laboratory, static and washable Safety features inclu tenings at side with I kets, one at breast a	up to a r de elasticat high neck.	naximum ed cuffs, l There are t	temperat arge over two velcro	ture of 95°C. lap, stud fas- p-sealed poc-
Size (chest), cm	92	96	100	
Cat. No. 222/0552	/01	/02	/03	
Size (chest), cm	108	112	116	
Cat. No.222/0552	/04	/05	/06	
COATS, Laboratory, female fitting.	Ladies'.	As Cat. N	lo. 222/05	52/00 but in
Size	SW	W	WX	OS
Size (bust), cm	88	96	104	112
Cat. No. 222/0554	/01	/02	/03	/04




International Instruments (Pvt.) Ltd.

FISONS Scientific Equipment

Library

SCIENTIFIC ENGINEERING MEDICAL INSTRUMENTS ENGINEERS SYSTEMS

P.O. BOX NO: 15040 KARACHI 74400



Catalogue









11-1

APRONS ·

Aprons Catalogue No Size (w x l), mm Colour Pack qty Polyethylene, disposable, bib-fronted O SAM-201-W White 650 x 900 100 Polyethylene @ A multi-purpose garment providing protection against stains and unpleasant soiling. Durable enough to re-use but inexpensive enough to discard. Available in two lengths. SAM-210-030M 710 x 1060 White 100 SAM-210-050G 710 x 1220 White 100 **Chemical resistant, PVC** This hardwearing apron is waterproof and resistant to chemicals. It features both neck and waist ties and is ideal where chemical splashing is a problem. SAM-240-A @ 900 x 1210 White each SAM-241-R 900 x 1210 Green each

LABORATORY COATS

Laboratory Coats, polyester cotton @

(02)

(02)

White polyester cotton laboratory coats for men and women, with two side and one top pocket and concealed stud front fasteners. Men's coat features a centre back vent.

Catalogue No	Description	Length, cm	Chest size,	ст
SAS-808-010H	Men's	100	96	
SAS-808-020E	Men's	100	100	
SAS-808-030B	Men's	100	108	
SAS-808-040V	Men's	100	112	
SAS-809-010B	Women's	110	88	
SAS-809-020V	Women's	110	92	
SAS-809-030S	Women's	110	96	
SAS-809-040P	Women's	110	100	
040-003-0401	WUILDEN S	TIU	100	

Laboratory Coats, Howie style

(02)

Designed to conform to Howie report guidelines, side fastening with four layers of fabric the front for extra protection against chemical spillage, specially designed neck band to avoid chin irritation. Two waist high open patch pockets, one extra deep pocket with flap stud, panelled back with side vents for ease of movement. Stud fastening at wrist and all studs are made from stainless steel. (N.B. All garments fasten to the right.) Available in four unisex sizes and in a choice between polyester cotton or 100% cotton.

Catalogue No	Description	Chest size, cm	
SAS-800-010J	Polyester/cotton	92	
SAS-800-020G	Polyester/cotton	100	
SAS-800-030D	Polyester/cotton	108	
SAS-800-040A	Polyester/cotton	116	
SAS-800-050U	100% Cotton	92	
SAS-800-060R	100% Cotton	100	
SAS-800-070X	100% Cotton	108	
SAS-800-080L	100% Cotton	116	


Laboratory Coats, flame retardant

Proban (02)

Made from white cotton drill treated with Proban* flame retardant finish, with press stud front fastening, two side and one top pocket, and side access slit at waist.

* Proban treated fabric does not ignite when in direct contact with flame, but forms a localised 'char'.

Catalogue No	Description	Length, cm	Chest size, cm
SAS-810-030T	Men's	112	96
SAS-810-050N	Men's	112	100
SAS-810-070H	Men's -	112	108
SAS-810-090B	Men's	112	112
SAS-812-030H	Women's	104	88
SAS-812-050B	Women's	104	92
SAS-812-070S	Women's	104	96
SAS-812-090M	Women's	104	100



protective clothing

C Kimberly-Clark (02)

Safety - protective clothing

766





Coveralls, Kleenguard® CP

Designed for short-use tasks in critical areas, specially treated to minimise lint levels. The fabric offers the same high chemical protection qualities as EP Coveralls, but with the added benefit of a heat calendered surface to prevent linting. Designed for use where the process must be protected as well as the operation and laboratory environments. Features include internal stitching, trimmed thread ends and a generous flap over the zip are to reduce contamination. All seams are constructed with three thread overlock stitching at a minimum width of 6mm - eliminating holes or tears from appearing under normal working conditions and further reducing the risk of process contamination.

Catalogue No	Alt. No	Chest, cm	Height,cm	Pack qty
SAS-880-010W	9826	104-112	164–176	25
SAS-880-020T	9827	112-116	176-182	25
SAS-880-030Q	9828	116-128	182–188	25

Coveralls, Kleenguard[®] DP

C Kimberly-Clark (02)

High performance PE coated garments for protection against high volumes of water and aqueous based solutions, or problem liquids such as oils, resins, glues and acids. The T-shape jacket features no zip or seams on the chest, minimising the risk of liquid penetration. The two piece design offers flexibility to fit and ensures greater comfort and mobility for wearer.


Catalogue No	Alt. No	Chest size, cm		Pack qty	
Jackets					
SAS-827-020T	9276	108-112		10	
SAS-827-030Q	9277	112-120		10	
SAS-827-040N	9278	120–133	÷.	10	
	Alt. No	Waist, cm	Inside leg, cm	Pack qty	
Trousers			om		
SAS-837-020M	9271	92-96	76	10	
SAS-837-030J	9272	96-108	79	10	
SAS-837-040G	9273	108-120	81	10	

Coveralls, Kleenguard® DP

C Kimberly-Clark

One piece Coverall, blue, elasticated hood, waist cuffs and ankles. Seams designed and located for maximum protection

Catalogue No	Alt. No	Chest size,	Height, cm	Pack qty
SAS-850-010U	9196	<i>cm</i> 108–112	164-176	10
SAS-850-020R	9197	112-120	176-182	10
SAS-850-030X	9198	120-133	182-188	10



Accessories,	Kleenguard [®] DF	5	Cimberly-Clanic
Catalogue No	Alt No	Length, cm	Pack qty
Long Apron, Blue SAS-855-500T	8285	135	50
Arm Cover, Blue E SAS-855-510Q	l asticated 8286	49	200

Chemical splash protection



Water Spray

Anti-static

Protection


Heavy












-800 on tube





STIRRING RODS

RND-450-F RODS, STIRRING, glass 200mm long, 7mm diameter, with fused ends. Pack of 10 (c) £2.45

rods

RND-480-H RODS, STIRRING, glass 230mm long, 6mm diameter, one end rounded, other end with flat button for crushing small crystals. Pack of 6 (c) £3.25

RND-560-N RODS, STIRRING, polypropylene 150mm long, 6mm diameter, one end rounded, other end with flat button. Pack of 6 (c) £4.00

POLICEMEN

RND-800 POLICEMEN, PVC tubes

Approximately 40mm long, closed at one end for stirring rods, etc. and for use as temporary closures when glassblowing.

Type No.	Internal diameter, mn	n	Pa	ck of 25
0500	4.5		(c)	£2.60
070K	6	,	(C)	£2.60

RULES

See RUL-150 et seq. in the Physics Section.

SAFETY AND PROTECTION

APRONS

SAM-200-F APRONS, polythene Expendable, bib-fronted. Intended to be throw	n away when	contar	ninated.
Size 900×650mm.	Pack of 25	(c)	£4.65
SAM-240-A APRON, PVC White bib-fronted, size 1000×900mm.		(c)	£5.45
SAM-280-S APRON, fabric supported acrylc Bib-fronted, size 1000×900mm.	onitrile	(c)	£8.70

COATS

SAM-420 COATS, LABORATORY, for men

White polyester/cotton, front fastening with sewn-on buttons and centre back vent. With two side patch pockets and top pocket. Length approximately 105cm.

Type No.	Chest, cm (in.)	1 0425 (5 8.2	Each
030M	96 (38)	(m)	£10.20
050G	100 (39.5)	(<i>m</i>)	£10.20
070A	108 (42.5)	(m)	£10.20
090R	112 (44)	(m)	£10.20

SAM-425 COATS, LABORATORY, for women

White polyester/cotton, front fastening with sewn-on buttons and centre back vent. With two side patch pockets and top pocket. Length approximately 105cm.

Type No.	Bust, cm (in.)		Each
030F	88 (35)	(m) ·	£9.75
050W	92 (36.5)	(m)	£9.75
0700	96 (38)	(m)	£9.75
090K	100 (39.5)	<i>(m)</i>	£9.75