



GOVERNMENT OF PAKISTAN
PAKISTAN ORDNANCE FACTORIES
TENDER ENQUIRY

To,

M/s _____

Dear Sirs,

Reference: **TENDER ENQUIRY NO. 5167-106-FP-CAPT-SJL DATED 26-03-2025**

You are requested to submit quotations for the items(s) noted in the Schedule to the Tender. Offers should be sent duly sealed in an envelope. Please note the following instructions for filling the tender:-

1. **SUBMISSION OF TENDER**

1.1 Tenders will be opened at **1130 Hours** on **20-05 -2025** at Room No. 01, Bid Center near Rabta Hall POF Wah Cantt and must reach this office on or before **1100 Hours** up to due date. The tender received late will not be entertained. You may witness the opening of the tender if you so desire. If a representative is deputed, he should bring a letter of authority from you.

1.2 Only one tender should be included in one envelope. The outside of the envelope should be inscribed with:-

Tender Enquiry No: **5167-106-FP-CAPT-SJL**

Tender to be opened on: **20 -05-2025**

Address as follows:- **ROOM NO. 01, BID CENTER NEAR RABTA HALL**
POF WAH CANTT

1.3 If envelope does not indicate reference of TE or received late, the same may be returned un-opened.

2. **GENERAL INSTRUCTIONS REGARDING PREPARATION OF QUOTATIONS**

2.1 For materials, the prices should be filled in column 5 and delivery date in column 6 of the schedule to this Tender Enquiry. The undertaking should be signed at the bottom of the Schedule which shall form the Quotation. You may use a separate sheet if necessary.

2.2 **For Plant and Machinery, you are required to quote in two parts:-**

Part I "TECHNICAL OFFER" It should exclusively give technical details and literatures/brochures of the offered plant, machinery and equipment, validity date, delivery schedule and signed undertaking given on the schedule to this Tender Enquiry. It must not indicate price, costs etc.

Part II "COMMERCIAL OFFER" It should indicate the commercial terms e.g. price, terms of payment, mode of payment, mode of supply.

Each part should be placed in a separate sealed cover. The envelopes should be inscribed with: Part I **"TECHNICAL QUOTATION WITHOUT PRICE"** and Part II **"COMMERCIAL QUOTATION WITH PRICE."**

2.3 The quotation must remain valid for at least 90 days from the date of opening of tenders.

2.4 The quotation should hold good for any reduced or enhanced quantities without notice.

2.5 In the event of non-acceptance of offer, intimation may be given to the bidders on their request.

2.6 Conditional offers or alternative offers are likely to be ignored.

2.7 Quotations should be based on F.O.B. The consignment will be shipped through Pakistan National Shipping Corporation (PNSC). In case there is no PNSC service in the country of shipping, please quote on C & F basis. The freight should be indicated separately. Insurance premium should not be included in the quoted price. However where insurance is considered necessary, advice to that effect should be given in the quotation.

2.8 Submission of the offer through an agent in Pakistan should be avoided. In case it is considered inevitable, the agent's quotation must invariably be accompanied by the original proforma invoice from the principals/ manufacturers.

2.9 Country of origin and Port of shipment to be stated.

2.10 The offer of principal must clearly indicate whether the rate quoted is inclusive of agent's commission, and if inclusive rate of commission included be specified.

2.11 Suppliers will render necessary information regarding hazardous effects on environment, of the materials/products supplied by them, in their quotations and shipping/Dispatch documents.

2.12 If the requisite information is not furnished on the TE form or offer received is not in conformity with the requirement of the TE, Such offer shall be ignored.

3. **INSPECTION**

3.1 Supplies shall be subject to the inspection and acceptance by the competent inspection authority nominated by the Purchaser, who will arrange it at his own cost, inspection facilities such as tools, test equipment, instruments etc will, however, be provided by the Suppliers in accordance with the relevant specifications.

3.2 Where considered necessary by the Purchaser, stores may be obtained on Warranty/Guarantee, subject to inspection on receipt. Rejected stores will be removed and replaced with the acceptable stores by the Supplier at his own expense, within a specified time.

3.3 **TENDER SAMPLE**

Where required, offer must accompany tender sample strictly according to the description given in Tender Enquiry. Offer not accompanied by tender sample will NOT be entertained excepting the established and reputable firms who have either previously satisfactorily supplied the same or similar stores or have submitted an acceptable samples thereof against previous TE.

4. **ACCEPTANCE OF OFFERS**

4.1.1 The procuring agency may reject all bids or proposals at any time prior to the acceptance of a bid or proposal. The procuring agency shall upon request communicate to any supplier or contractor who submitted a bid or proposal, the grounds for its rejection of all bids or proposals, but is not required to justify those grounds.

4.1.2 Procuring agency shall incur no liability, solely by virtue of its invoking sub-rule (1.1) towards suppliers or contractors who have submitted bids or proposals.

4.1.3 Notice of the rejection of all bids or proposals shall be given promptly to all suppliers or contractors that submitted bids or proposals.

4.2 **PERFORMANCE BOND**

(a) The successful bidders will provide Performance Bond at the rate up to 10% of F.O.B. value of contract in favor of the Controller Military Accounts (CMA) POF Wah Cantt. The Performance Bond will be furnished in the form of Deposit at

Call Receipt (CDR) from any scheduled Bank in Pakistan or an unconditional bank guarantee on prescribed proforma covered by any scheduled bank in Pakistan. The Performance Bond shall be furnished within 45 days from the date of opening of Letter of Credit. It shall be valid for a period of 12 months after the date of expiry of letter of credit. If the Performance Bond is not furnished within the prescribed time of 45 days, the Purchaser reserves the right to:

- i. Impose penalty @ 1 % per month of the value of CDR/BG.

(Clause-4.2 (a i) is not applicable in case of procurement of Plant / Equipment / Machinery items)

OR

- ii. Cancel the contract and make other arrangements for purchase of the stores at the risk and expense of the Supplier.

(b) No Performance Bond will be required if the total FOB value of the contract is less than US\$ 50,000 and contract is placed directly on the foreign Supplier.

4.3 **FAILURE TO SUPPLY THE STORES**

All deliveries must be completed by the specified date. If the failure to deliver the stores within the scheduled time should have arisen from "Force Majeure", which the Purchaser may admit as reasonable ground for further time, he will allow such additional time as he may consider to have been required by the circumstances of the case. Otherwise, he will be entitled, at his discretion, to cancel the contract; and/or, claim liquidated damages up to 2% but not less than 1% of the contract price of the items and their quantities for each and every month or part of a month, beyond the specified delivery date, during which these may not be delivered, subject to a maximum of 10% of the total contract value of particular store which remained unsupplied either in part or in full or, to purchase, from elsewhere, the unsupplied stores at the risk and cost of the Supplier.

4.4 **PAYMENT**

All Bank charges incurred in Pakistan in connection with the establishment of LC will be borne by the Purchaser, whereas all Bank charges incurred in connection with drawing of payment including charges for confirmation of LC by the advising Bank/Foreign Bank will be borne by the Supplier.

5. **SECURITY OF INFORMATION**

5.1. Bid Security should accompany the tender in shape of deposit at call receipt / Pay Order/ Banker Cheque from scheduled bank drawn in favor of **GM-PPC, POF Sanjwal Cantt.**

5.2 Bid security instrument in original must be provided on the day/date of tender opening in the Bid Center as under:

- a) Registered / Indexed firms including foreign firms – **2 %** of Quoted value subject to maximum ceiling of Rs. **0.5 Mn.**
- b) Registered / Un-Indexed firms including foreign firms – **3 %** of Quoted value subject to maximum ceiling of Rs. **0.75 Mn**
- c) Un-registered Firms including foreign firms - 5% of quoted value subject to the maximum ceiling of Rs. 1.00 Mn.
- d) Govt. organization/production units/state owned enterprises/welfare projects of Svcs HQ - Rs 0.50 Mn
- e) Bid money will be returned to unsuccessful (less first three lowest quote firms) bidders on opening of commercial offers.
- f) Bid money will be returned to successful bidders on submission of performance bond/unconditional B.G.

- g) Bids will be conditionally accepted if Bid Money deposited by firms is less than the given amount. However, the firms will be required to deposit additional amount within 10 x days after opening of bids.
- h) Offers received without Bid Security will not be entertained.
- i) Bid money will be forfeited in case the quotation is withdrawn before the expiry of its validity date.

6. **WARNING**

In case the firm abstain from making offers or fail to return/acknowledge the tender form by the specified date on three consecutive occasions, no further tender enquiry may be issued to them and their names would liable to be removed from the approved list.

Yours faithfully,

(Sajjad Safdar Khan)
Managing Director
POF Sanjwal

E-mail: mdsjl@pof.gov.pk

Schedule to Tender Enquiry No. 5167-106-FP-CAPT-SJL Dated: 26.03.2025To be Opened on 20 -05-2025

Sr.#	Description Of Store	A/U	Qty	Price Per unit	Delivery Date/Period
02.	Mechanical Press Capacity 10 Tons Duly tooled Up ON Cup Closing & Cup Primer M-82	Off	02		

7. SPECIAL TERMS & CONDITIONS:**7.1 For Foreign Suppliers Only**

- Payment will be released through LC against shipping documents and acceptance certificate by PSI team.
- Firm will provide Performance Bond @10% at FOB value of contract after issuance of LC
- Firm will provide Warranty/Guarantee certificate valid for 12 x months after successful installation/commissioning and FAT of the machine.
- All Chinese and Hong Kong firms are required to quote prices in Chinese Yuan

7.2 For Indigenous Suppliers Only:

- Any eligible indigenous bidder can offer on FOR basis.
- Tender Fee: tender must be accompanied by a non refundable fee by means of cross Pay order of Rs. 500/- in favor of MD POF Sanjwal.
- Bid Money: Bid Money @ of 2% for registered firms and 5% for unregistered firms of the quoted value in the form of CDR in favor of GM PPC POF Sanjwal.
- Tender received without tender fee and bid money shall be rejected.
- Only registered supplier with sales tax and income tax departments who are on active tax payers list (ATL) of FBR are eligible to participate in the bid.
- NTN & PTC certificates duly attested by Gazetted class-1 Officer must be attached with the bid.
- Rates & Taxes must be shown separately otherwise rate will be considered inclusive of taxes.
- Indigenous suppliers are required to quote their prices in PKR.
- 100% Payment will be made after acceptance / FAT of store at POF Sanjwal.

8. UNDERTAKING

Should our offer be accepted, we hereby undertake to supply the stores/render the services contracted on the basis of general conditions of contract embodied in form POF-1281, and to deposit the performance bond within the prescribed time, failing which it will constitute a breach of contract and POF will have the right to purchase the stores/services elsewhere at our risk and cost.

Place _____
Date _____
Stamp _____
Address _____

Signature of the Tenderer _____
Name _____
Position _____

Technical Specification of Mechanical Press

1. **Nomenclature:**

Mechanical Press 10 Tons

2. **Quantity:** 02 off

3. **Technical Requirements:**

a. The machines will be tooled up on the following operations:

S. No	Operation	Input Material	Drawing No. of Output Component	Qty of Machines	Output of the machine
i.	Blanking of Cup Closing	Brass Strip	PDO/H/COM-1087 (Annex-C10a)	01	480 Nos. to be produced in single shift of 08 x working Hrs per machine
ii.	Blocking of Cup Primer	Brass Component as per Drg. No. PDO/H/COM-1084 (Annex-C10b)	PDO/H/COM-1086 (Annex-C10c)	01	480 Nos. to be produced in single shift of 08 x working Hrs per machine

b. The machines required to be tooled up on above components however; machines should be flexible enough to accommodate various types of jobs as per machine capacity / capability. For reference purpose, list of other types of jobs will be shared.

c. Machine should be capable to manufacture various types of components from Brass, Aluminum & Mild Steel.

4. **Technical Specifications of Machine / Press:**

Sr. #	Features:	Unit	Parameters
a.	Type: Mechanical Press Construction: press shall have rigid cast iron base to ensure Working Range		
	Total tonnage (Nominal Pressure)	Tons	10
	Ram Stroke	mm	50 minimum
	No. Of Ram Stroke per minute	No.	80 minimum
	Die Space (Distance from table to bottom of Ram, adjustment up and stroke down)	mm	180 minimum
	Ram adjustment	mm	35 minimum
	Depth of Throat (Centerline of ram to frame)	mm	100 to 130
	Table Dimension	mm	As per OEM
	Ram Bottom Dimension (Front to Back) (Right to Left)	mm mm	130 to 150 150 to 170
	Dimension of Hole in Ram for receiving Punch Shank (Diameter)	mm	25 to 30
	Dimension of Hole in Ram for receiving Punch Shank (Depth)	mm	40 to 60

	Distance between uprights	mm	150 to 180
	Distance from table to Guideways	mm	220 to 250
	Max angle of frame inclination	-	300°
	Motor Power	KW	1.1 (Speed 930 RPM)
	Stroke Counter	-	To be incorporated
	Table T-Slots	-	As per OEM
b.	Electrical components	As per OEM	
	Selector switches		
	Push buttons with indicating lights for movement of inner cylinder		
	Push buttons with indicating lights for movement of outer cylinder		
	Limit switches		
c.	Lubrication system	As per OEM	
	Automatic lubrication system is required for the press.		
d.	Clamping system – standard equipment	Required	
	Holders & related equipments Different types (standard)		
e.	Frame	Vertical	
	Vertical		
f.	Control system is required (Firm to specify)		

5. **Essential Characteristics of Machine:**

- Built-in voltage stabilization.
- Electrical Controls as per OEM.
- Table & Ram of the Press should be perfectly aligned to each other to obtain high accuracy & precision press operations.

6. **Accessories & Additional Requirements:**

- Automatic centralized lubrication system.
- Working Area light
- Universal vices.
- Isolation transformer suitable for machine.
- System should be safe to handle spike and surge. (Transient).
- The supplier will provide complete tool kit for electrical, Instrument & mechanical maintenance of machine (01 each).
- Complete set of measuring instruments be provided along with machine. That must include set of internal & external micrometres (metric), set of vernier callipers, dial indicators along with magnetic stands (0.001mm) etc. (01 each).
- A detail foundation plan and design will be provided by supplier.

7. **Applicable Standards:**

- For Machine accuracies, latest issued standards are enforced at the time of placing order, shall govern various aspects of the work, as mentioned at Para 4/N.
- Facilities for inspection such as tools, test equipment, instruments etc would be provided by the suppliers in accordance with the relevant specifications.

i.	ISO 230-1-2012	Geometric accuracy of machine
ii.	ISO 230-2-2012/2014	Determination of accuracy and repeatability of position
iii.	VDI-DGQ 3441	
iv.	ISO 230-5:2000	Noise emission

v.	ISO 841:2001 (E)	Dealing with coordinates X,Y,Z
vi.	ISO 16090-1: 2022	Safety requirements and protective measure

8. Tooling:

- a. The Press machines should be supplied duly tooled up on components stated at para 3/N (Drawing attached) along with jigs & fixtures.
- b. Tooling/equipment sufficient for 2 x years production (4000 working hrs) must be supplied by the supplier. Detailed item wise list would be provided.
- c. Quick change over of tooling is to be ensured.
- d. Detail item wise list is to be provided along with unit rates in commercial offer.
- e. Supplier will provide the life cycle graph of tooling
- f. Requirement of additional 01 x set of Jigs & fixtures (01 x with each press).

9. Spares:

- a. Backup support for provisioning of spares for 15 x years.
- b. Electrical, Mechanical and Electronic spare parts for two years essential maintenance and operation (will be used after warranty guarantee are to be supplied).
- c. Detail item wise list is to be provided along with unit price in commercial offer.

10. Documentations / Literature & Backup:

Literature must be in English language inclusive but not limited to:

- a. 04 x sets of operating manuals.
- b. 04 x sets maintenance manuals including; Details of electric schematics, flow diagrams of hydraulic and pneumatic systems, electrical and mechanical laying diagrams.
- c. All machine installation drawings are required including but not limited to civil foundation drawings, electrical power source and cable layout, compressed air lines.
- d. Spare part list would be provided along with specification and OEM order code.

11. Site Conditions & available Services:

- a. Temperature:
 - Winter = 0 to + 20 °C
 - Summer = + 20 to 55 °C
- b. Relative Humidity = 25 to 90%
- c. Earthquake value will be mentioned if the OEM requires vibration free foundation
- d. Electricity 400 Volts, 50 Hz, Three Phases. } $\pm 05 \%$ in normal conditions.
- e. Electricity 230 Volts, 50 Hz, Single Phase. } $\pm 10 \%$ in contingency conditions
- f. Compressed air pressure 5 to 6 bar (Max)

12. First Filling of Lubrication:

- a. The oil and process lubricants required for capacity run, FAT and onwards for one-year production shall be supplied by the supplier with no additional cost.

13. Safety:

- a. The Machine should be equipped / provided with all safety gadgets / accessories.
- b. Noise level must be less than 85 db, for each machine.
- c. The equipment should be earthed (less than 1Ω).
- d. All motors should be equipped with standard safety protections and fulfil IP52 or above ratings.

14. Operation Cycle Time:

- 480 Nos. of **Cup Closing as per drawing No. PDO/H/COM-1087** to be produced in single shift of 08 x working Hrs per machine.
- 480 Nos. of **Cup Primer as per drawing No. PDO/H/COM-1086** to be produced in single shift of 08 x working Hrs per machine.
- Overall Equipment Efficiency (OEE) not less than 90%.

15. Backup Service Support

The supplier shall confirm that after installation of Presses, there shall be backup support at least 15 years as and when required by the purchaser. In addition, the purchaser shall be kept informed regarding latest advancement in the related technology for further improvement in the production and operation of machines.

16. Training:

- a. The supplier will provide training to POF personnel at no additional cost to the extent of 08 men for 03 weeks in the field of machine setting, operating of machine, inspection, mechanical, electrical & electronics maintenance, instruments and software related to machine at supplier's or its sub contractor's premises.
- b. Training will be imparted to the officials in parallel to the PSI of the machine.
- c. Expenses of POFs personnel on training at Supplier's premises including boarding, lodging, return Air Tickets & Daily allowance etc. will be borne by the purchaser.

17. Pre-Shipment Inspection:

- i. Supply of machines shall be subject to Pre-Shipment Inspection (PSI) and acceptance by the designated 02x officers for 02x weeks in parallel to Training team.
- ii. The supplier shall provide Assembly & Test protocol during PSI including assembly of Control panel, Pneumatic system, Hydraulic system and electrical components.
- iii. The machine will be inspected as per standard mentioned in Para 4/N. However, the inspection facilities such as tools, test equipment, instruments etc would be provided by the supplier in accordance with relevant standard / specifications.
- iv. The machine will be subjected to pre-delivery inspection for accuracy test at Supplier's premises in the presence of rep(s) of Purchaser. The machine should clear the capacity test for the manufacturing of components mentioned in Para-3/N (a) and Para14/N.
- v. During PSI 4400 x components (2200 Nos. of Cup Closing and 2200 Nos. of Cup Primer) will be produced. There should be no stoppage of Press, and produced components should conform in relevant gauges.

- vi. The components produced from the input material must clear the dimensional inspection and visual requirements as per relevant drawing and as per following criteria:
 - i. **Visual Inspection:** Components produced would have conformity as per drawings.
 - ii. **Dimensional Inspection:** Components would have to qualify in dimensions as per relevant drawings.
 - iii. **Critical inspection:** 25 x Components produced would be selected for critical inspection to ensure the dimensions as per relevant drawings.
- vii. Required Gauges for PSI will be provided by purchaser whereas Brass blanks / Raw material will be arranged by the supplier. Finished components will be returned back by supplier.
- viii. Tooling & lubricants used during PSI will be provided by Supplier.
- ix. Rejected machine/ equipment will be removed and replaced with the acceptable one by the Supplier at his own expense, within a specified time. The supplier will render warranty / guarantee certificate as per **Annex “D”**.
- x. Expenses of POFs personnel at Supplier’s premises including boarding, lodging, return Air Tickets & Daily allowance etc. will be borne by the purchaser.
- xi. The machine & equipment will be dispatched only after the receipt of pre-delivery trials acceptance certificate from purchaser, certifying that the machines & equipment have qualified the function / quality test and components produced have been passed in gauges requirements.

18. Installation & Commissioning:

- a. Upon delivery, all packages will be inspected for damages and appropriate reports prepared. All packages, upon opening at purchaser premises will be inspected by reps of both purchaser and supplier. On written authority, the purchaser is entitled to open and inspect the packages without the seller’s rep being present. If at the time of taking delivery, from the carrier’s or on receipt at purchaser premises, the supplies are found to suffered loss / damage. It will be decided by mutual consent of both the parties (i.e reps of purchaser and supplier) as to the nature, mode and extent of making good the deficiency. Any shipment containing quantities less than that shown, in the related shipping documents will be made good by the supplier.
- b. The machines shall be commissioned and trial production of the machines shall be carried out by supplier’s engineers. However, Purchaser shall provide required number of operators and technicians for the commissioning and trial production of the machine.
- c. The supplier is to indicate the total man-weeks of his engineers / technicians required for installation, commissioning and trial production of the machine. Terms and conditions are to be stated clearly. All expenses, including boarding & lodging, air travel and daily allowances of the engineers / technicians are to be borne by the supplier. Local transportation shall be arranged by the Purchaser.
- d. The supplier is to indicate the time schedule for the completion of whole project.
- e. Machine layout diagram will be provided by the firm well before shipment of machine.

- f. The oil and process lubricants required 1st time to run the machines for one year shall be supplied by the supplier.

19. Final Acceptance Test (FAT):

- i. Final acceptance test will be performed at purchaser premises. This test will be carried out with the technical assistance of the supplier and will comprise successful production of acceptable quality of components as per Specified drawing, visual inspection and specified gauges.
- ii. **Machine Capacity Run:** Machine will be given capacity run for 14 days in customer premises. Output of machine in terms of production capacity (6500 Nos. of Cup Closing & 6500 Nos. of Cup Primers) & quality will be checked as mentioned in operation cycle. The components produced from the input material must qualify all the specified gauges as per drawing requirements. Any rejection or production failure due to non-qualification of components or machine failure, FAT will be restarted.
- iii. The components so produced should conform to the standards / criteria laid down in the drawings mentioned by measurement and visual inspection. If the specified production of the machine is not achieved within stipulated period after the effective date of contract, the supplier experts will stay at suppliers cost till the production has been achieved provided such delays are attributable to supplier. Components produced from the input material provided by the purchaser must clear the following criteria.

Visual Inspection: Components produced would have conformity as per drawings.

Dimensional Inspection: Components would have to qualify in dimensions as per relevant drawings.

Critical inspection: 15 x Components each from Operation (i) and (ii) produced would be selected for critical inspection to ensure the dimensions as per relevant drawings.

- iv. The supplier experts will stay, at supplier cost till the production has been achieved provided such delays are attributable to supplier. Supplier experts should stay for 01 week after successful FAT to look after / handle the machine problems at supplier's expense.
- v. Tooling, Spares and Process lubricants consumed during trial production run will be in addition to the original contracted/ supplied quantities by the supplier.
- vi. In case, the machine could not be commissioned by the OEM, the same will be commissioned by utilizing locally available expertise at the risk and cost of the OEM.
- vii. Delay penalty will also be imposed @ 2% per month or not more than 10% of contracted value for the delayed despatch to Purchaser and installation & commissioning of machine; achievement of production run of the machine beyond the schedule date of final acceptance and will be deducted from balance 30% payment.

20. Payment Terms & Conditions:

Payment terms & conditions are negotiable. Payment will be released through LC against shipping documents including acceptance certificate by PSI team, 10% performance bond at FOB value of contract and warranty/ guarantee certificate valid for 12x months after successful installation & commissioning of the machine. The

general conditions of performance bond and payment are as under: However, firm has to provide following documents for release of payment as per accepted.

a. **Performance Bond:**

- i. The Supplier shall provide a Bank Guarantee to the tune of 10% of total FOB value of the contract on the prescribed Proforma for satisfactory execution of the contract. It shall be issued by any scheduled bank in Pakistan. The Bank Guarantee shall be endorsed in favor of CMA (POF) Wah Cantt, who is the Accounts Officer specified in the contract. The CMA (POF) Wah Cantt shall have the like power of seeking encashment of the Bank Guarantee as if the same has been demanded by the Purchaser himself. **The Performance Bank Guarantee shall be furnished by the Supplier within 45 days from the date of opening of Letter of Credit. The validity of Bank Guarantee to be 12 months from completion of successful installation and commissioning.**
- ii. If delivery period is extended, the Supplier shall arrange the extension of Bank Guarantee within 30 days from the date of amendment of LC. If the guarantee is not revalidated the same is liable to be en-cashed by the CMA (POF) Wah cantt.
- iii. If the supplier fails to furnish the Bank Guarantee within specified period, the Purchaser reserves the right to cancel the contract and has the right to purchase the stores at the risk and expenses of the supplier.
- iv. On satisfactory performance of the contract, the Bank Guarantee shall be returned to the supplier by CMA Wah Cantt after 12 months from FAT i.e. after completion of warranty / guarantee period. In the event of unsatisfactory performance or any breach of the contract, Bank Guarantee shall be forfeited by the Purchaser.

b. **Payment:**

Payment will normally be made by means of irrevocable letter of credit. Unless otherwise stated 70% payment may be released on submission of despatch documents to Bank along with pre-shipment inspection acceptance certificate from the purchaser. Remaining 30% payment will be released after installation, commissioning and satisfactory completion of trial run of the machines at purchaser premises against the final acceptance test certificate issued by the Purchaser.

All Bank charges incurred in Pakistan in connection with the establishment of LC will be borne by the Purchaser whereas all Bank charges incurred in connection with drawing of payment including charges for confirmation of L.C. by the advising Bank/Foreign Bank will be borne by the Supplier.

21. Delivery Schedule:

- a. Delivery period 06x months after establishment of LC
- b. Delivery of machine will be made on C&F basis.

22. Warranty Guarantee:

- a. The Presses and accessories shall be accepted on Supplier's Warranty / Guarantee with regard to quality and quantity subject to these being technically checked/tested and accounted for on arrival at Consignee's ware-house in the presence of supplier's rep (if desired by supplier) at their cost.
- b. The supplier shall render Warranty / Guarantee certificate in duplicate to the Purchaser on the enclosed Proforma attached as "**Annex-D**" as soon as stores have been despatched/delivered. This Warranty / Guarantee shall be binding on

the Supplier for a period of 12 months reckoning from the date of the successful completion of FAT of the machines.

- c. In case the stores on checking / test after receipt at Consignee's warehouse are found not conforming strictly to the relevant specification and other particulars are found damaged during transit, the Supplier shall Immediately replace the rejected/damaged stores by acceptable stores, free of cost, and without any obligation to the Purchaser. Rejected / damaged stores shall be disposed off by the Supplier under his own arrangements.
- d. The supplier shall warranty the good quality of all equipment supplied against all defects or failures due to faulty design, material, or workmanship.
- e. The supplier shall also provide Guarantee for meeting the requisite quality and quantity of products. In case of any deficiency in term of quality or quantity of products, all related expenditure to fulfil commitment shall be borne by the supplier.

23. Country of Origin:

- a. Europe, UK, USA, Japan, Turkiye and South Korea or any other country having license from OEM of these origins for machine manufacturing.

24. Colour:

- a. Preferably RAL-6011 (Reseda green)