Tel. # 0092-51-905529201

Fax # 0092-51-9271400 & 9314100

Email: mdexp@pof.gov.pk



GOVERNMENT OF PAKISTAN PAKISTAN ORDNANCE FACTORIES TENDER ENQUIRY

To,

Dear Sir,

Reference: T.E # Wah-1800-12-BLU(TBP)-D.O (JBHC) Dated 20th December 2024

You are requested to submit quotations for the item(s) noted in the Schedule to the Tender. Offers should be sent duly sealed in an envelope. Please note the following instructions for filling the tender: -

1. **SUBMISSION OF TENDER**

- 1.1 Tenders will be opened at **1100** hours on **23rd January 2025** and must reach as per address given below on or before **1030** Hours upto due date. The tender received late will not be entertained. You may witness the opening of the tender if you so desire. If a representative is deputed, he should bring a letter of authority from you.
- 1.2 Only one tender should be included in one envelope. The outside of the envelope should be inscribed with:-

Tender Enquiry No: Wah-1800-12-SM(TBP)-D.O(JBHC)

Tender to be opened on: 23rd January 2025

Address: - Bid Center, CR Section, C-04 Building,

POF Wah Cantt

Tele: - 0092-51-9055-29201 Fax: -0092-51-9271400

- 1.3 The bids received in factories will not be entertained.
- 1.4 If envelope does not indicate reference of T.E or received late the same may be returned un-opened.

2. GENERAL INSTRUCTIONS REGARDING PREPARATION OF QUOTATIONS

2.1 Case will be processed exactly as per **PPRA Rules 36(d)** in favor of most advantageous bid and **two stage two envelope bidding procedure** will be utilized for open competitive bidding. The prices should be filled in column 4 and delivery date in column 5 of the schedule to this Tender Enquiry. The undertaking should be signed at the bottom of the Schedule which shall form the Quotation. You may use a separate sheet if necessary

2.2 For Plant and Machinery, you are required to quote in two parts:-

Part I "TECHNICAL OFFER" It should exclusively give technical details and literatures/brochures of the offered Drum Type Rotary Blending Unit alongwith essential accessories to homogenize Triple Base Propellants, validity date, delivery schedule and signed undertaking given of the schedule to this Tender Enquiry. It must not indicate price, costs etc. Only confirmation regarding submission of Bid Money may be notified with technical proposal.

Part II "COMMERCIAL OFFER" It should indicate the commercial terms e.g. price, terms of payment, mode of payment, mode of supply.

The commercial offer shall include separate price of;

- i. Drum Type Rotary Blending Unit alongwith essential accessories to homogenize Triple Base Propellants along with necessary accessories
- ii. Spares
- iii. Erection, Commissioning & Trial Production Run
- iv. Documentation
- v. Training (Abroad & Onsite)
- vi. Total Price

Each part should be placed in a separate sealed cover. The envelopes should be inscribed with: Part I "Technical Quotation without price" and Part II "Commercial Quotation with Price."

- 2.3 The quotation must remain valid for, at least <u>120 days</u> from the date of opening of tenders.
- 2.4 The quotation should hold good for any reduced or enhanced quantities without notice.
- 2.5 In the event of non-acceptance of offer, intimation may be given to the Tenderers on their request.
- 2.6 Conditional offers or alternative offers are likely to be ignored.
- 2.7 Quotations should be based on **F.O.R** or **F.O.B**:
 - a) In case of F.O.R Basis Supply:
 - i. F.O.R. station of Dispatch basis, i.e. delivered free on rail, inclusive of packing and forwarding charges. The stores will be booked under Military Credit Note, to be provided by the purchaser. and/or Free delivery at POF's stores at <u>Gate # 6, JBH COMPLEX, POF WAH CANTT</u>.

In this case Octori duty will be payable by the supplier.

- ii. Taxes and Duties etc. where applicable, must be shown separately, quoting reference to Registration No. in cases of Sales Tax and relevant authority in the case of others. Offer without these clarifications and inclusive of Taxes and Duties may be ignored.
- iii. Taxes and duties levied on or after Tender opening date or on or after the date offer was signed and dispatched will be allowed to include in the offered rates.
- iv. Suppliers will furnish a certificate, issued by Excise & Taxation Deptt, that he has cleared all Professional Tax payable by him" Offers received without this certificate will be rejected.
- v. Suppliers will render necessary information regarding hazardous effects on environment, of the materials/products supplied by them, in their quotations and shipping/dispatch documents.

- vi. If the requisite information is not furnished on the T.E forms or offer received is not conformity with the requirement of the T.E such offer shall be ignored.
- vii. Payment of duties/Taxes including professional tax (where applicable) must be supported by proof of having paid these to concern Govt. Taxation Deptt:
- viii. Date and Stamp of the Postal Order must be visible.
- ix. The payment to the registered supplier will be linked with the active taxpayer status of the supplier as per FBR database. If any registered supplier is not in ATL his payment would be stopped till he files his mandatory returns and appears on ATL of FBR.
- x. Status of your firm with POF (Registered/Un-Registered) should be mentioned in your offer.
- xi. Registered firms are required to provide copy of valid registration letter with POF.
- xii. a. Only registered suppliers (with Sales Tax & Income Tax deptt) who are on Active Taxpayers List (ATL) of FBR are eligible to supply goods/services to Govt. Depts.
 - b. The payment to registered persons may be linked with the active taxpayer status of the suppliers as per **FBR** database. If any registered supplier is not in ATL his payment should be stopped till his mandatory returns and appears on **ATL of FBR**.

xiii. TENDER FEE

The tender must be accompanied by a non-refundable fee by means of a crossed postal order/pay order of Rs 500/- in favour of Managing Director JBH COMPLEX POF Wah Cantt.

b) <u>In case of F.O.B Basis Supply</u>:

- i. The consignment will be shipped through Pakistan National Shipping Corporation (PNSC). In case there is no PNSC service in the country of shipping, please quote on C & F basis. The freight should be indicated separately. Insurance premium should not be included in the quoted price. However, where insurance is considered necessary, advice to that effect should be given in the quotation.
- ii. Submission of the offer through an agent in Pakistan should be avoided. In case it is considered inevitable, the agent's quotation must invariably be accompanied by the original proforma invoice from the principals/manufacturers.
- iii. Country of origin and port of shipment to be stated.
- iv. The offer of principal must clearly indicate whether the rate quoted is inclusive of agent's commission, and if inclusive rate of commission included be specified.
- v. Suppliers will render necessary information regarding hazardous effects on environment, of the materials/products supplied by them, in their quotations and shipping / Dispatch documents.
 - vii. If the requisite information is not furnished on the T.E form or offer received is not in conformity with the requirement of the T.E such offer shall be ignored.

c) BID MONEY

Bid Money at the rate mentioned bellow should accompany the tender (with commercial offer) in the shape of Deposit At Call Receipt, from a scheduled Bank drawn in favour of "Managing Director - JBH Complex Wah"

	managing Director Collins	
i.	Registered / indexed firm including	02% of quoted value subject to max
	Foreign firms	ceiling of Rs. <u>0.50 M</u>
ii.	Registered / Un-indexed firms including	03% of quoted value subject to max
	Foreign firms	ceiling of Rs. 0.75 M
iii.	Unregistered firms including Foreign	05% of quoted value subject to max
	firms	ceiling of Rs. 1.00 M
iv.	Govt. Organization / production units /	
	State Owned Enterprises / Welfare	Rs. <u>0.50 M</u>
	Projects of Svcs HQ	
V.	Earnest Money will be returned to un suc	ccessful (less first three lowest quote
	firms) bidders on opening of commercial of	offer
vi.	Earnest / bid Money will be returned to	successful bidder on submission of
	unconditional BG	
vii.	Provisional acceptance of bids if bid mo	ney deposited by the firms is lesser
	than the given amount, with the intima	tion to the bidding firms to deposit
	additional amount within 10 days of ope	ning of bids. However, procurement
	process will continue.	-
viii.	Tenders received without / less Bid securi	ty will be rejected.
ix.	Intimation regarding submission of bid m	oney must be endorsed in technical
	offer.	•

3. **ACCEPTANCE OF OFFERS**

The purchaser may reject all bids or proposals at any time prior to the acceptance of a bid or proposals, but is not required to justify grounds for its rejection. The purchaser shall incur no liability towards suppliers or contractors who have submitted bids or proposals.

4. **FAILURE TO SUPPLY STORES**

The specified delivery period (time and date of delivery / dispatch of stores) is the essence of the contract. All deliveries must be completed by the specified date(s). In failure to deliver stores within the scheduled time shall have arisen from "Force Majeure" which the Purchaser may admit as reasonable ground for further time, he will allow such additional time (without imposing liquidated demurrage) as he may consider to have been required by the circumstances of the case, of which he will be the sole judge and his decision will be final, otherwise he will be entitled at his option:

- a. "In case of unsupplied portion of the contract and unsatisfactory performance, the contract shall be rescinded by forfeiture of security and guarantee by the authority which approved award of the contract".
- b. "To recover liquidated damages when the government competent purchase officers on behalf of the government is satisfied that the failure to supply the stores within the scheduled delivery period has been for reason within the control of the suppliers and or if the government has suffered loss for reasons of belated delivery these liquidated damages if imposed will be recovered up to the rate of 02% but not less than 01% of the value of unsupplied quantity of the items per month or a part of a month for the period exceeding the original delivery period subject to the provision that the total liquidated damages thus leviable will be not exceed 10% of the total contract value of the particular stores which remained unsupplied either in part or in full."

OR

c. To withhold any payment due to the supplier until the whole of the stores have been supplied and/ or to direct deduction or recover, where considered necessary.

OR

d. To repurchase from elsewhere, at the risk and expense of the supplier, other articles of the same or similar description as he thinks fit to make good this default to the extent necessary, by canceling the contract, either wholly or for the unsupplied balance and with/ or without intimation to the supplier who shall be liable for any loss which the purchaser may sustain due to repurchase but shall not be entitled to any gain on repurchase.

5. **"FORCE MAJEURE"**

"Force Majeure" shall mean any event, Act / or other circumstances, not being an event, act or circumstances, under the control of the purchaser or of the supplier. The Supplier shall notify the Purchaser in writing of any such event within 15 days by Fax / Telex / Telegram of its commencement, which is relied upon by the supplier for its failure to comply with its obligation. The Purchaser shall have the right to conduct investigations to satisfy itself about the genuineness of the "Force Majeure" event. Non-availability of raw materials for the manufacture of stores, or of export permit for the export of the contracted stores from the country of its origin, shall not constitute "Force Majeure".

5.2 **FRUSTRATION**

If by reason of "Force Majeure" any consignment shall not be delivered by the due date, then the delivery period may be extended appropriately for the purpose provided the said consignment shall be ready within four calendar months of the stipulated delivery date. If the said consignment shall not be ready after the lapse of four calendar months as aforementioned, then the Purchaser shall have the right to cancel the contract informing the Supplier of the cancellation in writing. This, however, will not apply to consignments already accepted and delivered according to the terms of this contract. The Supplier will not be entitled to any compensation whatsoever as a result of this cancellation.

6. **SECURITY OF INFORMATION**

The tenderer and his employees must not communicate any information relating to the sale/purchase of stores under this enquiry to any person other than the manufacturer or to any press or agent not authorized in writing by POFs to receive it. Please return the Schedule to the Tender duly signed by the specified date, alongwith the specifications drawings etc. if any, enclosed herewith - even if you are unable to quote.

WARNING

In case the firm abstain from making offers or fail to return/acknowledge the tender form by the specified date on three consecutive occasions, no further tender enquiry may be issued to them and their names would liable to be removed from the approved list.

Yours faithfully,

(Raheel Anjum)

Managing Director – JBH Complex Wah

for PAKISTAN ORDNANCE FACTORIES

Office Tel. # 0092-51-905529201

Office Tel. # 0092-51-905529201,

FAX # 0092-51-9271400 E-mail: mdexp@pof.gov.pk

PAKISTAN ORDNANCE FACTORIES

Schedule To Tender Enquiry No. <u>Wah-1800-12-BLU(TBP)-D.O(JBHC)</u>
Dated <u>20th December 2024</u> to be opened on 23rd January 2025

For Plant and Machinery

1	2	3	4	ļ.	5
Item	December the model to Owner at a	0	Price		Delivery
No	Description with Spec etc.	Capacity	In Figures	In Words	Date
i.	Drum Type Rotary Blending Unit alongwith				
	essential accessories to homogenize Triple				
	Base Propellants along with necessary				
	accessories (Technical Details are				
	attached as Annex-A)				
ii.	Spares				
iii.	Erection, Commissioning & Trial				
III.	Production Run				
iv.	Documentation				
V.	Training (Abroad & Onsite)			•	
	Total Price				

2. SPECIAL CONDITIONS AND EVALUATION CRITERIA

- i) Chinese firms can quote in Chinese currency i.e. Yuan.
- ii) For comparison of bids quoted in different currencies, the price will be converted into single currency i.e. Pak Rupees
- iii) The rate of exchange shall be the selling rate prevailing on the opening of bids (notified by State Bank of Pakistan on that day).
- iv) Undertaking must be signed.
- v) Based upon the information being provided by the firms, only those firms will be awarded contract(s) who fulfill all the T.E. requirements.
- vi) Case will be processed and contract will be awarded to the firm(s) who will fulfill the evaluation criteria as **per PPRA** Rules.
- vii) Grand Total of offer must be mentioned in your quotation
- viii) LOI (Letter of Intent) is the part of purchase procedure & will be considered as legal document.

3. Undertaking

Should our offer be accepted, we hereby undertake to supply the store/render the services contracted on the basis of General Conditions of Contract embodied in Form POF 1281, and to deposit the performance bond within the prescribed time, failing which it will constitute a breach of contract, and POF will have the right to purchase the store/services elsewhere at our risk and cost.

Place	Signature of the Tenderer	
Date	Name	
	Position	
	Address	
	Income Tax G.I.R No.	

ANNEXURE-A

<u>DETAIL TECHNICAL SPECIFICATION OF DRUM TYPE ROTARY BLENDING</u> <u>UNIT ALONGWITH ESSENTIAL ACCESSORIES, QTY. 01 No.</u>

1. <u>NOMENCLATURE</u> Drum Type Rotary Blending Unit alongwith essential accessories

to homogenize Triple Base Propellants.

2. **QUANTITY** 01 No.

3. MAIN FEATURES

3.1 **General Requirement**

Drum type rotary blending unit to homogenize Triple Base Propellants (rosette shaped multi perforated grains) along with feeding, blending & offloading system and following accessories;

- i. HVAC including auto Humidification system
- ii. Dust collection system
- iii. Fire detection, sprinkler and flooding system
- iv. Propellants moisture adjustment system
- v. CCTV System
- vi. Remote Control Station
- vii. Weighing system
- viii. All Safety Devices, Pumps, Driving Electric Motors and all other essential accessories

3.2 CAPACITY

- i. Blending unit shall be capable to blend 10 M.Ton / shift (01 shift = 08 hours)
 @ 01 M. Ton / batch.
- ii. Supplier shall describe minimum loadable quantity also.

4. **DESCRIPTION OF BLENDING UNIT**

- i. Loading capacity of Blending unit shall be 1000 Kgs per batch.
- ii. Rotation speed shall be adjustable at suitable RPM to ensure safe operation.
- iii. One complete blending cycle (feeding, blending & offloading) for 1000 kg propellants shall be completed in approx 30 minutes.
- iv. Propellants weighing system at offloading side having adjustable capacity of 100 Kg maximum.
- v. Proper loading mechanism for feeding of propellant into blender.
- vi. Offloading mechanism for propellant from blender.
- vii. Humidity (55 65%) of the building shall be maintained automatically as per safe process requirement.
- viii. All the machinery shall be equipped with safety gadgets / accessories as per latest international safety standard.
- ix. Noise level of the machinery included in the scope of supply shall be less than 75 db.
- x. Personnel static charge detection system.
- xi. In case of any abnormality, emergency stop for the blending unit.

5. **SCOPE OF SUPPLY**

5.1 HARDWARE (MECHANICAL & ELECTRICAL)

- i. Complete blending unit including all processes safety equipment alongwith;
 - a. Propellant loading mechanism i.e. elevator, powder container, hopper and related accessories.

- b. Propellant offloading mechanism, including container for powder and related accessories.
- c. Propellants weighing system at offloading side having adjustable capacity of 100 Kg maximum.
- ii. Complete HVAC System including Auto Humidification system alongwith related accessories to maintain temperature (25 30°C) and humidity (55 65%) respectively as per safe process requirement.
- iii. Complete dust collection system alongwith related accessories to maintain clean working environment.
- iv. Automatic moisturizing system to maintain Water contents of propellant during blending operation.
- v. Fire detection system including Det-tronics controller, pyrotechnical operated pyro valves for flooding from pre-charged pressurized water tanks of suitable capacity or any other more effective system if available to suppress the inside spark / fire hazard in following;
 - a. Blending unit.
 - b. Loading point in blender.
 - c. Offloading point from blender.
- vi. CCTV Monitoring System shall include network LAN, server, switch board, feeding, recording disks (03 months backup), operator's PC, keyboard, LED screens, cables, cable ducts, switches and transmitters. Cameras shall have flame proof covers having minimum IP-65 protection.
- vii. Start / Stop control station for all electric motors (with ampere meters) etc. along-with perforated cable trays for power & instrumentation cables and mounting accessories.
- viii. Complete Instrument & compressed air System including air compressors, oil & moisture separators and dryers to supply quality air to instruments as per ISA standards and minimum dew point of -30°C.
- ix. All Electrical equipment to be installed in hazardous area shall conform to Ex, Exi, explosion proof and minimum IP-65 protection.
- x. Cables and accessories required for electrical and instrumentation installation.
- xi. All valves, interconnecting piping, fitting, gaskets, couplings, nuts & bolts.
- xii. Consumables required during installation of machinery.
- xiii. Flame proof cable for power, lighting, water sprinkler system & instrumentation along with mounting accessories.
- xiv. Flame proof lighting and accessories for illumination within the battery limit.
- xv. Lightening protection and complete earthing system.
- xvi. Personnel static charge detection system.
- xvii. Erection materials such as steel structure, piping, fittings, valves, anchor bolts alongwith its chemical for supporting entire machinery.
- xviii. Any other special mechanical, electrical & instrument items which are not mentioned but essential for successful installation, commissioning and trial run must be included in the scope of supply.
- xix. Selection of material for construction of blending unit should commensurate with the safety standards and durability.
- xx. Ferrous Ferrous contact must be avoided to ensure safety.
- xxi. Manual overhead Crane having suitable capacity for installation and future maintenance of the Blending Unit.

5.2 FIRE DETECTION & SUPPRESSION SYSTEM IN THE BUILDING

Supply of fire detection and suppression system (where required) with all components at least SIL2 rated including all essential hardware including pipes, cables & trays, sensors and accessories. The system shall be capable to detect Fire within 30 milliseconds and consequently actuate water sprinkling. Detail is as under;

a. FIRE CONTROL PANEL

Capable to handle all fire sensors automatically and manually, inputs and outputs included with logging and reporting facility printable as and when required on real time basis. Output of panel shall be capable to drive all sprinkler and flooding solenoids and acoustic alarm.

b. **FIRE SENSORS**

- Suitable number of Fire Sensors to cover whole risk area as 100%
- ii. Sensors shall be IR3 or UV/IR. Fire sensing shall be within 30 milliseconds maximum and start water showering in less than 01 second.

c. PRESSURIZED WATER SYSTEM

It shall be designed with wet pipe having solenoids at end of pipe before sprinkler and flooding nozzles. Water system shall include;

- Suitable capacity water tank at rated pressure minimum 8 bar with visual water level indicator
- ii. Electric fire pump
- iii. Diesel Engine driven fire pump
- iv. Jockey pump to keep up water level in pressurized tank.
- v. Air compressor to maintain system pressure including water tank
- vi. Supply of fire system shall include all required hardware and accessories

5.3 INSTRUMENTATION AND CONTROL SYSTEM

- i. Blending unit shall be equipped comprehensively (where required) with measuring and control system to allow remote process control with record of all essential process parameters.
- ii. Measuring and control instruments must be accompanied with master calibration equipment.
- iii. All instruments shall be Ex, Exd and Exi and (minimum IP 67) with 4–20 mA signal.
- iv. Auto & manual control system to be adopted for main processes and auxiliary units with complete control & command in both auto & manual modes.
- v. Blending Unit shall be equipped with alarm system to indicate the malfunctioning of instruments / equipments.
- vi. All operations shall be carried out from a separate remote control panel room.
- vii. In case of any abnormality, emergency stop for the blending unit.
- viii. There shall be no password at any level of application on any equipment and system.
- ix. The programming language shall be in Ladder or FBD in English language at all levels.
- x. Fire simulator for testing of system on actual simulation of fire with 10 Nos UV & IR Bulbs /lamps.

6. **SPARES**

a. **MECHANICAL**

Two years essential spares including item wise detail must be included in the scope of supply.

b. **ELECTRICAL INSTRUMENT & SPARES**

i.	All panel & field devices including controllers, sensors push buttons, limit switches, proxy sensors, barriers, contactors and overloads.	01 against each 03 installed
ii.	PCB for all control panels	01 against each installed
iii.	CCTV each component including cameras, multiplexer, CPU, adders, extenders and display LEDs.	01 against each 03 installed
iv.	Fire detection, sprinkler and flooding system with all type of sensors, pyro valves, controllers, PCBs, solenoid valves.	01 against each 02 installed
٧	Spares for pressurised water system of sprinkler system	01 against each
vi	Spares for temperature control & Humidification system	02 installed

7. AVAILABLE UTILITIES AT SITE

Following utilities are available at site:

- i. Electricity 400 + 10% volts, 50Hz three phase.
- ii. Electricity 230V ± 10%, 50Hz single phase.
- iii. Raw Water at 2 bar_a.
- iv. Steam at 4 bar_g.
- v. Compressed Air 3 bar_q.
- vi. The supplier will provide data of consumption of utilities related to electricity, water, steam and compressed air.

8. CLIMATIC CONDITIONS AT SITE

i. Temperature

Winter 0 to 20°C = 30 to 52°C Summer ii. Atmospheric relative humidity 25 to 90% Average annual rain fall iii. = 450 mm Altitude above sea level iv. 1504.50 Ft. Earthquake Value 8 on Richter scale ٧.

- 9. <u>DOCUMENTATION</u> The supplier shall furnish all relevant technical data and drawings (04 complete sets in English language) in hard and soft form of Blending Unit & related accessories including following;
 - i. Detailed Drawings & Specifications.
 - ii. P & I Drawings, Equipment Layout and Schematic Diagrams.
 - iii. Process manuals for sequence wise start up, shut down & trouble shooting of the equipment and related accessories.
 - iv. Complete layout showing electrical & safety installations.
 - v. Maintenance and services manuals covering trouble shooting and schedule maintenance.
 - vi. Complete safety manuals regarding operation & maintenance.

- vii. Configuration, programming and calibration manuals.
- viii. All programs and configurations fed to any instrument, VFD / soft starter and PLC shall be supplied in soft and hard form on Flash Drive / DVD with no restrictions.
- ix. All engineering details, data and tables involved in calibration and process calculations shall be provided.
- x. Trouble shooting manuals for all instruments, electrical and mechanical equipment.
- xi. Specifications of materials not included in the supplies but necessary for integration of the offered Blending Unit and related accessories.
- xii. Civil construction drawings (workshop Drawings) required for building construction including Foundation Plans with Load Values for the equipment to be installed.
- xiii. The supplier shall provide the civil workshop drawings within two months after finalization of the contract.
- xiv. The purchaser will construct the building as per civil workshop drawings provided by the supplier.
- xv. Detailed building layout for installation of the equipment keeping in view the requisite safety distance and explosives limits.

10. **BATTERY LIMIT**

Battery limit means one meter outside the wall of the building up to which the purchaser will provide the required utilities / services. The purchaser will ensure to terminate all pipes with flanges at Zero level of building.

11. PRE-SHIPMENT INSPECTION (PSI) & TRAINING

- i. Pre-Shipment Inspection & training team will be comprised of 03 members. Duration of PSI & Training shall be 10 working days (excluding journey period). All expenditures of the PSI & Training team i.e. boarding, lodging, return air tickets will be borne by the Buyer.
- ii. Inspection facilities for blending unit and related accessories such as tools, test equipment, instrument etc will be provided by supplier in accordance with the relevant specifications.
- iii. The supplier will arrange Pre-Shipment Inspection at their site / site of their sub contractors. The Pre-Shipment Inspection will take place in following manner;
 - a) The team will inspect the equipment in respect of material of construction, electrical & instrumentation specifications.
 - b) Spares quality and quantity.
 - c) Verification that the equipment conforms to the ordered specifications. The team will check the bill of details, assembly protocols and test certificates of the relevant items.
 - d) Examination and testing would be carried out where feasible.
- iv. During this period, the seller will also train buyer team regarding operation and maintenance of the blending unit and related accessories.

12. TRAINING ON SITE

During the stay of supplier engineers at work site for installation, commissioning & trial run:

- a. Practical training will be imparted to the concerned maintenance, instrument, production and quality control personnel of the purchaser.
- b. Duration of training will be 05 working days. Number of trainees = 10

13. **ERECTION AND COMMISSIONING**

- i. The purchaser under the working supervision of the supplier's engineers / technicians shall install the blending unit and related accessories.
- ii. The blending unit alongwith related accessories will be commissioned by supplier's engineers. Purchaser shall provide the required number of operators / technicians for the commissioning.
- iii. The supplier has to indicate the total man-weeks of his engineers / technicians required for the erection, commissioning and trial run. Terms and conditions are to be stated clearly. All expenses including boarding, lodging, traveling and daily allowance of the supplier's engineers / technicians shall be borne by the supplier. However, local transport will be arranged by the purchaser.
- iv. The supplier shall provide the time schedule for successful completion of the project.
- v. The supplier shall replenish the quantity of spares used during installation, commissioning and trial run.

14. FINAL ACCEPTANCE TEST (FAT)

- i. Final acceptance test will be carried out under the working supervision of supplier technical expert(s).
- ii. Purchaser shall provide the required number of operators / technicians and propellants for undertaking final acceptance test.
- iii. Trial run of the blending unit will be considered successful if it produces requisite quality and quantity as detailed below:
 - a. Propellant blending 10 M. Tons / shift (01 shift= 08 hours) @ 01 M.Ton / batch of Triple Base Propellant.
 - b. 04 lots of Propellant weighing 05 M.Ton / lot will be blended which must conform to requisite consistency parameters.
 - c. In case of any deficiency in terms of quality and quantity of product, all related expenditures to fulfill commitment shall be borne by the supplier.

15. **TERMS OF PAYMENT**

Payment will be made as per following;

- a) **70% payment** will be released against presentation of shipping documents and acceptance certificate issued by PSI team.
- b) **Balance 30% payment** will be released against the Final Acceptance Certificate, duly signed by the BUYER after the successful installation, commissioning & trial run of the store.

All Bank charges incurred in Pakistan in connection with the establishment of L.C. will be borne by the Purchaser, whereas all Bank charges incurred in connection with drawing of payment including charges for confirmation of L.C. by the advising Bank/Foreign Bank will be borne by the Supplier

16. WARRANTY GUARANTEE

i. The blending unit and related accessories shall be accepted on Supplier's Warranty / Guarantee with regard to quality and quantity subject to these being technically checked / tested where necessary and accounted for on arrival at Consignee's warehouse in presence of supplier's rep (if desired by supplier) at their cost. The supplier shall render Warranty / Guarantee certificate in duplicate to the Purchaser as soon as stores have been dispatched / delivered. This Warranty / Guarantee shall be binding on the Supplier for a period of **24 months** reckoning from the date of successful final acceptance test of the blending unit and related accessories.

ii. In case the stores on checking / test after receipt at the BUYER's factory are found not conforming strictly to the relevant specification and other particulars, or found broken during transit, the SELLER shall immediately replace the rejected / broken store by acceptable stores free of cost and without any obligation to the BUYER. Rejected / broken stores shall be disposed by the SELLER under his own arrangements. The SELLER will warrant the good quality of all equipment supplied against all defects or failures due to faulty design, material or workmanship.

17. **PERFORMANCE BOND**

- a. The SELLER will provide a Bank Guarantee to the tune of 10% of FOB value of the contract for satisfactory execution of the order. It shall be covered by any Scheduled Bank in Pakistan. The Bank Guarantee shall be endorsed in favour of CMA POFs Wah Cantt. The Bank Guarantee shall be furnished by the SELLER within 45 days from the date of opening of letter of credit. The Bank Guarantee will be valid for a period of **24 months** after the successful final acceptance test of the blending unit & related accessories. If the successful trial run is delayed, the SELLER shall arrange the extension of Bank Guarantee within 30 days from the date of amendment of L.C. If the Guarantee is not revalidated, the same is liable to be enchased by the CMA (POFs) Wah Cantt.
- b. If the SELLER fails to furnish the Bank Guarantee within specified period, the BUYER reserves the right to cancel the contract and has the right to purchase the stores at the risk and expenses of the SELLER.
- d. In the event of unsatisfactory performance or any breach of the Contract, Bank Guarantee shall be forfeited by the BUYER. The Bank Guarantee will be returned to the SELLER by M.D-JBH COMPLEX, POFs Wah Cantt on request after its expiry or after satisfactory performance of the contract whichever is earlier.

18. FOLLOW UP VISIT BY THE SUPPLIER EXPERTS

During the 2nd half of Warranty / Guaranty period, supplier experts must visit the Buyers site for inspection and troubleshooting of Blending Unit and related accessories for the following;

- i. Health of equipment provided by the supplier.
- ii. Spares consumption during the period viz-a-viz provided by the supplier etc.
- iii. Any suggestion regarding prompt operation of Blending Unit.

19. **REFERENCE LIST**

The seller shall provide list of similar Blending Unit which has been provided to different customer across the world and are still in operational condition.

20. TECHNICAL SUPPORT

The supplier shall confirm that after handing over of the blending unit, there shall be continuing technical support as and when required by the purchaser. In addition, the purchaser shall be kept informed regarding latest advancement in the related technology for further improvement in the process and operation of Blending Unit for a period of 15 years, commencing from the date of final acceptance test.

21. **ORIGIN**

The unit will be accepted from USA / UK / EU / Japan / South Korea OR any country having manufacturing facility under license of OEM from above origins

22. **EXPORT PERMIT**

Offers of only those firms will be entertained who will confirm the availability of export permit from their respective government.

WARRANTY / GUARANTEE CERTIFICATE

Firm's Name			
Contract No.		DATE	
respect in accordance materials used, whethe standard specification replace free of cost,	e with the relevant spector or not of our manufacts complete, are of good we every article or part the note limits and tolerance	ods supplied against the above contract are infications and terms of the contract and that cture, are in accordance with the latest appropriately orkmanship / quality throughout, and that we streed which before use or in use, shall be for of specification requirements, or in any way no	the the sved shall bund
	of our failure to replace naser, we will refund the re	the defective stores free of cost within the pelevant cost.	riod
successful Final Acce	•	eain valid for 24 months reckoning from the date Type Rotary Blending Unit alongwith esser bellants .	
	Signature Name Status in the Firm Dated		

BANK GUARANTEE FOR PERFORMANCE ON JUDICIAL STAMP PAPER OF Rs.100/- OR AS SUITABLE TO THE ACCOUNT OF BG.

	ract NoDate	
Nan	e of Firm/Contractor	
Add	ess of Firm/Contractor	
Nan	e of Guarantor	
	ess of Guarantor	
	unt of Guarantee Rs	
()	
	(in Words)	
Date	of Expiry of Guarantee	
	President of the Islamic Republic of Pakistan ugh the <u>CMA POF WAH CANTT</u> .	
	reas your good self have entered into Contract No	
	dated	
with	Messrs(Full Name and Address)	is the
with here subi Rs	Messrs	um of
with here subi	(Full Name and Address) inafter referred to as our customer and that one of the conditions of the contract hission of unconditional Bank Guarantee by our customer to your good self for a sempliance with this stipulation of the contract, we hereby agree and undertake as undertake as undertaked and and and and and and and are customer and amount not exceeding the sum of Rs	um of inder: o our ees or
with here subi Rs	(Full Name and Address) inafter referred to as our customer and that one of the conditions of the contract hission of unconditional Bank Guarantee by our customer to your good self for a sempliance with this stipulation of the contract, we hereby agree and undertake as undertake as undertaked and you unconditionally on demand and your without any reference to customer and amount not exceeding the sum of Rs Rupe FE (as applicable) as which	um of inder: o our ees or i be

Bank Seal and Signatures

	Guarantee one clear month before the actual expiry date of this Guarantee.
e)	That with the consent of our customer you may amend/alter any term/clause of the contract or add/delete any term/clause to/from this contract without making any reference to us. We do not reserve any right to receive any such amendment/alternation or addition/deletion provided such like actions do not increase our monetary liability under this Bank Guarantee, which shall be limited only to Rs
	(Rupees)
f)	That the Bank Guarantee herein before given shall not be affected by any change in the constitution of the Bank or Customer/Seller or Vendor.
g)	That this is an unconditional Bank Guarantee, which shall be enchased on sight on presentation without any reference to our Customer/Seller or vendor.
	Guarantor
Dated:	

That we shall inform your office regarding termination of the validity of this Bank

d)